



# **FLAP DISCS**

**Your disc for extremely high and  
fast material removal**

**Zirconia**

**Ceramic**

**Ceramic Plus**

**Standard**

**High-Performance**

**Features:**

- Aggressive self-sharpening grain
- Microcrystals that produce sharper grain edges

**Advantages:**

- Long service life
- High removal rate
- Low contact pressure required
- Cool grinding

**Applications:**

- Stainless steel
- Steel
- Aluminum
- Rust resistant, acid resistant and heat resistant high alloyed steels



**CERAMIC PLUS**

Innovative grain technology that results in sharper grain edges and higher stock removal on high alloyed steels and stainless steel.

**Prefix: 578.94...**

**Grit sizes: 40-80**

**4.5" & 5"**  
Diameter

**7/8"**  
Drill Hole

**12,250 U/min (rpm)**  
Max. rotation speed

**7,500 U/min (rpm)**  
Max. recommended rotation speed



Zirconia

Ceramic

Ceramic Plus

Standard

High-Performance

#### Benefits:

- Lasts up to four times longer than conventional flap discs
- Very high degree of material removal
- Finer, more uniform surface quality

#### Applications:

- Ideal for the processing of stainless steel, high-alloy steels, nickel-based alloys and titanium alloys
- Used for grinding edges and surfaces, dressing and smoothing, deburring and weld seam processing



4.5" & 5"  
Diameter

#### CERAMIC

Prefix: 578.4303...

Grit sizes: 40-80


7/8"  
Drill Hole

13.350 U/min (rpm)  
12.250 U/min (rpm)

Max. rotation speed

7.500 U/min (rpm)  
Max. recommended  
rotation speed

# Your favourite product is just a click away!



SHOP ONLINE NOW!

**SHOP.WURTH.CA**



**Würth Canada Limited/Limitée**

345 Hanlon Creek Boulevard

Guelph, Ontario, Canada

N1C 0A1

T (905) 564-6225

F (905) 564-3671

info@wurth.ca

Printed in Canada. All rights reserved. May not be reproduced, in part or in whole, without prior consent.