



INSTALLATION

PRODUCTS & SOLUTIONS



FROM COAST TO COAST

Started in Canada in 1971, we've now grown to over 400 sales representatives coast to coast. With a Head Office in Guelph, Ontario; and a Western Warehouse in Acheson, Alberta, we ship to 12,000 plus customers per day including many national and key account programs.

Our product range has significantly expanded over the course of the last few years, offering premium, innovative solutions in all areas of business. From our range of abrasives and material processing, to PPE/Safety, to our new range of quality German-made hand tools, **our 14,000+ products will certainly find a home in your everyday work life.**



WÜRTH IS THE LARGEST COMPANY OF ITS KIND IN THE WORLD





WÜRTH CANADA HEAD OFFICE GUELPH, ONTARIO ASK YOUR SALES REPRESENTATIVE ABOUT OUR INDUSTRY-SPECIFIC PRODUCT GUIDES INCLUDING...



A few words from our **METAL DIVISON MANAGER**,

Charley Smith

Thank you for taking the time to review this pamphlet and learn more about Wurth Canada's Installation Solutions for HVAC, Electrical & Plumbing. We look forward to an opportunity to service your company and provide you with world-class, German-engineered products, that many other organizations, such as yours, have come to know and trust.

Würth has been a valued supplier to Metal Industry & Installation customers since 1971. With our parent company, originating in Germany in 1945, a move to Canada became a natural transition, and we have been steadily growing ever since. We also service the Automotive, Cargo and Construction industries nationwide.

SEE INSIDE FOR OUR TOP SELLING PRODUCTS FOR HVAC, ELECTRICAL & PLUMBING INSTALLATION NEEDS >

ELECTRICAL

28 CONNECTORS
30 ELECTRICAL COMPONENTS
32 HAND TOOLS
40 ADHESIVES & TAPES

42 CLEANING
46 SEALANTS & O-RINGS
48 LUBRICANTS & GREASES
50 RUST SOLUTIONS, PAINTS & PRIMERS



52 CUTTING5854 FASTENERS6056 FITTINGS, HOSES, & TUBING57 EQUIPMENT & STORAGE

58 SAFETY SUPPLIES 60 ABRASIVES

ELECTRICAL I CONNECTORS

	- RUTTCC	
SOLDERLESS CONNECTOR ASSORTMENT	тн	
Los 905.358.000 Los 25 Blas 114 au 118 Los 26 Blas 114 au 118	PVC Solderless	Heavy Duty Butt
Control Control <t< td=""><td>Butt Connectors 558.9</td><td>Connectors 967.092</td></t<>	Butt Connectors 558.9	Connectors 967.092
List of sector functions List and functions <thlist and="" functions<="" th=""> Li</thlist>	ES 22-24AWG SES	
	CLEAR Heat Shrink Crimp Butt Connectors 555.516	CLEAR WINDOW Heat Shrink Crimp Butt Connectors 555.516
		i and i a
	Hydralink Butt Connectors 555.571	Heat Shrink Crimp Butt Connectors 555.516
PVC Solderless Connector Assortment	Power Lugs	Universal Power Terminals Standard Lugs

557.917...

557.139...

557.154...

965.558600 • 600 pcs

28 SHOP.WURTH.CA



Heat Shrink **Crimp Ring** 555.90....



Nylon Solderless Insulated Spade Connectors 555.95....



PVC Solderless Ring Terminal 558.90....



Heavy Duty Ring

Terminals

967.090...

Heat Shrink **U-Terminals** 555.9....



Male PVC Solderless **Bullet Connectors** 558.9...



Female PVC Solderless Bullet Connectors 558.9...



PVC Solderless Piggyback Connectors 558.94...



Heavy Duty U-Terminals 967.09...









Butt Splice Terminals 557.5014....



Heat Shrink Solder Rings 8201.831...



Wire Loom Clips Prefix 543





Tap Connectors 555.95...

Battery Splice

Terminals

557.918...

ELECTRICAL I ELECTRICAL COMPONENTS

DEUTSCH

Deutsch Connector Assortments 965.8871 Deutsch Connectors for 14-18 AWG DT Series Contents: Pins, sockets, and plug assemblies for Deutsch DT series





INDUSTRIAL BATTERIES

AAAA • 827.00 | AAA • 827.01 | AA • 827.02 | C • 827.03 | D • 827.04 | 9V • 827.05



Butane Solder Gun & Heat Torch

Equivalent to a power range 30-125 watt. Cordless, simple and safe to operate. Ready to use 15 seconds after ignition. Fuel for 200 minutes of operation.



Dual Wall Heat Shrink Tubing 775.014



Maxi Fuse Holder 729.11150



Add-A-Circuit Fuse Holder 729.12...



Air Duster 890.500856 • 284 g

Compressed air spray removes dust effortlessly from inaccessible places. Does not attack surface finishes. Does not contain VOC's.

V









893.60 • 200 mL

Cleaning agent for all types of electrical contacts

- + Removes oxide and sulphide
 - layers, resin, oil and dirt
- + Eliminates crackling noises immediately
- + Eliminates high resistance
- + Does not affect usual construction materials











Adhesive Cable Zip Tie Mounts 502.6....



Split Wire Loom Prefix 773.

Premium Cable Zip Ties With Plastic Tongue 553.550...

WURTH

CONTACT OL

Subdivision Research

159.4 9 (5.62 01

Internet of

Cable Zip Ties With Metal Tongue 553.550... ○●

Mounting Head Ties 553.56010



Cable Zip Ties With Plastic Tongue 553.550...

ELECTRICAL I HAND TOOLS



Insulated Interchangeable Screwdriver Set 613.90014 • 14 pcs

12 interchangeable blades, simply choose the right blade and insert it into the handle. High-voltage tools for working with voltage up to 1,000 volts (AC), or up to 1,500 volts (DC).



Phillips & Slotted Screwdriver Set 613.92326 • 6 pcs



Insulated Slotted Screwdrivers 613.6310...



Insulated PH Screwdrivers 613.632...





Extendible, rotating magazine lets you find the bit you need quickly.

No need to reposition hand. This enables fast, efficient operation in any assembly situation.



Square Screwdriver Set 613.43910 • 4 pcs



Insulated Precision Screwdrivers 613.48...



PH Round Blade Screwdriver 613.2320...





Insulated Square Screwdriver GRY.RB223-I



Insulated Nut Driver Set GRY.CHS7A-1 • 7 pcs





ELECTRICAL | HAND TOOLS







Insulated Tongue & Groove Slip GRY.B45-10A-I



Insulated Bent Nose Pliers GRY.B239B-I



Insulated Flat Nose Pliers GRY.B224A-I

IDEAL SNIPS Sheet Metal Shears 713.031...• Right & Left Handed

Levered sheet metal shears with twopart plastic handle. Ideal shears for continuous and figure cutting. Twice the cutting power by pressing the power button.

Ridges on the handles prevent the shears slipping out of one's hand. Secure guidance of the sheet metal shears.

111

HD Power Button Reversible Side Cutters 714.01599 • 200 mm Side cutters with connectible lever transmission

WURTH





E HURLING



ZEBRA Insulated Side Cutters 714.01572 • 160 mm



Side Cutters Pliers PVC Handle 715.01572 • 180 mm

Side Cutters 714.015...





Hands Free Locking Plier Hold GRY.1010





3" Straight Snip GRY.S412A

ELECTRICAL I HAND TOOLS



AVAILABLE ONDEMAND



Snap Ring Plier Set GRY.B103



High Leverage Plier Set GRY.83303 • 3 pcs




General Service Set GRY.BK-SET5-89 • 5 pcs

WURTH



Combination Wrench System Assortment 965.905401 • 17 pcs



3/8" + 1/4" Socket Wrench System Assortment 965.905903 • 91 pcs

Workshop Tool Storage Trolley

962.699237

Inside drawer dimensions suitable for **TOOL system** tool assortments.

> Aluminum drawer pulls. With 45mm Ball-bearing drawer slides, loading _____ capacity 30kg per drawer.

Overall body size (Incl. handle & wheels): 1017×758×450mm (H×W×D)

2 fixed wheels and 2 swivel wheels with brakes.



Screwdriver System Assortment 965.905916 • 21 pcs



1/4" + 1/2" Socket Wrench System Assortment 965.905922 • 109 pcs



Cantilever Red Handbox GRY.9118 • 18"



Red Handbox GRY.9109 • 19"

ELECTRICAL I HAND TOOLS







Deburring Tool Assortment 965.42100 • 32 pcs

The efficient deburring system for steel, aluminum, brass, cast iron and plastics. Thanks to turnable blades, holes and edges can be deburred from inside, outside or on both sides.



Telescopic Magnet with Pocket Clip 715.3496 • 155 - 640 mm



Clip Remover Blade 714.3453 • 7 mm

BETTER VISIBILITY & COVERAGE WITH ERGOLIGHT Power Boost Cordless

WURTH

BOOST LIGHT

1000 LUMENS

COB Light 827.940451

DISCHARGING TIME APPROX. 4 HRS (MAIN LIGHT)

EXTREMELY HIGH OUTPUT & INTENSITY APPROX. 4 HRS (MAIN LIGHT)

CONVENIENT AND EASY TO USE WITH 3 STRONG MAGNETS

WIDE FLOOD LIGHT ANGLE

LASER DISTANCE MEASURING UNIT WDM 3-12

570.9300508

Range 80 m (260ft) Accuracy ± 1.0 mm (1/32″)

High-precision laser distance measuring unit with large illuminated display for excellent legibility.

Room dimensions function or room circumference. Wall surface area and volume. Enables measuring from slits and corners.

Extra-thick housing components for Impact protection. Tripod screw for tripod stand installation.



 Image: Non-Stripper & Cutter
 Image: Non-Stripper & Cutter

 GRV.EH4
 Image: Non-Stripper & Cutter

ELECTRICAL | ADHESIVES & TAPES

Bond And Seal 890.100... • 310 mL

Elastic polyurethane adhesive and sealant with a wide range of material applications such as metal, painted surfaces, wood, stone, concrete and plastic (polyester and hard PVC)

WURTH

Silicone free. Nearly odourless. Non-corrosive!

In manual man

mmm

KLEBFIX Easy Pen

893.090030 • 30 g

In the innovative, patented Easy

Pen design. The lever presses into the softest part of the bottle, allowing the bottle to be made of hard material, to help prevent moist air from penetrating the bottle and causing the adhesive to harden. Allows the user to work longer without fatigue.

KLEBFIX Super Glue

893.090 • 47 mL 893.09 • 19 mL

For extremely fast connection of any combination of rubber, plastic and metal parts to one another. Contains no solvents but contact with skin and eyes should be avoided because of instant adhesion. **NSF Certified**



COLOURLESS FOOD SAFE 12 MONTH SHELF LIFE

TEMPERATURE RANGE -30°C TO +80°C



Excellent for use in hard to reach areas, where the use of electrical tape or heat shrink tubing is impossible!

Liquid Electric Tape 893.198010 • 112 g

Insulates, seals and coats all in one step. Coating will remain flexible and is waterproof. Protection of vehicle wiring from corrosive influences such as street salt or calcium. Tacks up in 5 minutes/cures in 30 minutes.

DOUBLE SIDED ACRYLIC TAPE

High performance two way acrylic foam tape designed for bonding larger moldings and accessories. High strength acrylic adhesive that provides superior adhesion to various types of plastics, metals, glass, wood and painted vehicle surfaces. Instant pressure sensitive bonding. Will not absorb moisture. Conforms to irregular surfaces. Resists stress.

Use Adhesion Promoter (Art. No. 893.91014) to achieve maximum adhesion on plastic parts

Silicone Tape 985.077200

Highly resistant, self-welding silicone tape for instant repairs & sealing applications

General Purpose Vinyl Electrical Tape Ruban isolant en vinyle

Contrasting The second TEMFLEX Vinyl Electrical Tape 894.1219

> Woven Rot Proof Tape 894.1230 PET cloth wire harness tape for high abrasion protection

and high temperature resistance in 150°C areas.




ELECTRICAL I CLEANING



WURTH



890.90901 • 4 L | 890.90904 • 20 L 890.909020 • 210 L







Eco Multi-Purpose Disinfectant 893.139611 • 1 L | 893.139614 • 4 L



Eco Graffiti Remover 893.13550 • 500 mL



Industry Cleaner 893.140 • 370 g



Premium Glass Cleaner 890.9026 • 517 g



W-SOL Residue **Remover Aerosol**

890.1130 • 650 mL

Solvent-based cleaner that removes dirt, grease, tar, residue, wax and silicone

ELECTRICAL I CLEANING

High-Visibility Safety Universal Absorbent

899.900960

Applications: Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

UNIVERSAL MULTI-USE PAD THAT COMBINES AN ABSORBENT WITH CAUTION/WARNING SIGN

Super Spray Degreaser 893.164500 • 20 L

This unique, powerful and

BIODEGRADABLE DEGREASER cuts heavy grease and soil quickly and effectively. Contains NO petroleum or chlorinated solvents, phosphates or acids and is pleasantly scented, unlike most petroleum based degreasers.

Universal Absorbent Roll

WURTH WURTH

DEGREASER

SUPER SPRAT

10 L (5.3 Hal)

WURTH

885.8919 • 15" x 75'

Universal rolls that absorb oils, coolants, solvents, water and much more! **DIMPLE BOND PATTERN** increases the physical strength of the polypropylene in every direction







WURTH

Industrial Strength Hand Cleaner 893.93401 • 3 L

Powerful citrus hand cleansing gel. Increased cleaning power because of skin friendly micrograins. Effective for removing heavy soils such as tar, paint, glue and lacquer.



Convenient dispensing method makes clean-up quicker and more efficient. VOC-free solution, versatility and dispensing size make this environmentally friendly.



HAND CLEANER WITH APPLE SEED SCRUB

890.600640

Solvent-free, environmentally friendly hand cleaner that cleans, moisturizes and promotes healthy skin with abrasive apple seed technology.

- Natural apple seed pumice
- 100% solvent-free, petroleumfree and biodegradable
- Effectively cleans tough grease and grime

WURTH

HAND CLEANER

KUN

100% Biodegradable

Keep out of reach of children

l'exir hors de portée des enfe

with Apple Seed Scrub

NETTOYANT À MAINS

avec Gommage à Graines de Pomme

Ne contient aucun:


Contains absolutely no:

sulfates, perabènes, parture

Made in Canada Fabrique au Canada

3.7 L

- Prevents and heals dry, cracking skin
- Gentle on sensitive skin types such as dermatitis prone skin
- Hand pump included
- Peppermint scented



45

ELECTRICAL | SEALANTS & O-RINGS

Bond & Seal 890.100... • 300 mL

WURTH

GLUE AND

Can adhere same & different materials.

General

Resistant to

vibration.

moisture and

Purpose Silicone

892.5602... • 300 mL



WURTH

"substress and beauty

TOP

Top 1K Foam PURLOGIC 892.142 • 500 mL

Adheres to concrete, stone, hard PVC, metal and wood. No adherence to polyethylene, silicones, PTFE and grease.

PURLOGIC[®]



Quick Seal 890.95900 • 283 g

High density siliconized gasket maker gives immediate turn-around which allows handling of bonded parts after application. Product is tack-free in 5 minutes and cures in 2-6 hours, depending on thickness and atmospheric conditions



WURTH

QUICK SEAL

CELLANT

APIDE



890.00004 • 300 mL

This low volatile, one component neutral-cure silicone rubber is virtually unaffected by temperature and weather extremes, chemicals and aging.

> This material seals or replaces a wide range of cork, paper, asbestos, felt and metal gaskets.

100 % Silicone Rubber. Non-Corrosive. Permanently Flexible. Fast Cure.



TEMPERATURE RANGE -62 TO 210°C (-80 TO 410°F)



RTV SILICONE GASKET

Low volctility

JOINT EN SILICONE RTV

Faible Volgeilité

Contenda/Cuntern 300 ml (10.1 fl oz)

WURTH

GENERAL

PURPOSE

SILICONE

ILICONI



893.511050 • 50 g

Threadlocking Agent 893.271050 • 50 g

Retaining Compund 893.603050 • 50 g

Hydraulic Sealant 893.545050 • 50 g

893.577050 • 50 g

ELECTRICAL I LUBRICANTS & GREASES

CUT+COOL Cutting & Drilling Oil

893.050004 • 287 g

Multi-functional cutting oil used in a variety of applications from light to medium-heavy machine work. Prevents welding of small material particles to cutting edge. Provides lasting protection against further formation of rust and corrosion. No re-treatment or preservation necessary.





CU 800 Copper Spray 893.800 • 300 mL



Silicone Spray 893.221320 • 320 g



UNIVERSAL USE

AEROSOL CONTAINER

INTO TIGHT SPACES

FREE OF SILICONE

CHLORINE, RESIN & ACID

DISSOLVES STICKY

RESIDUES & DEPOSITS

Lock Cylinder Spray 893.052 • 50 mL



CUT+COOL Cooling Lubricant Concentrate

893.050030 • 5L Partly synthetic all-purpose lubricant with an outstanding cooling effect and excellent chip removal.



CUT+COOL Cutting And Drilling Oil Perfect 893.050008 • 334 g

High-performance cutting oil for heavyduty machining and high cutting speeds.



True Glide New

893.899 • 150 g Heavy-duty, multipurpose synthetic grease with PTFE that provides long-life protection against friction, wear, rust, and corrosion. Compatible with most other lubricants and will not run, drip, evaporate or form gummy deposits.





Great cleaning power is ensured thanks to penetration under dirt, grease and oil residue. Best possible cling to metals.





MULTI Multiuse **Maintenance Oil** 893.055400 • 255 g

5 in 1 A universal product for five different areas of use. Rust penetrating agent. Lubricant. Cleaner. **Corrosion protection. Contact Spray.**





Multi-purpose grease fortified with special additives enabling it to withstand the heavy impact and pounding pressures common to heavy equipment.





WURTH

HHS 5000

HHS RED LUBE

LUBRIFIANT HHS ROUGE

893.10651 • 390 g Formulated with OMC² technology which promotes

HHS Red Lube

HHS 5000

893.1063 • 335 g

High performance fully

synthetic creeping oil

lubricant with PTFE and

extreme thermal stability.

surface smoothing to reduce wear and extend lubrication intervals.



WURTH

HHS 2000

- Louise

HHS LUBE LUBRIFIANT 1115



HHS 2000

893.106 • 330 g

High pressure resistant

and highly adhesive

synthetic lubricating oil.

Extreme pressure long-

term sprayable grease with OMC² technology.

ELECTRICAL | RUST SOLUTIONS, PAINTS & PRIMERS



High Solids Enamel Paints 892.

A superior industrial spray paint when maximum performance is required.



Provides **4x** the coverage of conventional spray paints.



Our general use spray paints now have **360° nozzles!**



Improved drying time!

No more clogged cans or paint that drips!

SATIN BLACK High Solids Enamel 892.150004 • 454 g





892.150006 • 454 g

GLOSS WHITE High Solids Enamel



GLOSS BLACK High Solids Enamel 892.150003 • 454 g



ROST OFF GOLD

890.20011 · 300 mL

Provides a foaming action that reduces run-off, provides excellent moisture displacement and longlasting protection against further corrosion. Produces highlyadherent no-drip foam on the work piece that clings to the surface and creeps into hard to reach areas.



GLOSS DARK GREY High Solids Enamel 892.150010 • 454 g



GLOSS BLACK High Solids Primer 892.150001 • 482 g

General Use Enamel Paints 892.140002 • 340 g

A top quality paint that provides a tough, durable finish. 360° Spray nozzles. Works upside down. Fast drying with good coverage. Rust inhibiting, and resists chipping and peeling.





NEW ROST OFF PLUS 890.200004 • 400 g

Loosening of extremely corroded and oxidized screws, bolts, nut connections, etc. on automobiles, trucks or construction equipment, machineries and other equipment.

ELECTRICAL I CUTTING



TIME-SERT[®] Universal Kits 699.

TIME-SERT[®] is based on steel instead of wire inserts. It guarantees easy installation and allows for permanent full load use.



Extreme cutting performance and long tool life. High performance saw blade for extremely demanding applications, high cutting and long tool life.

The right immersion depth every time. Depth scale for monitoring precise immersion depth.



Carbide

Solid Carbide TiALN Twist Drill 544.3000...



HSS End Mills

Prefix 654.



Standard Tri-Shank HSS Black & Bronze Oxide Drill Bits 627.1...





METAL Sabre Saw Blades 615.9...

Art. 615 915 026



Step Drill HSS M6-M30 694.022430

Centering, drilling and deburring in one step.

CBN (cubical boron nitride) deep ground suitable for material thickness up to 4 mm. Sharp cutting edges produce exact hole sizes. Extended service life due to radial and axial relief grinding.

- STANDARD 3/8" REDUCED SHANK HSS -BLACK & BRONZE OXIDE DRILL BITS Prefix 627





Bi-Metal Hole Saw Assortment 5964.063291 • 16 pcs

Featuring Würth's new System Case, this is a modern take on Würth's classic hole saw assortment. A 16 piece set containing 12 different sized hole saws from 3/4" (19mm) to 3" (76mm). Made of HSSCO8 M42 Bi-Metal (8% cobalt), these hole saws are tough; so tough, in fact, that they can saw through stainless steel!

THUNDERBIT® Drill Index – 1/16" - 1/2" 627.100 • 29 pcs.

Black oxide bits last up to 50% longer than standard HSS bits. They offer superior durability and speed and are considered the best general purpose drill bits.



ELECTRICAL | FASTENERS



Standard Pan Head Combination Machine Screws Prefix 033. & 032.



Wood Screws 103.8. ...





18.8 SS Standard Pan Head Square Sheet Metal Tapping Screws 121.10.1...



ZINC Standard Pan Head Square Sheet Metal Tapping Screws 102.10. ... HEX HEAD BOLTS, NUTS & FLAT/LOCK WASHERS ASSORTMENT 965.076 • 775 pcs





076.38. ...



Standard Hex Nuts Prefix 340.



Standard Split Lock Washers Prefix 440.



Standard USS Washers Prefix 408.



Standard Fender Washers Prefix 412.



ZINC PLATED**STANDARD** HARDWARE ASSORTMENT

965.072 • 1575 pcs

Includes 18 Compartment Heavy Duty Storage Bin Standard Hex Bolts (UNC), Grade 5, Zinc-Plated: Prefix 072 Standard Hex Nuts (UNC), Grade 5, Zinc-Plated: Prefix 330 USS Flat Washer, Grade 5, Zinc-Plated: Prefix 408 Standard Lock Washers, Zinc-Plated: Prefix 442



Self-Drilling Drywall Anchor 903.252



U-Nut 502.10050



Screw Anchors 904.84...



18GA Mechanics Wire 801.15502 • 100 m

ELECTRICAL I FITTINGS, HOSES, & TUBING



893.139611 • 1L | 893.139612 • 4L 893.139613 • 20 L

Environmentally safe cleaner, deodorizer & disinfectant that stops the spread of contamination, contagious germs & micro organisms.

Meets Health Canada requirements for emerging viral pathogens. This means that it is an authorized disinfectant to use against the coronavirus that causes COVID-19.



1495B-D Air Brake **Terminal Bolt** 884.1495B-D 1/2P X 1-1/2L





NORMA **Pipe Clamp** Prefix 542.

Steel, Zinc-Plated with vulcanized rubber insert.

Stainless Steel Hose Clamps 535.SS. ...

1/2" High Nickel Stainless Steel band and housing. 5/16" High Nickel Stainless Steel hex head screw



Clear Dual Wall Shrink Tube With Glue Prefix 777.

WURTH

ECO MULTI-PURPOSE DISINFECTANT DÉSINFECTANT MULTI-USAGES ÉCO

56 SHOP.WURTH.CA

TUBERCULOCIDE

against pathogenic fung

MILDEWSTAT on hard inanimate surface

ELECTRICAL | EQUIPMENT & STORAGE

WURTH

7 DRAWER

Workshop Tool Storage Trolley

962.699237

+ Solid sheet steel design with central locking with tubular lock.

Individual drawer
 with auto return function

2 fixed wheels and
 2 swivel wheels with brakes



Black System Case 8.4.1 5581.010000



Clear System Case 8.4.1 5581.010500



MURTH

SYSTEM BOX 2.1.1 5581.035002



Biomatic Fluid 995.903 • 18.9 L


Excellent for removing motor oil, bearing grease, automotive grease, impacted grease, creosote, resin products, hydraulic/transmission fluid, fifth wheel grease, crude oil, solder/flux, and animal fat.

Biomatic Multi-Layer Ozzy Filter 995.900013

The white layer is designed to trap any particulate larger than 50 Microns. The blue layer provides support for the microbes located in the mat. These microbes migrate from the mat into the Biomatic fluid, located in your Biomatic tank, and break down hazardous waste.



ELECTRICAL | SAFETY SUPPLIES



Reusable Face Mask 899.121140 • 10 pcs Double layered fabric facemask. Washable fabric with elastic ear loops.

Lens Cleaning Wipes

Safely cleans eye protective gear and safety

glasses. Individually wrapped in foil sachets

and conveniently packaged in a dispensing box. Pre-moistened with anti-fog cleansing fluid.

899.102301 • 100/Box





KN95 Industrial Mask 899.081799 • 10 pcs Disposable KN95 mask designed to provide comfortable and reliable worker protection against dust and dirt





SPARK Safety Glasses 899.103205 • Clear



SPARK Safety Glasses 899.103206 • Grey



TRENDUS Safety Glasses 899.103132 • Clear




ELEMENT Safety Glasses 899.103210 • Clear

TIGERFLEX **CUT 5 Gloves** 899.4513...



TIGERFLEX **CUT 3 Gloves** 899.4513...



TIGERFLEX SOFTFLEX Foam Nitrile Gloves 899.4010...



899.4010...



PLUS Gloves 899.4110...



THERMO Gloves 899.4040...

cut 4 pu **PROTECTIVE** GLOVES 899.4071... • Sizes 7 - 11

> + PU coated gloves that provide the **perfect** blend of cut, abrasion resistance and grip

DISPOSABLE **GLOVES**

Due to the Covid-19 Pandemic, we are experiencing a high demand for disposable gloves. We encourage you to work with your Wurth Sales Representative to review current stock and figure out what the best solution is for your business.





CAN OR COD




Compliance E4 Shock Absorbing Lanyard 899.032006 Made with a superior grade, heavy-duty polyester webbing for maximum strength

ELECTRICAL | ABRASIVES



RED CERAMIC QUICK STRIP WHEELS 585.333 1...

Extremely fast cleaning & maximum service life when removing welding seams, scale corrosion & coatings. Materials to be processed: steel, stainless steel, aluminum, cast iron, fibreglass & composite materials



ORSY Emery Cloth Rolls

674.9...

Special high quality glue guarantees maximum grain adhesion. The backing strip is made from tear resistant long fibre cotton.


> Wire Brush With Shank 714.691...

For light duty deburring and rust removal work. Particularly well suited for automotive applications, cleaning of weldings



ZEBRA Stainless Steel Speed Cut Off Wheels Prefix 664.

Würth's top selling cutting discs! Super thin, super fast and minimal flash. Free of iron, chlorine and sulphur (</= 0.1%).



Ceramic Plus Resin Fibre Discs 580.911560

Innovative grain technology that results in sharper grain edges and higher stock removal on high alloyed steels and stainless steel.



ZEBRA 'XTREME CUT' Cut Off Disc 664.631...

The high-tech cutting disc with extreme cutting ability and high safety margin. Considerably less strain on the user from vibrations, cutting noise and flying sparks.



STAINLESS STEEL WIRE BRUSH ASSORTMENT

715.0101 • 6 pcs

Durable, abrasive, 6-piece bore brush set features the most common sizes for cleaning tubes, ports, bearings and other general wire brush applications. A

FIBRATEX Hand Pads 585.10890 • Marron

Premium aluminum oxide grain for precision surface conditioning and a faster cut for scuffing, blending and paint preparation.

Spot Sanding Pen

715.18335 The Würth spot sanding pen is designed with glass fibres that can be extended out (by turning) to ensure even the smallest recesses get cleaned.

WURTH VOLP Vending in Partnership



ABOUT THE PROGRAM

What is the Würth Vending Program?

The Würth Vending Program is a customized vendor managed inventory solution for storeroom automation based on the use of vending machines, lockers and supporting software. As a mutually beneficial business partnership, the program can offer solutions to a variety of inventory management concerns:

- Work Flow Efficiency
- Staff Productivity
- Enhanced Inventory Control
- Stock Turnover
- Loss, Theft or Misuse of Goods
- Customer Satisfaction

Würth's Vending Program helps Purchasing Managers control use while offering accessibility to their Workers. In addition to enhancements in the aforementioned areas, the program can offer the added benefit of:

- 24/7 Access
- Cost Reduction; Reduction of Waste by 15-30%
- Elimination of Stock Outages
- Up to a 50% Reduction in Inventory Levels
- Point-Of-Use Access
- Storage of High Quality Items with Secure Access
- Automated and Robust Reporting Options
- Real Time Data Analysis

OUR COMMITMENT. Wurth offers complete sales and support services to accompany our business partners. By offering a team of Expert Consultants trained in storeroom management optimization, Wurth provides commitment to Business Partners by proposing adapted solutions to the industrial and institutional sectors.

WURTH

WÜRTH IS

HOF ON UNE NOW

SHOP, WURTH, CA



REDUCE YOUR COSTS

with Würth ORSY Inventory Management!



A proper **ORSY System** creates efficiency, organization and a professional image for your company.



WHAT IS **ORSY[®]?** A NAME FOR ORGANIZATION & SYSTEM

Würth ORSY[®] is a partnership agreement that provides you with the storage and organizational equipment needed to facilitate your work, and best of all it's at **NO CHARGE.** Installation and maintenance are performed by your qualified Würth

Professional. All we ask is that you use our products. It's that simple.

Some of the ways ORSY[®] will benefit your business include:

- Efficient storage and stocking of small parts
- No wasted time searching for the parts you
- need
- Customer-specific inventory levels
- Prevents overstocking
- Small parts and supplies are always on hand
- Ongoing vendor managed inventory service

Würth can customize your ORSY® with a completeline of racks, bins, drawers and tower units for:

- Hardware
- Fasteners
- Electrical
- Hose
- Chemicals
- Assortment

SYSTEM WORLD

SYSTEM CASE 5581. Your new foundation for better organization

IMPACT & SCRATCH-RESISTANT



HANDLE CAPACITY

RESISTANT TO oil, grease, temperature, & weathering



RAISED FEET prevents case from getting dirty

WURTH



Your choice of ... 2 SYSTEM CASE SIZES



And your choice of... **2 LID STYLES**



Keep your System Cases stored in a SYSTEM CABINET



Or take your System Cases on the road with the SYSTEM TROLLEY



Customize your interior with SYSTEM BOXES



Or you can choose a PRECONFIGURED SYSTEM CASE



CHECK OUT SOME OF OUR OTHER BROCHURES...

CANADA

PRODUCT

GUIDE

SCAN ME

KEEPING YOU SAFE BROCHURE

Keeping you safe while getting you back to work during Covid-19



ECO CHEMICAL REFERENCE GUIDE

Showing over 50 carefully selected Eco & food safe products.






CONTENTS



Our top Made in Canada products to help support your local economy







Würth Canada Limited

345 Hanlon Creek Boulevard Guelph, Ontario, Canada N1C 0A1 T (905) 564-6225 F (905) 564-3671 For general inquiries, please contact: info@wurth.ca For questions regarding products, please contact: product@wurth.ca

Content Coordination

Goran Abramovic Donny Braga Charley Smith Wes Dutton Amanda Doerrie

Graphic Design Paige Beatty Printed in Canada. All rights reserved. May not be reproduced, in part or in whole, without prior consent.

Copyright © 2021 Würth Canada Limited. All Rights Reserved. Please note that while Würth Canada has made diligent efforts to illustrate and describe the products shown in its catalogues and online media, these illustrations and descriptions however, are for the sole purpose of identification and do not express nor imply a warranty or condition that he products shown are merchantable, fit for a particular purpose, nor does it guarantee that the products will necessarily conform to the illustrations and descriptions.

