




**MINI VULCANIZED
FIBRE DISC**

**The solution for
hard-to-reach places**



Zirconia

Ceramic

**Aluminum
Oxide**

Standard

High-Performance

Features:

- 100% zirconia with top coat (grinding aid)
- Cloth backing allows flexibility when used on a contoured surface
- Superior life and fast cut
- Excellent for rapid stock removal on carbon steel
- Great performance on light gauged sheet metal

Applications:

GOOD Bronze, Brass, Aluminum

BETTER Mild Steel, Cast Iron

BEST Titanium, High
Nickel Alloys



GREEN POWER ZIRCONIA

Prefix: 585.5984.../585.5985...

Grit sizes: 36–120

2" & 3"
Diameter

30,000 U/min (rpm)
20,000 U/min (rpm)

Max. rotation speed

20,000 U/min (rpm)
12,000 U/min (rpm)
**Max. recommended
rotation speed**

Recommended Product



Type 'R' Mandrel

2" · 585.41 / 3" · 585.43

For use with all Würth
Type 'R' mini discs



SHOP ONLINE NOW!

SHOP.WURTH.CA

Würth Canada Limited/Limitée

345 Hanlon Creek Boulevard
Guelph, Ontario, Canada
N1C 0A1

T (905) 564-6225

F (905) 564-3671

info@wurth.ca

Printed in Canada. All rights reserved. May not be reproduced, in part or in whole, without prior consent.