

ROAD BUILDING & MAINTENANCE

Partner to the Excavation and Heavy Equipment Industry













TO BE THE LEADER IN OUR INDUSTRY BY SETTING STANDARDS THAT ALWAYS EXCEED THE EXPECTATIONS OF OUR CUSTOMERS AND EMPLOYEES

Ernest Sweeney's message, President and CEO of Würth Canada





TOP PRODUCTS







3

QUALITY, INNOVATION, COMMITMENT

Die Grinder
Art. No. 703.00875
1/4" 90°

Features:

- Positive Grip 1/4" capacity collet chuck.
- Lever throttle for variable speed control.
- Compact and lightweight design.
- Front exhaust.

2 Mini Surface Conditioning Discs Type R

Art. No. 585.4210 & 585.4310

Features:

- Removes old paint and coatings
- supplying a smooth, uniform surface
- Removes coarse grind lines, milling
- marks and micro burrs
- · Removes light rust
- Minimizes undercutting and gouging,

3 Zebra Cut Off Wheels
Art. No. 664.130761 &
664.131251

Features:

- Free of iron, clor and sulphur (</= 0.1%)
- Suitable for pipeline and reactor construction



Rost Off Art. No. 890.2 300ml Aerosol




HSP1400 High-Temperature Lubricating Paste

Art. No. 893,123 300ml



Extreme pressure resistance under high pressure loads!



*This is possible only with a **dirt free surface**!

Despite high pressure loads and the shear movement of the base body, the lubricating film of the HHS 2000 remains active and does not tear off.

Features:

- · High lubricant power
- High adhesive
- · High creeping capacity
- Protects surface from corrosion
- Material compatibility [Metal, Painted surfaces, plastic, etc.]
- And so much more! Ask for more info




HHS 2000

Art. No. 893.106 500ml [Amber]

> **TOP 3 BEST SELLER!** WÜRTH CORE **PRODUCT**

Viscosity Index



THUNDERBIT®

Art. No. 627.100 29 pcs

NOW



www.youtube.com/user/ wurthcanadaltd





- 135° Split Point
- Premium Grade Highs Speed Steel Material
- Black and Bronze Oxide Coating/Finish
- Heavy-Duty Construction. Sizes 3/16" and
- larger have 3 flats on shank

OFFER INCLUDES PIECES!



"IN THE RACE FOR QUALITY, THERE IS NO FINISH LINE"

Ernest Sweeney, President and CEO, Würth Canada





Hand Cleaner Art. No. 893,93401

Yellow

Features:

- Powerful citrus hand cleansing gel.
- Increased cleaning power because of skin
- friendly micrograins.
- Effective for removing heavy soils such as tar, paint, glue and lacquer.

Automatic Hand Cleaner Dispenser

Art. No. 891.935



with a minimum purchase of 3 Hand Cleaners you recieve a FREE dispenser!



Cargo Basic Cleaner Art. No. 893.036030



Eco Super Spray All Art. No. 890.90901



Pump Spray Bottle Art. No. 891.501715

Holds 1L



Art. No. 555.5162



Art. No. 555.5164



Crimp Butt Connectors

Art. No. 555.5164 & 555.5162

Seamless

Features:

- Translucent, adhesive-lined polyolefin tubing allows visual inspection, prevents wire corrosion, and provides a waterproof seal.
- · Colour-coded tubing with wire gauge imprint provides easy identification of the correct part for the job.



UNIQUE, TOUCH-FREE DISPENSING SYSTEM FOR OPTIMAL HYGIENE.

15 ways this system will save YOÜ money

- Improves hygiene and dramatically reduces product consumption.
- Quantity control guarantees economical use.
- The metered 5 ml output provides up to 600 applications per 3 liter container.
- Accurate dosage.
- **5.** Infra-red sensor assures dose only when hand is in
- 6. Permanently sealed.
- **7.** No access to the product in cartridge except through dispenser.

- No waste.
- 9. Disposable cartridge empties 100%.
- 10. Secure, convenient, no-mess.
- Easy reloading with cartridge locked in place.
- Professional-quality product.
- Made of high quality, robust and strong components.
- 14. Includes wall mounting bracket.
- Requires 8 "AA" batteries (included)

Air Brake Fitting Assortment Art. No. 965.8841

Features:

- Contents: 337 pieces
- 36 different sizes of Air brake fittings.
- Comes complete with 36-compartment bin 966.1







Work Lamp with High Output LEDs

Art. No. 812.450400

4-3/8" x 4-7/8" x 1-7/8"

Features:

- High light output with 8 high output LED diodes.
- Low amp draw.
- Emits clear white light, with an optimum working distance up to 300 ft.

Threadlocker-High Strength

Art. No. 893.271050

Red 50g

Features:

- Particularly well-suited for heavy duty screw connections
- · No additional securing devices required
- Under normal conditions only removable
 with special tools and/or heating

Ask about our line of Threadlocking Products!

Screw retaining and sealing compound.

For securing, attaching and sealing of screws, studs, bolts, nuts, threaded inserts and plugs, which are not required to be removed under normal circumstances- hardly removable.



WE WOULD LOVE TO HEAR FROM YOU!

We aim to be the best and most qualified sales team in the eyes of our customer. Please take a few minutes to complete our customer feedback questionnaire online. Please let us know how we are doing to be entered in a monthly draw for a chance to win!

http://wurthcanada.com/en/webkit/contact/contact.html







\$1999_{regular \$260.92}

Cargo Nut Buster
Art. No. 714.15000

WOW!


Features:

- Bust Loose the most stubborn wheel nuts
- Use on Commercial or Agricultural Wheels
- Gear Ratio 58:1
- Rated Output Torque -2950 ft lbs

WITH A \$75 MINIMUM PURCHASE OF WÜRTH PRODUCTS







Würth Canada is proud to offer one of the MOST EXTENSIVE AND COMPLIANT ranges of chemicals in the Canadian industrial market!





Cable Ties with Metal Tongue Art. No. 553.59001 & 553.55040 14" & 11.5"



Protective Welding Paste Art. No. 892.7401 800g





Deutsch Connectors Art. No. 887.W45 & 887.DT04-8P Plug Locking Wedge & Receptacle



Heavy Duty Cable Tie & Accessory Assortment Art. No. 965.55300 125 Pieces - 5 types of prefix 553 Cable Ties



Brake and Parts Cleaner Art. No. 890.108716 18.9L



Deutsch Connectors for 16-20 AWG Mini Series Art. No. 965.8872

424 Pieces - Sockets & Plug Assemblies









Wurth Canada Limited/Limitée

345 Hanlon Creek Boulevard Guelph, Ontario, Canada N1C 0A1 T (905) 564-6225 • F (905) 564-3671 info@wurth.ca



OUR PRODUCT RANGE



ABRASIVES



FASTENERS



CHEMICALS





SAFETY



ORSY





TOOLS