

EGRIND

SUMMER 2017

Würth Canada Limited

345 Hanlon Creek Boulevard Guelph, Ontario, Canada N1C 0A1 T (905) 564-6225 F (905) 564-3671

For general inquiries, please contact: info@wurth.ca For questions regarding products, please contact: product@wurth.ca

Content Coordination

Goran Abramovic Anthony DeFillippis Kai Kosmin Tanja Krstic David "Dodi" Mirie Victoria Smith Adrian Varilla

Graphic Design Richelle Gagne

Photography

Krista Varga

Printed in Canada. All rights reserved. May not be reproduced, in part or in whole, without prior consent.

Copyright © 2017 Würth Canada Limited/Limitée. All Rights Reserved. Please note that while Würth Canada has made diligent efforts to illustrate and describe the products shown in its catalogues and online media, these illustrations and descriptions however, are for the sole purpose of identification and do not express nor imply a warranty or condition that the products shown are merchantable, fit for a particular purpose, nor does it guarantee that the products will necessarily conform to the illustrations and descriptions.





ADHESIVES & TAPES

ADHESIVES & TAPES

PAINTS & PRIMERS

WELDING

102 ELECTRICAL

SEALANTS & O-RINGS

RUST RELEASE & PROTECTION

GENERAL TOOLS

TOOL STORAGE & WORKSHOP SYSTEMS

100% QUALITY 0% COMPROMISE

FIND OUR STRIPES!

Discover our highest quality products by looking for our **ZEBRA** mark.

These products offer exceptional ergonomics and optimized performance, for a tool that's tough enough for any project.



PLUS

6 NEW PRODUCTS
20 DRILL BIT TECHNICAL INFORMATION
46 FASTENER TECHNICAL INFORMATION





New! High-visibility Safety **Universal Absorbent**

Universal multi-use pad that combines an absorbent with caution/warning sign











Reduce waste and increase productivity!

Eco Absorb absorbs 20x more than traditional absorbent clays and powders.

DIDAONKNOM

The Würth Ergolight Pro was the most popular new product in 2016! Followed closely by our new line of nitrile gloves and Eco Absorb!





New! 3K Utility Knife











New! Würth **Ergolight Pro**















The Tigerflex range is our top line in hand protection.

Made with the latest innovations in modern production technology with one thing in mind-to give you the highest quality in protection and comfort while ensuring maximum grip.

See some of our range, and more of our glove options on page 34!









New! HSCO Spot Weld Drill Bit with Step

NEWNOW!

Here at Würth Canada, we're always working hard to bring you the best new products.

Every new product is rigorously tested to our highest standards and specifically designed to exceed customer expectations.

Have absolute confidence that each Würth product is innovative, top quality, durable and reliable, and has been subjected to tougher testing than it will ever face in real life applications.





GRINDING, SANDING AND CUTTING SOLUTIONS



See-through Flap Discs
Buff & Blend

Cartridge Rolls
Surface Conditioning Discs

Hand Pads
Wire Brushes

Razer Gold Sandpaper Flex Sanders



The Würth Abrasive Line

Whether it is cutting, grinding or sanding applications you are after, we offer you a full line of abrasive materials. From various discs, sandpaper, wire & bench wheels, brushes, fleece, and much more, we have the solution to meet your needs.

Applications





SSII Stainless steel

th (Routlet) - Bool / Stainters - Arier / Nucleus - Art. 0664 181 25 (25 x 6,0 x 22,23 - A 24 X BF - 10 m/s max. 12.250 mis.)

SIN Stone



Rondeller Grinding Wheels



a very clean grinding

pattern and high grind-off

with low application of force

Grinding Wheels



ZEBRA Speed Grinding Wheel



Long Life Grinding Wheel



Long Life Grinding Wheel



Can't find what you're looking for?

We have a large range of abrasive discs for every application. Ask your sales Würth rep for more information!



Experience increased safety during grinding

with no fraying of the wheel





General Working and Safety Precautions Keep wheels dry, 20°C room temperature is recommended



Only work with corresponding protective clothing like goggles, gloves, work shoes, etc



Do not use defective or worn flanges



Only carry out cutting and roughing work with a corresponding guard

Do not mount worn wheels on smaller machines.

Cutting discs



'XTREME CUT' Cut Off Discs





Zebra Speed Cut Off Discs





Long Life Cut Off Discs





Zebra Long Life Cut Off Discs









Resin Fibre Discs



- 1 Premium Aluminum Oxide Resin Fibre Discs
- 2 Premium Zirconia Resin Fibre Discs
- Premium Ceramic Coated Resin Fibre Discs
- **4 ALUMAX Mini Resin Fibre Discs** A premium product for aluminum, brass, copper and more. Offers a superior life and features a cool cut with anti-loading agent for soft metals.
- S Premium Aluminum Oxide Mini Resin Fibre Discs Aluminum oxide grain is the best material for weld removal, blending, deburring and removal of imperfections.
- GREEN POWER Zirconia Mini Cloth Discs Excellent for rapid stock removal on carbon steel. Great performance on light gauged sheet metal. Flexibility reduces gouging of metal resulting in a finer finish.
- Premium Ceramic Mini Resin Fibre Discs Excellent for rapid stock removal on stainless steel and tough alloys. Perfect for deburring, weld removal, corrosion and oxidation removal
- 3 ZEE SUPREME Mini Resin Fibre Discs Excellent for rapid stock removal on carbon steel. Great for removing sharp edges and burrs.

Choosing the right grit

16-36 Stock Removal 30-50 Edge Chamfering

36-60 Weld Blending 40-80
Deburring/
Deflashing

50–100 Rust Removal 60-120 Cleaning & Finishing



COOL CUTTING ZIRCONIA GRAIN

ERGONOMIC GRIP AREA

For fast and easy finger alignment and mounting

New

Zirconia EZ SPIN **Flap Discs**

Reduce waste and increase productivity with the EZ Spin Quick Change System.





- Super-fast mounting and demounting
- Eliminate costly changeover time
- → 5/8-11 hub fits all standard grinders
- High stock removal
- + Long life
- + Even grinding pattern

PLASTIC BACKING

Absorbs vibration and increases removal rate performance



- Very cool grinding.
- Reduced discolouration of material.
- Self-sharpening ceramic grain.



Designed for maximum performance in deburring, weld removal, grinding and polishing metals.



Good view "through the disc" and thus on the material being processed. Fantastically cool and even grinding results.







Nylon Fibre Discs



Blue Quick Strip Discs



Nylon Fibre Discs








Nylon Abrasive Fleece with Shank





Wire Brushes



- Wire Bench Wheel Excellent for wider surfaces where flexibility is required for preparing surfaces prior to welding
- 2 Wire Bench Wheel Unique, flexible bristle pattern conforms to most shapes and profiles
- 3 Knot Wire Wheel Brush Great for surfaces preparation, cleaning grooves, T-connections and welded beads
- 4 Stringer Bead Wheel Brush The small width of this brush allows it to be used in recessed areas such as welding junctions in pipeline fabrication

- Safety Long Life Wire Brush (Mule Skinner) Ideal for the preliminary cleaning of metals which are intended to be painted or coated. High level of safety and long service life
- 6 Knotted Wire Brush with Shank Great for removal of rust, paint, scale, welding residue and underbody seal
- Wire Brush with Shank Great for uses such as light duty deburring and rust removal work
- **8** Surface Brush with Shank For grinding of large surfaces
- Knot Wire Cup Brush For heavy-duty cleaning of large metal surfaces and specially designed for use on portable tools

The Knot Style Cup Brush

High speed small grinder knot wire cup brush

- Braided Steel Wire Pot Brush Ideal for the preliminary cleaning of metals and for the removal of slag, rust and paint
- Steel Knot Wire End Brushes Can be used on CNC equipment.
- Stainless Steel Knot Wire End Brushes

Spot cleaning or facing; removal of slag, rust or scale; cleaning pipe I.D.; deburring or flash removal; cleaning dies, molds and tooling; pipeline cleaning.

36 Piece **Professional Bore Brush Set**



This 36 piece bore brush set is designed for the professional technician who needs the right tool for the job.

This set is great for cleaning bushings, ports, tubes, holes, channels, sockets, brake guides and other general wire brush applications.



Twisted wires for increased cleaning function.

Kit includes:



Stainless steel Perfect to clean steel parts



Brass wire Perfect for aluminum parts



Nylon wire Perfect for sensitive parts and plastic





The Razer Gold difference:

SUPER STRONG

Hook & Loop type discs are made with the industry's heaviest and strongest velour backing. Heavy velour gives you a strong and long-lasting disc, while adding cushion and durability.


DURABLE

40 to 600 grit papers are made with C weight Aluminum Oxide paper. The superior resin over resin adhesion system prevents cracking and peeling, resulting in a more durable disc; as well as a smoother finish on your work piece.

VERSATILE

800 to 3000 grits are made of a lightweight Silicon Carbide grain and waterproof paper, giving you a versatile disc for either wet or dry sanding.







SAWING AND DRILLING SOLUTIONS 02



TECHNICAL INFORMATION

Yes Sir, Drill Sergeant!

Drill bits are available in a variety of materials and coatings, each changing their performance, application and longevity.

Titanium Drill Bits

Titanium drill bits are HSS bits that have been coated with titanium nitride (TiN) using a process similar to electroplating. TiN is a ceramic material that increases the surface hardness of the bit and provides a thermal barrier by reducing friction. This results in increased production rates, corrosion resistance, and 3 to 6 times longer tool life. Titanium bits are suitable for drilling iron, steel, aluminum, magnesium, and wood.

However, once the tip is dulled, it won't regain its cutting edge without being recoated in titanium nitride. It usually makes more sense to replace rather than recoat them. So even though they are harder than cobalt, their edge is only skin-deep

Cobalt Drill Bits


High speed steel is alloyed with 5-8% cobalt to create cobalt drill bits. They are better suited for drilling metal due to a high resistance to the massive heat generated when drilling through highly abrasive and/or hard materials such as treated stainless steel, titanium, and cast iron. Unlike the TiN coating, cobalt is found throughout the entire material which makes it great for high production.

Because of their durability and cost, they are not preferred for general purpose use. The extra hardness allows the flutes to be smaller as a percentage of the total thickness, increasing the strength of the bits. Cobalt bits may cost more than TiN or Black Oxide bits, but the value is in the toughness.


Black Oxide Drill Bits


These HSS bits are heated to 510°C (950°F), creating a black oxide finish that resists rust and corrosion. This reduces friction between bit and workpiece, thereby speeding up the drilling process. Black oxide bits are suitable for working on steel, copper, aluminum, brass, oak, maple, MDF, pine, PVC, polycarbonate, acrylic, ABS, nylon and composite materials.

Black oxide bits last up to 50% longer than standard HSS bits. They offer superior durability and speed and are considered the best general purpose drill bits.











Keep in mind when dealing with Cobalt bits is that this bit is a specialty bit, not a general purpose bit. Due to the percentage of Cobalt the drill bit it makes

them extremely frail, causing bits to snap as opposed to wear. That is why a Cobalt bit should really only be used in metal drilling, they tend to snap in wood drilling if you move your drill just a little bit. Now that's drilling a hole in your pocket!



ASK AN **EXPERT**

DAVID "DODI" MIRIE TOOL & LIGHTING PRODUCT SPECIALIST

<u>Q:</u> MY BITS KEEP BREAKING, WHAT COULD BE CAUSING THIS?

There are many reasons for this problem. Here are just a few popular reasons.

The first is using the wrong type of bit for the material-wood bits should not be used for cutting metal and metal bits should not be used for cutting wood.

Also check for an improperly mounted bit-if the tool or bit moves, it is hard to maintain straight edge cutting. Make sure that your bit is properly mounted in a manner that provides a stable platform for the tool and bit to complete its work.

Incorrect feeds and speeds-for every material, there is an optimum combination of cutting depth, spindle speed and feed rate that yields the best cut and the longest bit life. Always refer to product guidelines.

Lastly, not using a coolant to reduce heat at the flute of the bit.

Ask your Würth rep for more information on our quality cutting tool products, or see our products online at wurth.ca!

How are we different?



High Performance Coating

Coatings such as black oxide and bronze oxide provide tough rust resistance and improves the life of the tool



2 Superior Productivity

Our Titanium Nitride-coated products last 2-3 times longer than the average drill and offer superior cutting speeds



135° Split point

For easy centering and quick penetration, also reduces "walking"



Don't just take our word for it, see the difference!

View our Youtube channel for drill bit demos and more!







Always find the right blade.



We've made it easy to pick the best blade for your needs. View our full list of blades on our **new eShop**, or follow our easy Star and Colour coding system.




Best saw blade for professionals and extreme applications

Better saw blade for heavy duty use



Good saw blade for conventional applications








BASED ON STEEL INSTEAD OF WIRE INSERTS

Which guarantees easy installation and allows for permanent full load use.

Time-Sert® (i)



production and repair.



SELF LOCKING DUE TO FORMING OF THE COMPONENT THREADS WHEN INSERTED

The bushing will not pull or torque out even when used often.

THIN WALLED DUE TO SYNCHRONIZED **INTERNAL AND EXTERNAL THREADS**

Its thin cross-section allows for installation in areas of limited space and clearance material.



Also available in **Master Sets!**





Screw Extraction Set 15 pcs







Carbide Burr Assortments



Countersink Sets



Würth Drills and **Cutting Tools**

From standard numbered drill bits and standard cobalt drill bits to spot weld drill bits and drill indexes & assortmentswe have what you're looking for.


- Masonry Drill Bits; Combi Drills/Countersunk Bits;
- 3 HSCO Spot Weld Drill Bit TIN (TITANIUM NITRIDE COATED);
- 4 Numbered Drill Bits; 5 Metric HSS Double-ended Twist Drill Bit; 6 Cobalt Drill Bits; 7 HSS-E Step Drills 8 Metric

HSS Drills; **9** 4 Plus Rotary Hammer Drill Bit (SDS)



Looking for something a bit bigger?

We have dozens of assortments for many of our cutting tools!



Würth Hand Taps

Outstanding features of Zebra machine taps:

Highest quality:

- Cobalt alloyed basic materials
- Constant material receiving inspections
- Highest precision in production

Special geometry:

- Low wear
- Better chip removal
- More accurate thread








21 Piece Tap Assortment 1 set of First, Second and Finishing metric coarse taps for each of M3, M4, M5, M6, M8, M10, M12.



32 Piece Tap & Die Set

Includes a starter tap, bottoming tap and finishing tap for each size all in a molded case





SAFETY AND PERSONAL OS PROTECTION SOLUTIONS



The Würth Safety Line

Preventing any work-related injury—and being prepared when an injury does occur—is a very important job at all workplaces. All provinces in Canada have legislation in place regarding first aid and safety supplies in the work place, which every employer must adhere to.

> **SET-BACK VIEWING** WINDOW PREVENTS **SCRATCHES**

OPTIMIZED GLARE PROTECTION

FULLY AUTOMATIC DARKENING IN FRACTIONS OF A MILLISECOND.

SPECIAL SMOKE-REPELLENT DESIGN

OPTIMIZED HELMET SHELL

ERGONOMIC DESIGN AND OPTIMUM BALANCE.



Automatic Welder's Helmet **WSHII 9-13**

This helmet enables a seamless adjustment between the protection levels 9 and 13.





Protective Headgear





Face Shield Debris Mask



Hard Hats 🔾 🛑

Disposable Dust Mask N95 with Red Exhalation Valve

Provides protection against particles from grinding, sanding, sweeping, sawing, bagging or processing minerals, coal, iron ore, flour, metal, wood, pollen and certain other substances.

Also protects against liquid or non-oil-based particles from sprays that do not emit oil aerosols or vapours.

















Individually-wrapped Earplugs















new

Q: WHO PAYS FOR PERSONAL PROTECTIVE EQUIPMENT (PPE), THE EMPLOYER OR THE EMPLOYEE?

In a perfect world, you would be able to eliminate all hazards from the workplace, but in reality, some hazards can only be minimized. This is where personal protective equipment (PPE) comes into play. By law, PPE has to be used in the workplace. What the law doesn't always make clear is who is responsible for paying for the equipment.


"PROVIDE MEANS MAKE AVAILABLE, NOT **NECESSARILY PAY FOR."**

For some, it comes down to one word: "provide". Is the employer required to provide the equipment, according to the legislation, and does the word also mean "required to pay for"?

Canadian jurisdictions take two approaches to paying for PPE:

1. The Occupational Health and Safety (OHS) Laws in 5 jurisdictions: BC, MB, QC, SK and YT- specifically outlines who must pay for which kinds of PPE

For example: In British Columbia, a worker is responsible for providing clothing needed for protection against the natural elements and the employer is responsible for providing-at no cost-all other items of personal protective equipment required by the regulation.



ASK AN EXPERT

ADRIAN VARILLA PPE & SAFETY SPECIALIST

2. The remaining 9 jurisdictions: Fed, AB, NB, NL. NT. NS. ON and PEI-The OHS laws don't specifically address who pays for the PPE.

In these nine jurisdictions, the question of who pays for PPE often turns on whether the employer has to "provide" that PPE. Basically if the employer has to provide the PPE, they generally must also pay for it. But if an employer is only required to ensure that workers use PPE, it doesn't have to pay for that PPE. And in unionized workplaces, employers and unions will often cover who pays for PPE in collective agreement.

To learn more, see your Occupational Health and Safety Laws, or ask your Würth rep for more information.

ZIPPER CLOSURE IN THE FRONT

ELASTIC HOOD, WRIST, AND ANKLE BAND ENSURES FULL PROTECTION



Microporous Coveralls



The Microporous Coveralls are the perfect protective suits for medium-heavy duty work such as cleaning and professional painting. The material is breathable and offers protection against dust, most solvents, and liquids.







Hair Nets

Safety Overshoe

Reflex CSA Traffic Vest







New TIGERFLEX O

Würth's top quality line in hand protection

This range of gloves provides the perfect balance between safety and usability for a number of different applications. Tailor-made for the needs of our customers.



Hand Protection

Find a glove for every workplace and every technician. Ask your Würth rep about our full range, or see it online on our **new eShop!**



Softflex Foam Nitrile Gloves



Nitrile Gloves Assorted thicknesses available

+ Require bulk nitrile gloves? Our premium nitrile gloves are available by cases for a great bulk price!



Diamond Texture Nitrile Gloves





General Purpose Leather Gloves







Assembly Glove with PU Coating

Skin Care

Successful skin protection in the workplace is a requirement for a long and healthy occupational life. Our products combine preventive protection against harmful working substances, skin-friendly yet thorough cleaning, effective disinfection and last but not least, effective care.



This solvent has skin-friendly micrograins, making it perfect for daily heavy duty applications





Automatic Hand Cleaner Dispenser

Unique, touch-free dispensing system for optimal hygiene.







Skin Protection Cream



Invisible Glove



Universal Cleaning Wipes with Scrubber



Automatic, touch-free dispensing.

Improves hygiene and dramatically reduces product consumption.



Quantity control guarantees economical use.

The metered 5 mL output provides up to 600 applications per 3 litre container.



Professionalquality product.

Our dispenser is made of high quality, robust and strong components.



No waste.


Disposable cartridge empties 100%.











Committed to quality

We're proud to offer one of the most extensive and compliant ranges of chemicals in the Canadian industrial market.








Industry Clean

High-quality specialty cleaner for industry and craft trades. Great for most surfaces, like aluminum, brass, stainless steel and metallic surfaces.







ASK AN EXPERT

ADRIAN VARILLA PPE & SAFETY SPECIALIST

<u>Q:</u> WHAT MAKES ECO ABSORB SUSTAINABLE AND SAFE?

Würth's Eco Absorb is made entirely of coconut coir, a by-product of the coconut industry. Its hollow and narrow cells gives the coir incredible absorption properties, making it naturally absorbent. Coconut coir is completely organic, non-toxic, and carcinogen-free.

This is in stark contrast to many competitor items, which not only have a lower performance, but contain carcinogenic clay which can track all over your workplace.



Non-toxic

100% Organic. Carcinogen-free.



Easy Disposal

Exceeds Federal EPA Leachate Standards, Just cleanup and throw away.



Dust-free

Carcinogenic clay dust is a thing of the past: Eco Absorb is dust free and will not track all over your workspace.





Multiclean

Good cleaning and degreasing action. Removes oils, resin encrustations and silicone residues.















Absorbent Rolls

Blue Microfibre Cloths

Cleaning Towels

Softex Cloths











Stainless Steel Power Cleaner

Special cleaning fluid for preliminary cleaning of metal surfaces.

Contaminations such as boring or cutting oil and other processing residue are removed thoroughly.

This is great for...

Removing any oils and greases that may be left on the surface from the manufacturing process, or to thoroughly remove added lubricating products. This allows the piece to be worked on further without contamination issues.

Metal Restorer

Metal grinding paste for removal of the most stubborn contaminations from metal.

Stubborn contaminations, such as metal oxidation, rust film, verdigris, lime and boiler scale are removed thoroughly and gently.



This is great for...

Restoring metal surfaces to their original appearance. Removes long-term oxidation build-up and protects surfaces from further damage.

Stainless Steel Care Spray

Cleaning and care emulsion for metallic surfaces.

Dirt, polishing and wiping streaks, as well as oily fingerprints are removed thoroughly.



This is great for...

Cleaning and polishing all stainless steel surfaces.

Contains a foaming emulsion that removes dirt and fingerprints, as well as a polishing agent to return the surface to its natural shine.



Looking for eco-friendly options? See the next page!







Eco HF Acid Replacement

All-purpose industrial cleaner for the removal of calcium, silica, and oxidation in place of harmful hydrofluoric acid.

- Removes tough water scale, lime scale, silica scale, organic deposits, and rust stains
- For use on stainless steel, and aluminum metals



2 Eco Heavy Machinery Wash

Specially formulated to handle the toughest cleaning challenges in the oil industry.

- On-site usage eliminates the cost of dismantling equipment, or sending it off-site for cleaning
- Can be used for chemical cleaning of all hydrocarbon and crude oil products
- · Safe on all ferrous and non-ferrous metals



Eco Heavy Duty Degreaser

Powerful enough to clean the heaviest grease deposits without the need for harsh chemicals.

- Highly effective on all heavy petroleum based products such as all oils, greases, waxes, and tars
- Provides a better clean than many conventional toxic products, while being safer for you and the environment



Eco Parts Wash

A safe and efficient alternative to using toxic solvents for parts washing. No system changeover needed, can be added to any wash basin.

- · Contains corrosion inhibitors
- Does not require a heated parts washer system
- · Excellent for removing all types of oils, greases, and oil-based fluids



Q: WHAT ARE DEGREASING **SURFACTANTS AND** HOW DO THEY WORK?


"SURFACTANT IS A COMBINATION OF THE WORDS: SURFACE, ACTIVE, AND AGENT."

They're often a long organic aliphatic molecule that contains a hydrophilic end (water loving)

and a hydrophobic end (water hating). These molecules lower surface tension by lining up on the water's surface to push and even out the droplets.

Lower surface tensions make it easier for the solution to clean deeper and remove more oil and grease. Würth's eco degreasers use naturally occurring bio-surfactants rather than petroleum-based surfactants. These are completely environmentally-friendly, non-toxic, more selective, and have better performance under extreme conditions. The difference between each of these degreasers is dependent on the specific mix of detergents, wetting agents, emulsifiers, and foaming agents.

Ask your Würth rep for more information on our environmentally-friendly cleaning products, or see our products online at wurth.ca!







TECHNICAL INFORMATION

Grades & finishes

Grade 2

Grade 2 is a standard hardware grade steel. This is the most common grade of steel fastener and is the least expensive. Grade 2 bolts have no head marking (sometimes a manufacturer mark is present).

Grade 5

Grade 5 bolts are hardened to increase strength and are the most common bolts found in automotive applications. Grade 5 bolts have 3 evenly spaced radial lines on the head.

Grade 8

Grade 8 bolts have been hardened more than grade 5 bolts. Thus they are stronger and are used in demanding applications such as automotive suspensions. Grade 8 bolts have 6 evenly spaced radial lines on the head.

Alloy Steel

Alloy steel bolts are made from a high strength steel alloy and are further heat treated. These bolts are typically not plated resulting in a dull black finish. Alloy steel bolts are extremely strong but very brittle.

Zinc Plating

Many steel fasteners are electro-plated with zinc for better corrosion resistance. Fasteners that have been zinc plated have a shiny silver or golden appearance referred to as clear or yellow zinc respectively. They are fairly corrosion resistant but will rust if the coating is destroyed or if exposed to a marine environment.

Hot Dip Galvanizing

Galvanizing is another coating involving the application of a layer of zinc. Hot dipped galvanizing puts the thickest possible coating on the metal resulting in superior corrosion resistance. Due to the thickness of the coating hot dipped galvanized bolts are not compatible with other nuts.

Stainless Steel

	Characteristics	Tensile strength	Common applications
	Can corrode if placed in environments	85,000-140,000 psi, best option for	Industrial environments using chlorides
Austenitic stainless	with insufficient oxygen	high temperature environments	and sulfates (Sulfuric Acid)
(85-90% of SS sales)	Non-magnetic recognized as 18-8	85 ()(()= 5() ()(() psi	Food, dairy, pulp and paper,
	18% chromium & 8% nickel		pharmaceutical, marine, medical, etc.
Martensitic stainless	Magnetic 180,000, 250,000 psi, when heat treated	180,000, 250,000:h h+++- d	Mild atmospheres requiring
400, 410, 416, 420 (3-5% of SS sales)		180,000-230,000 psi, when hear fredred	higher tensile strengths.
1	(85-90% of SS sales) Martensitic stainless	Austenitic stainless with insufficient oxygen (85-90% of SS sales) Non-magnetic recognized as 18-8 18% chromium & 8% nickel Magnetic	Can corrode if placed in environments Austenitic stainless (85-90% of SS sales) Can corrode if placed in environments with insufficient oxygen Non-magnetic recognized as 18-8 18% chromium & 8% nickel Magnetic Magnetic 180,000, 250,000 psi, best option for high temperature environments 85,000–140,000 psi, best option for high temperature environments 85,000–150,000 psi, best option for high temperature environments

Fastener Type Chart



Wood Screws

Screws with a smooth shank and tapered point for use in wood.




Machine Screws

Screws with threads for use with a nut or tapped hole.



Sheet Metal Screws

Fully threaded screws with a point for use in sheet metal.



Hex Bolts

Bolts with a hexagonal head with threads for use with a nut or tapped hole.



Self Drilling SMS

A sheet metal screw with a self-drilling point.



Carriage Bolts

Bolts with a smooth rounded head that has a small square section underneath.



Lag Bolts

Bolts with a wood thread and pointed tip.



Set Screws

Machine screws with no head for screwing all the way into threaded holes.




Shoulder Bolts

Used to create a pivot point.



Elevator bolts

Often used in conveyor systems. They have a large, flat head.



Socket Screws

Also known as Allen Head, are fastened with a hex Allen key.

Head Styles



Flat

A countersunk head with a flat top



Oval

A countersunk head with a rounded top



Pan

A slightly rounded head with short vertical sides



Round



A hexagonal head



Hex Washer

A slightly rounded head with short vertical sides



Socket Cap

A small cylindrical head using a socket drive



Button

A low-profile rounded head using a socket drive



Truss

An extra wide head with a rounded top

Drive Styles



Phillips and Frearson

An X-shaped drive



Slotted

A slot in the head



Combination

A combination of slotted and Phillips drives.



Square

Also known as a Robertson drive



Torx

Specifically designed to prevent cam-out and stripped heads.



Socket, Hex

or Allen

A hexagonal hole for use with an Allen key.




AW

Würth Exclusive!

More Power-Combination of Phillips and Torx



Nut types



















Wing

A nut with 'wings' for hand tightening

9 Nylon Insert Lock

A nut with a nylon insert to prevent backing off. Also referred to as a Nylock.

O K-Lock for Kep

A nut with an attached free-spinning external tooth lock washer

O Flange

A nut with a built in washer-like flange

6 Jam

A hex nut with a reduced height

6 Hex

A six-sided nut. Also referred to as a Finished Hex Nut.

2 Castle

Castle nuts are used in conjunction with a cotter pin on drilled shank fasteners to prevent loosening.

O Cap

A nut with a domed top over the end of the fastener

O Acorn

A high crown type of cap nut



ASK AN EXPERT

TANJA KRSTIC HEAD OF PRODUCT DEVELOPMENT & COMPLIANCE

WHY ARE SOME MAGNETIC?

STAINLESS STEEL FASTENERS **BEING NON-MAGNETIC** IS ONE OF THE LARGEST **MISCONCEPTIONS** AMONGST FASTENER USERS.

There are five classes of stainless steel (which are ferritic, austenitic, martensitic, duplex and precipitate hardened) and only one is deemed non-magnetic (austenitic).


The austenitic class just happens to include the most common and universally used types of stainless steels on the market. The key to the magnetic properties of an austenitic fastener is found in its microstructure and the characteristics of that microstructure can be altered in the manufacturing process to create a degree of magnetism.


Controlling Magnetism in Stainless Steel


Magnetism is sometimes a factor in deciding which fastener to use. If a 100% non magnetic stainless steel fastener is required, steps can be taken to reduce the amount of cold working done to the part (thread cutting vs. thread rolling). If thread cutting is not an option, annealing the part after cold working may also serve to eliminate any permeability. Without a complete annealing treatment, a thread rolled part will never have zero magnetism. Ultimately, a balance of allowable magnetism and economic requirements must be reached in accordance with the end user.


How to Measure Length


Machine Screws













Markings & Strength

Hexagon Nuts



Washers

Plain Steel Washers



Lock Washers



IMPERIAL



No Markings Grade 2 Low or medium carbon steel

Nominal Size/Range	Proof Load (PSI)	
1/4" to 3/4"	55,000 33,000	
Over 3/4" to 1-1/2"	33,000	

Min. Yield Strength (PSI)	Min. Tensile Strength (PSI) 74,000 60,000
57,000	<i>7</i> 4,000
36,000	60,000



Nominal Size/Range

1/4" to 1"

3 Radial Lines Grade 5 Medium Carbon Steel, Quenched and Tempered

Proof Load

(PSI)

85,000

Over 1" to 1-1/2"	74,000
Min. Yield Strength (PSI)	Min. Tensile Strength (PSI)
92,000	120,000 105,000
81 000	105 000



6 Radial Lines Grade 8 Medium Carbon Alloy Steel, Quenched and Tempered

Nominal Size/Range 1/4" to 1" Over 1" to 1-1/2"	Proof Load (PSI) 85,000 74,000
Min. Yield	Min. Tensile
Strength (PSI)	Strength (PSI)
92,000	120,000 105,000
81,000	105,000

METRIC



Class 8.8 Medium Carbon Steel, Quenched and Tempered

Nominal Size/Range 1/4" to 1" Over 1" to 1-1/2"	Proof Load (PSI) 85,000 74,000
Min. Yield Strength (PSI)	Min. Tensile Strength (PSI)
92,000	120,000 105,000
81,000	105,000



81,000

Class 10.9 Alloy Steel, Quenched and Tempered

105,000

Nominal Size/Range 1/4" to 1" Over 1" to 1-1/2"	Proof Load (PSI) 85,000 74,000
Min. Yield	Min. Tensile
Strength (PSI)	Strength (PSI)
92,000	120,000



Class 12.9 Alloy Steel, Quenched and Tempered

Nominal Size/Range	Proof Load (PSI)
1/4" to 1"	85,000 74,000
Over 1" to 1-1/2"	74,000
Min. Yield	Min. Tensile
Strength (PSI)	Strength (PSI)
92,000	120,000
81,000	105,000

Assorted metric and standard fasteners.

Our ranges of bolts, screws, nuts, washers and much more are available in various grades, finishes and plating options.



Metric Hex Bolts



Metric Flat Head Socket Cap Screws




Metric Socket Shoulder Bolts



Standard **Carriage Bolts**




Socket Cap Screws





Pins & Links



- Metric Hitch Pins/R-Clips Simple and rapid to install/remove.
- 2 Metric Cotter Pins For securing castle nuts in conjunction with bolts or threaded pins with cotter pin hole.
- 3 Linch Pins With pre-stressed spring washer.
- 4 Metric Slotted Spring Pins Stress on bolts and pins is relieved - this allows smaller sizes to be used.
- **5** Spring Snap Link Zinc-Plated.

We strive for the highest quality in even the smallest fastener.



Our Quality Management System is designed to maintain strict ISO:9001-2008 quality assurance programs.



We continually improve our business processes to provide the highest quality products and the best service.



We ensure our fasteners comply with established IFI, DIN, ANSI, ASME and **ASTM** fastener standards.










See our online catalogue for more at wurth.ca! Or ask your sales Würth rep for more information!













- Metric Washers
- Metric Spring Washers
- **3** NORD-LOCK[®] Lock Washers Prevents loosening of screw connections subject to lateral, vibrating loads.
- 4 Metric Serrated Lock Washers DIN 6798, with external teeth
- **5** Metric Split Lock Washers



Can't find what you're looking for? We have hundreds of products available OnDemand!



Metric External Retaining Rings





Standard Elevator Bolts Flat oversized head · Square neck Steel · Clear Zinc Plated



Standard Socket Set **Screws - Cup Point** The most commonly used set screw style.



Standard Flat Head Phillips Machine Screw



Pan Head Phillips Sheet Metal (Tapping) Screws





Metric Flat Head AW Wing PIAS Drill Point Screw

AW drive system:



- Improved torque transmission
- Longer life
- Optimum centering
- Better mounting output thanks to fatigue-free screwing; the required contact pressure for transmission of the torques is considerably lower.
- Largest possible contact surface of bit in screw drive.
- Even force distribution prevents damaging of the surface-protection coating and thus ensures better resistance to corrosion.

Self Drilling Screws



Standard Pan Head **Drill Point Screw**



Standard Pan Head **Square Drill Point Screws**



Metric Hex Head Drill **Point Zebra PIAS**

We offer a full range of hexagon nuts.

> Including Regular, Nylon, Stover, Flange, and specialty



WÜRTH ORSY SYSTEMS

A complete storage and inventory control system.

Why ORSY?



Our unique and customizable storage systems makes the most of any storage space, large or small!



Stop wasting your valuable time looking for product! ORSY makes stock retrieval fast and easy.



Maintaining stock levels becomes more efficient and cost effective.







Metric External Retaining Ring Assortment

1050 pieces 18 assorted sizes, size range M5-M35

For Shafts, Phosphate & Oiled Spring Steel. Complies with DIN 471





Drywall Anchor Assortment with Screwdriver and **Matching Screws**

401 pieces Size range 14.5 x 33mm





Blind Rivet Assortment with Gun

1000 pieces Includes 1 Zebra hand riveter. 6 sizes from 3.2 mm x 8 mm to 4.8 mm x 15 mm.













Metric Slotted Spring Pin Assortment

1100 pieces 12 dimensions from M2 x 20mm to M6 x 60 mm





Metric Fender Washer Assortment

1400 pieces 16 assorted sizes, size range M4 to M12

Steel, Zinc-plated





Pan Head Phillips Sheet Metal (Tapping) Screw Assortment

1600 pieces

16 assorted sizes, size range 3.5 mm to 4.8 mm

Steel, Zinc-plated, DIN 7981







Can't find what you're looking for? We have dozens of assortments available!

Anchors & Rivets

Our line of anchoring solutions includes everything from wedge to screw anchors. Available in every popular diameter and length to suit any concrete fastening application, Würth anchors are designed to maximize safety, efficiency, and ease of installation.







Liquid Rock 500

A two-component, 100% solids epoxy-based system for use as a high-strength, non-shrink anchor grouting material in solid concrete.

Vibration resistant.

Excellent where seismic or dynamic loading are considered.

Exceptional strength

When compared to expansion anchors. Can use fewer or smaller anchors to complete the job.

Non-shrink, high modulus

Accommodates variances in drill bits & hole sizes.










Premium Hand Held Riveter



















Hoses

Würth Canada offers your industrial business high quality fittings, valves, hose clamps, pneumatic fittings, hoses and tubing, caps and plugs, pressure gauges, and much more!



ASK AN EXPERT

VICTORIA SMITH ELECTRICAL, FITTINGS & HOSES PRODUCT SPECIALIST

MY TOOLS ARE STARVED FOR AIR. WHAT CAUSES THIS, AND WHAT IS THE SOLUTION? A lack of air supply is a fairly common cause of underperforming compressed air tools. It could be the compressor or air system design, but the most likely reason is a pressure drop caused by a flow

restriction in the hose and quick coupler. Our high flow air lines and couplers produce less internal friction, provide a larger volume of air to the end user and reduce pressure drop. This results in a more powerful tool and more efficient use of the compressed air produced. Their performance and durability is unmatched.

Ask your Würth rep for more information on our fittings and hoses, or see our products online at wurth.ca!







PREMIUM AIR HOSE

Features EPDM cover and tube with high tensile spiral reinforcement





INDUSTRIAL WATER HOSE Heavy duty brass fittings makes this great for industrial uses!



HIGHFLEX AIR HOSE Lightweight with superior flexibility!



Used with hand held **grease guns**







PU COMPRESSED AIR HOSES

Considerably lighter, more flexible and more resistant to kinking than PVC hoses!







SERIES 2000 FITTINGS AND HOSE KIT

Low energy consumption and high level of efficiency













LUBRICANTS 08 & GREASE



Lubricants & Grease

Help reduce heat and wear between contacting surfaces by reducing the friction generated. These products often contain 90% base oil, and 10% additives such as anti-foaming agents, corrosion inhibitors and extreme-pressure additives.



Multi-Purpose Grease II



Silicone Spray Grease



True Glide



Silicone Sprays



Cut+Cool Cutting and Drilling Oil



Cut+Cool Cooling



Copper Anti-seize



AL 1100



Maintenance Spray



Multi Function Spray







5-in-1 universal product for five different areas of use

• Penetrates rust Excellent creeping properties ensure

quick rust and corrosion penetration.

2 Lubricant

Lubricant Concentrate

Very good lubrication properties, remedies creaks and squeaks, and reduces friction and wear

2 Cleaner

Great cleaning power is ensured thanks to penetration under dirt, grease and oil residue.

3 Corrosion protection

Best possible cling to metals. A thin, viscous protective film prevents moisture on even the smallest uneven spots and protects against rust and corrosion.

6 Contact spray

Water and moisture displacing properties and excellent creeping properties improve electrical conductivity and remedy leakage current.





The complete lubrication solution

Our famous Swiss-engineered formula meets the toughest conditions in Canada

Whether you need a synthetic oil with a high creep capacity for anti-friction bearings (HHS 5000), a highly-adhesive and high-pressure resistant grease for fast-running chains (HHS Fluid), or maximum corrosion protection on open steel gearwheels (HHS Lube), the HHS line is specially developed to ensure any and all lubrication needs can be met.

Each product individually meets the highest standards of quality and utility that the Würth name is known for. However, as a complete range, these outstanding products offer an ideal solution for any working professional.

> Did you know? HHS 2000 is our most popular HHS product, and the HHS family is the most popular line of Würth products in the world!









ADHESIVES & TAPES ()9

Double-sided Acrylic Tape

Fibre Reinforcing Tape Foam Tape

TEFLON® Thread Sealant Tape **Conspicuity Tape**



Adhesives & Tapes

Würth carries a wide variety of specialty adhesives and tapes for any and all situations. Available in single and multipart polymers, all adhesives meet the highest standard of quality for strength, cohesion, versatility, and convenience.





KLEBFIX Easy Pen

In the innovative, patented Easy Pen design

- Even easier, more practical handling
- · Fits ergonomically in your hand
- The base of the Easy Pen provides stable, secure support
- The lever permits easy, problemfree use without great force
- High-precision work possible

- - allowing the bottle to be made of hard material, to help prevent moist air from penetrating the bottle and causing the adhesive to harden





High impact and peel resistance Increased moisture resistance

Precise dosing



The adhesive can be measured precisely → The nozzle does not

become clogged

Outstanding suitability for quick repairs





Fast drying adhesive for a variety of materials


Moisture resistant

Adjustable nozzle



PLASTOBOND

Spray Adhesive



NCHETTE | SEALING FILMS RTV Silicone Bearing Retainer Flange Sealant Threadlockers O-Rings & Assortments

Pipe Sealant

Purlogic Foam & Gun

O-Ring Conditioner

Hydraulic Sealant

OUR FULL RANGE INCLUDES

Würth Quick Seal



SEALANTS & O-RINGS 1

Sealants & O-Rings

Block the leakage of noise, gases and liquids using Würth's line of patented and professional chemical sealants to improve efficiency and reduce overall energy costs. When a chemical gasket is not an option, Würth also offers a wide range of metric and imperial O-rings.





Pipe Sealant

Seals immediately under low pressure loads

- + Pipes can be pressurized immediately
- High resistance to chemicals
- + Can be used in cold weather









Hydraulic Sealant

For sealing screw connections in pneumatic and hydraulic systems under high loads up to the bursting pressure of the pipe or hose.

- + Excellent resistance to all hydraulic fluids and fuels
- Can be applied to slightly oily surfaces, so no need for time-consuming degreasing
- + Quick curing, even at low temperatures







Metric Rubber O-Ring Assortment

330 pieces

12 Assorted sizes, Size range 25 mm-43.8 mm






Cures quickly!

















PURlogic Top

- + Small can, large yield. Foam yield up to 50 litres!
- + Adapted to winter. Can be used even at environmental and subsurface temperatures of -5 °C (23 °F)
- Seam sound damping







PURlogic Easy

- + Resistant to aging
- + 1-component installation foam for easy application
- + Suitable for wells and civil engineering applications





PURlogic Clean

+ Cleans and removes fresh excess PU foam from wood, metals and many types of garments.

WÜRTH'S DOS SYSTEM





Stop wasting your time searching for products! With our **DOS System** all of your sealants will be ready-to-use in our handy DOS System rack. Each product is stored upside-down, which means less time and fuss spent shaking or squeezing the bottles.

The DOS System rack may be set up anywhere, such as a work bench, on the wall or a tool trolley!



Infinitely adjustable measuring system.



Consumption and costs are minimized due to precise measurement!



Storage rack enables upside down storage of bottles. Content is always ready to dispense without shaking or squeezing!







Threadlocker High Strength

- Well-suited for heavy duty screw connections
- Removable only after heating to 300°C!
- Outstanding resistance to chemicals and heat





Threadlocker Medium Strength

- Provides **medium strength** connections
- Curing is assured even on untreated parts
- Can also be applied to **stainless steel** and passive surfaces



Bearing Retainer High Strength

For high-strength assembly of bushings, sleeves, geared wheels, bolts, shaft and hub connections and bearings exposed to high loads.



Pipe Sealant with PTFE

Seals all metal pipe connections and fittings with conical/cylindrical threads, according to DIN 2999 against most industrial liquids and gases.





Non-drip Flange Sealant

No dripping or running of the material, thus ideal for working an overhead and vertical surfaces.



ANTHONY DEFILIPPIS CHEMICAL PRODUCT SPECIALIST

<u>Q:</u> ALL WÜRTH DOS PRODUCTS ARE **ANAEROBIC** SEALANTS, SO WHAT DOES THIS MEAN?

They are designed for sealing applications where a tight seal must be formed without the presence of light, heat, or oxygen. The polymerization cure rate is highly dependent

on three major catalytic factors: surface material, temperature, and gap size. When compared to structural steel, anaerobic sealants will cure twice as fast on brass, and three times as fast on copper. In addition, these sealants will reach their final strength faster when exposed to higher temperatures. However, because these products need the absence of oxygen to cure, larger gaps will slow the polymerization rate.

Ask your Würth rep for more information on our DOS products, or see our products online at wurth.ca!










Paints & Primers

Würth Canada is a proud supplier of automotive paint, spray paints, paint markers and self-etching primers. Our products range from high quality to premium quality, such as our premium high-solids spray paints that allow you to cover surfaces more quickly and efficiently.









High Solids Enamel Paints

A superior industrial spray paint when maximum performance is required. Provides twice the coverage of conventional spray paints. Up to 18 square feet.

G HIGH GLOSS S SATIN F FLAT M METALLIC



10 MINS TOUCH TIME

30 MINS

RECOAT BEFORE 1 HOUR OR AFTER 48 HOURS

HIGH-HEAT PAINTS



A heat resistant spray paint designed to withstand extreme temperatures up to 650°C (1200°F). Creates a porcelain-like bond at high temperatures. Resists peeling, loss of adhesion and blistering.

BLACK F

() WHITE F

ALUMINUM M

20 MINS TACK FREE

HARD CURE: MUST BE HEATED TO 205 °C FOR TWO HOURS*

*Curing time varies with temperature, humidity, and coat thickness

NEW & **IMPROVED!**

We've tested and improved our existing range of paints and we're excited for you to try them!

Here are some benefits!

Higher fill weight and a 35% higher yield! Provides **4x** the coverage of conventional spray paints.



Our general use spray paints now have 360° nozzles!



Improved drying time!



No more clogged cans or paint that drips!



Excellent durability and overall performance!



INVERTED TIP MARKING SPRAY PAINT

Creates vivid lines with a non-clogging and fast drying formula. Safe on grass and easy to aim with low over-spray.

FLUORESCENT ORANGE



FLUORESCENT PINK

PRECAUTION BLUE

HIGH VIS YELLOW

HIGH VIS WHITE

15 MINS TOUCH TIME

PERFECT METAL SURFACE SPRAYS



Outstanding long-time protection and optimum metal surface appearance.

- ZINC SPRAY PERFECT 99%
- ZINC SPRAY LIGHT PERFECT 98.5%
- ALUMINUM SPRAY MATTE PERFECT
- STAINLESS STEEL SPRAY PERFECT
- BRASS SPRAY PERFECT
- COPPER SPRAY PERFECT
- ALUMINUM SILVER SPRAY HIGH-GLOSS PERFECT

+ High layer thickness in 1st spray pass. Minimal time required, as only one work step necessary.

Corrosion protection after 240 hours of salt







ANTI-SLIP PAINT

Slip-resistant paint to prevent slips and falls on wet or dry surfaces. Use on metal, wood, concrete, masonry, asphalt, floors, walkways, ramps, stairs, grab bars, ladders or anywhere an anti-slip coating is needed.

YELLOW

BLACK

Try this on your favourite tool handles!

CLEAR

WURTH GENERAL. USE PRIMER

GENERAL USE PRIMER

A fast drying spray primer for maximum rust protection and adhesion. Provides excellent corrosion resistance and long-term durability of finishing topcoats.

LIGHT GREY





HIGH SOLIDS PRIMERS

A rust-proof industrial primer formulated specifically for use with High Solids Enamel Paints. Provides excellent corrosion resistance and long-term durability of finishing topcoats.

LIGHT GREY

RED OXIDE



ZINC RICH WELD THRU PRIMER



Protects steel from corrosion by sacrificial or galvanic action. When applied to metal surfaces prior to MIG or spot welding, the zinc melts and fuses to the surface of the steel, reducing the formation of rust and rust creeping





BRIGHT MARK PAINT MARKERS

Excellent for identifying inventory, assemblies, tools, finished products or works-in-progress. Marks metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more.

BLACK

RED

YELLOW

GREEN

WHITE



SUDZ-OFF PAINT MARKERS

Detergent removable marker for water resistant temporary writing. No "ghosting" when paint is removed.

YELLOW

WHITE

Valve action mechanism prevents paint in barrel from drying!




Micro Brushes

For precision application of paints, oils, glue or solvents.



This also works great with our Stabilant 22A, Contact **OL** and **Dielectric Grease**





RUST RELEASE & 12





Easily loosen badly rusted-on and oxidized screw connections with Würth's line WURTH of high-quality, high-performance rust releasers. These products provide superior capillary action for outstanding penetration, and contain rust inhibitors to protect against any further corrosion. **ROST OFF**

(i) | []

EXCELLENT WATER DISPLACEMENT

HIGH CAPILLARY ACTION

Optimal creep properties result in high level of penetration for even the most stubborn, rusted-on screw connections.

OPTIMALLY DISSOLVES RUST

Gets under rust and loosens seized screws and bolts.

LAL USE ONLY. NOT FOR RETAIL SALE



Rust Release & Protection

Würth Canada offers you the best in rust proofing, rust convertion and rust removal products for releasing rusty and oxidized fasteners on cars, trucks, agricultural and construction machines, equipment and devices. Our rust release and rust protection products, such as Rost Off and Rost Off Ice, are trusted by mechanics and technicians all over the world.



• Rost Off; • Rost Off Ice; • Rust-stop Quattro; • Rust-stop Primer; 5 Zinc 300; 6 AL 1100; 7 Anti-corrosion Spray



Our zinc sprays provide a protective layer of active cathodic metal particles to inhibit rust and prevent corrosion. Improve the lifetime of your products considerably against weather and salt with outstanding long-term protection and easy repair of existing galvanized surfaces!










OUR FULL RANGE INCLUDES

welding 13



Welding

Würth Canada offers high quality welding supplies from welder's masks, welding rods, welding spray, welding paste, welding tools and micro-grip welding clamps.




This Protective Welding Paste and Gel are used in the prevention of heat transfer on any metal from one point to another.

- Recommended for use on any metal, to prevent heat transfer between contact points
- Provides temporary fire retardant properties
- Protects painted and sensitive surfaces from damage during soldering, brazing or welding











Welding Spray

Ecologically friendly welding protection spray, prevents the welding injector and the weld tip from tacking to the work surface.

- · Silicone-free, therefore will not affect lacquer, galvanizing, chrome plating, etc.
- Protects the work piece as well as the welding torch nozzle against adhesion of weld material
- The spray is an additional corrosion protector
- + Environmentally safe











Fixing Clamp Set



Spring Handle Chipping Hammer



Automatic Welder's Helmet WSHII 9-13







Welder's Gloves

- Cotton fleece lined palm for additional protection in heat applications
- Welted seams and pulse protector for additional reinforcement and protection
- Gunn cut design has seams set away from the working area of the hand for a comfortable wear and wing thumb for flexibility
- Gauntlet style cuff provides additional wrist and forearm protection

Welding Rods i




+ Very easy to strike and has an extremely stable arc giving it excellent operator appeal


→ Welds exceptionally well on small, utility-type welders

...and don't forget the tools!

We have a full range of tools for all your welding needs.













ASK AN EXPERT

DAVID "DODI" MIRIE **TOOL & LIGHTING PRODUCT SPECIALIST**

Q: THE WÜRTH **ERGOLIGHT** FEATURES COB LIGHTING. WHAT ARE THE **BENEFITS OF** COB LIGHTING? Chip on board (COB) lighting is still relatively new, but you may have already seen more and more products constructed using the COB technique.

Compared to traditional LEDs, COB lighting is basically multiple LED chips bonded directly together on a ceramic or aluminum substrate to create a single module.

What does this mean for you? Because COB lighting is made up of several sources of light, you get more lumen output per square inch compared to traditional LED lighting. Furthermore, because of the ceramic/aluminum bonding and reduced components, there is a more efficient heat transfer, which will help your light be used to its full potential.

Ask your Würth rep for more information on our lights, or see our products online at wurth.ca!

New **Ergolight Pro**

New Circuit On Board (COB) Technology Lighting

- Extremely high output and intensity
- Very wide lighting angle
- · Better visibility and coverage
- Torch function
- Longer-lasting rechargeable battery
- Convenient and easy to use





Want more options? **Check out our other lights**

on our new eSHOP!

Rechargeable **Metal LED Lamp**



New LED **Pocket Light**



Work Light with 40' Reel



Popular Sets



Set of flexible ratchet ring wrenches 6 pcs



Universal bit set with extensions 105pcs

ZEBRA



Revolver LED Screwdriver 37 pcs



T-Handle Assortment 21 pcs





Pump Spray Bottle 360°

Special intake system allows 360° spraying and ensures reliable working overhead, at an angle or vertically.

- Fatigue-free working thanks to low operating force
- Good stability thanks to conical shape
- Easy filling from canisters or drums
- Easier to open, thanks to non-slip grip
- Space for labeling the type of liquid filling
- Extra fields for safety instructions







Heavy Duty Caulking Gun

Files 5 pcs

Magnetizer/ **Demagnetizer**



Pipe Cutters Compact

- + Impact-resistant design
- + Cutting wheel quick-change system, adjustable without tools



Set of Pin punches

Featured Product

Safety Knife

- Blade changed in seconds without tools thanks to magnetic retainer.
- Ergonomic, non-slip two component handle.
- Includes one bi-metal trapezoidal blade.
- Flexible yet unbreakable blade under normal working conditions





Integrated blade magazine for five blades





Upgrade your toolbox

Choose from a large selection of top-quality, professional hand tools to get the job done.



The brand name for our highest quality products

Many of our products are branded with the ZEBRA® mark. This means the tool offers the highest degree of ergonomics and efficiency.







Set of 5 Pliers

All the pliers you need in your daily work in one set. Perfect for all applications and industries.



Suction Lifter Fast and efficient working thanks to a one-hand operation and quick suction.



Single Hand **Suction Handle**





DBS 3600 Compressed Air Brush Grinder





Time saving system for removal of under body protection, sealing compounds, paint, rust and film. Particularly well suited for cleaning weld beads during repair work, paint and rust removal for all bodywork areas, as well as removal of protective paint from repair panels.

- Flexible belts with high performance polyamide fabric backing and U-shaped spring steel wires adapt well to edges and contours.
- · High quality components.
- · Compact, slim design for access to difficult areas.

- · Auxiliary handle equally suited for right or left-handed work.
- No heating up of treated areas.
- · No smearing or loading of the tool.
- Significantly faster work progress.
- Versatile application possibilities due to various brush types.





Rugged and well balanced unit featuring an aluminum housing.






Pneumatic Tool Oil


Lubricate, clean and protect your pneumatic tools.

- Minimizes corrosion by repelling air line moisture.
- Removes dirt, dust and gummy deposits.
- Compatible with all piston and rotary type air tools.

Extends tool operating life

Measuring **Tools**













Electrical Range

Würth Canada offers many innovative solutions for your electrical wiring needs. Whatever your installation preference: crimping, soldering, or both; we have the right product for you. We offer a complete line of sealed heat shrink connectors, terminals, quality heat tools and crimp-style installation tools.







From industrial use, lithium, block batteries, and button cell batteries.









Stripping is possible even in those hard to reach places with our narrow jaw design!



Premium SXL Wire



PVC Coated Primary Wire



Premium or Standard Battery Cable



Great for general wiring as well as starter or ground connections!



Deutsch **Connectors**

Common contact system utilizes common toolina







Constructed of heavy duty polyethylene which is resistant to various elements including oil and gas.



ASK AN EXPERT

VICTORIA SMITH ELECTRICAL, FITTINGS & HOSES PRODUCT SPECIALIST

HOW I CAN PREVENT COSTLY AND DIFFICULT TO DIAGNOSE **ELECTRICAL PROBLEMS?**

corrosion, vibration and abrasion is key, especially with Canada's harsh climate. Using heat shrink tubing with high flow adhesive and the right sealed electrical connectors will

Protecting your electrical system from


help keep moisture out of the system. Protect exposed connections with Contact SL, a clear spray lacquer that seals and keeps out moisture. Various sealing tapes and Brushable Electrical tape will get into areas that regular shrink tube can't. Our unique shrink braid sleeve conforms to varying shapes while providing outstanding abrasion resistance.






Connect. Solder. Seal. In one easy step!

We have a complete line of heat shrink connectors. Ask your rep, or see our full line on our new eShop!







ORSY


ORganization SYstem

Our modular system of racks, bins, and cabinets are totally customizable to your most specific requirements. The configuration and design is built to suit your business!









Domestic Hose Dispenser Rack













DOS Rack with 14 compartments

Threaded Rod Rack

Aerosol Cabinet

Wire Spool Rack

Compartment **Bins**







36 Compartment Bin

32 Compartment Bin

40 Compartment Bin



NEED ORGANIZATION ON A BIGGER SCALE?

Our highly flexible ORSY MAX racks and KANBAN system are a proven solution for high production needs.

ORSY MAX is a larger version of our popular ORSY drawers, allowing you to keep a greater volume of supplies to keep up with the most demanding work sites.

Our KANBAN system of ORSY MAX is a multi-bin capacity option, which monitors the demands for replenishment.

Not sure what ORSY system would work best for you?


Our qualified Sales Reps will work with you to set up the optimal strategy for your business, and work out a replenishment cycle based on your individual needs.

All set up and maintenance work is done by us, so you can get back to doing what you do best!









Craving Space.

Würth storage systems is a combination of refinement, efficiency, and quality. Whether it's for your parts store or your workshop, our wide selection of robust high end products will meet all your needs, and much more. And thanks to of their unique design, you can save up to **70%** of the space usually taken by regular shelving units.







Looking for Mobility?

Our X SERIES® is the ideal opportunity to have your own mobile work area! Having all of your tools at hand at all times is synonymous with efficiency and productivity.

From coast to coast, our high capacity drawers are the reference in terms of robustness and reliability.

With 440 pounds of capacity **per drawer**, we offer you the industry's toughest standard, thereby giving you the opportunity to organize your heaviest tools and parts.



Losing on productivity? By walking and searching less, you will be able to increase your productivity by up to 25%! Which means faster services and happier customers.







What makes the Würth difference?



Our cabinets are entirely modular. Each drawer comes with adjustable compartments.



Integrated NASA technology. Würth is proud to integrate Delrin wheel bearings in the making of its ultra-high capacity rail systems (440 lbs). Our rail systems surpass all industry standards.



All our cabinets come with a lifetime guarantee.



Portable solvent-free degreasing system for mechanical and brake parts that is safe for the user and the environment.

- The perfect combination of simplicity, robustness and mobility
- Manual off/on flow control with toggle switch
- User regulated flow control to flexible tap or ergonomic brush

Non-flammable, non-explosive.



Non-polluting and



Does not require recycling no emission of V.O.C. or destruction of the fluid.







Take advantage of significant savings and cut down on your carbon footprint by replacing regular aerosol cans with a Würth REFILLOmat®!

Like an ordinary aerosol can, a REFILLOmat® can sprays in every direction, and gives you the look, feel, and pressure of an aerosol can at a reduced cost, with no dangerous propellants.



Available for our popular **Brake** and Parts Cleaner and our Eco Window and Glass Cleaner



The REFILLOmat system minimizes can garbage and waste,

thus reducing negative environmental effects.



Combine the ease and convenience of an aerosol with the cost savings of bulk into one innovative system.



Charging takes just 7 seconds, while refilling the can with the right amount of propellant

Digital Battery and System **Testers**



The **BA9 Tester** provides accurate assessment of both charged and discharged batteries (down to 7 Volts) and features a variety of safety features, including reverse polarity and over-voltage protection, to make testing safer for the operator and equipment being tested.



The **BA327 Tester** comes equipped with an integrated printer, temperature compensation, multilingual operation, back-lit display, extra long 10' leads and counter to track tests performed.







Inventory Management System



"GENERATE ACCURATE REPAIR ORDERS, PROFESSIONALLY AND EFFICIENTLY"

Würth Canada SIS is a simple and powerful solution for cost recovery, inventory management and inventory control. Immediately increase your business's productivity and profitably with SIS.

Advantages

- Create and edit repair orders, invoices and purchase orders.
- Track part numbers and inventory easily on the SIS Website and know when you need to reorder.
- Track the costs and amount of products used by each technician on each job.
- Track tools with the Tool Check In/Check Out feature.



Jump Starters



Perfect for a variety of professional starting environments.

Built-In Charger

The ultimate in convenience, it never gets lost. Features fully automatic charging, allowing the unit to be kept in an always ready state.

Battery Volt Gauge

Provides accurate, detailed state of battery charge.

Industrial Grade Clamps

High tension clamps penetrate corrosion on battery terminals for maximum power transfer to the vehicle's battery.



