

# 15 **CLEANING & DETAILING**

## **2 Metal Cleaning**

## **5 Graffiti Removers**

## **6 Eco Dilution System**

## **6 Deodorizer & Odour Eliminator**

## **7 Glass Cleaners**

## **10 Hand Cleaner & Skin Protection**

## **14 Floor & Workshop Cleaners**

## **15 Scale & Residue Cleaners**

## **17 Degreasers & Disinfectants**

## **21 Vehicle Cleaning**

22 Interior Vehicle Cleaning

25 Exterior Vehicle Cleaning

27 Polishes & Accessories

## **36 Specialty Cleaners**

## **45 Cloths & Brushes**

45 Cloths

47 Swabs

## **47 Absorbents, Towels, & Wipes**

## STAINLESS STEEL CARE SPRAY



**Art. No. 893.121** 342 g

### Cleaning and care emulsion for metallic surfaces

#### Gentle, creamy emulsion with cleaning effect

- Dirt, polishing and wiping streaks, as well as oily fingerprints are removed thoroughly
- Suitable for use on vertical surfaces

#### AOX- and silicone-free

#### Directions:

Spray on a dry surface, polish with a soft cloth and wipe thoroughly.

**Note:** Do not spray onto hot surfaces and do not apply in direct sunlight.

## STAINLESS STEEL POWER CLEANER



**Art. No. 893.1212** 500 mL

### Special cleaning fluid for preliminary cleaning of metal surfaces

#### Powerful removal of oil and grease

- Contaminations such as boring or cutting oil and other processing residue are removed thoroughly
- Optimal preparation for further refinishing, cleaning and care
- Very economical

#### Certified for use near foodstuffs

- Recognized as safe for use in food processing, such as catering kitchens, cafeterias, slaughterhouses, food transports, etc.

#### Contains no phosphates, organic solvents or caustic substances

- Reduces danger potential in daily handling
- Minimizes burden on the environment
- Meet local waste water regulations
- Not subject to identification under Dangerous Substance Decree
- NSF A1 Certified

#### Biological degradability > 95%

#### Colourless and odourless

#### pH value undiluted: 9.0 - 9.5

#### AOX- and silicone-free

#### Areas of Application:

For stainless steel, chrome, brass, anodized and enamelled surfaces, as well as light and non-ferrous metals on vehicles, boats and other applications, in household and in the food processing industry.

**Note:** Avoid direct contact with foodstuffs.

## METAL RESTORER



Talc	1
Gypsum	2
Apatite	5
Quartz	7
Alumina (abrasive)	8
Sapphire	9
Diamond	10

**\*Mohs' hardness scale**

**Art. No. 893.1211** 286 mL

**Metal grinding paste for removal of the most stubborn contaminations from metal**

### Contains activated citric acid

- Stubborn contaminations, such as metal oxidation, rust film, verdigris, lime and boiler scale are removed thoroughly and gently

### Use of natural alumina as abrasive substance

- Supports effective cleaning due to different grain sizes
- Spherical shape and hardness\* of alumina assure gentle, mild yet powerful cleaning

### Protective additives with re-greasing characteristics

- Creation of a smooth and water-repellent surface finish
- Renewed dirt deposits are effectively prevented

### Highly viscous

- No run-off from vertical surfaces
- Easier to work on vertical surfaces
- NSF A1 Certified

### Tested for usability in food processing

- Safe for use in food processing plants, such as canteens, cafeterias, slaughterhouses, food transports, etc.

**Not subject to mandatory labelling according to harmful substance decree**

**Made with natural raw materials**

**pH value: 1.6**

**Density: 1.4 kg/l**

### Areas of Application:

Metal surfaces of stainless steel, chromium, brass, copper, aluminum, gold and silver. Suitable for use in vehicles, in technical equipment, in the household and in food processing. Also suitable for glass and glass ceramics.

### Directions:

Apply sparingly to the surface to be cleaned. Polish with a damp/wet sponge or cloth in circular motions. Rinse thoroughly with water, making sure no residue is left behind.

### Recommendation:

Pre-clean with Stainless Steel Power Cleaner, **Art. No. 893.1212**.

**Note:** Avoid direct contact with food. Do not use on anodized aluminum and galvanized or enamelled surfaces.

## ECO-LUSTRE METAL POLISHER



**Art. No. 893.15460** 500 mL

**Restores original lustre to a variety of metal surfaces**

**Made from sustainable resources**

- A better choice for your health and for the environment

**No chlorinated solvents**

- No VOCs
- Creates absolutely no harsh vapours
- Gentle on materials and surface finishes

**Easy to use**

- Spray on, wipe off
- Cleans and shines without abrasives or heavy creams
- Leaves a preservative coating to help prevent fingerprints or marks from appearing

**Areas of Application:**

Automotive and Trucking

- For use on chrome bumpers, aluminum wheels, brass and stainless steel parts and also on copper, zinc and mild steel

**Metal and Maintenance industries**

Cleans and polishes stainless steel appliances, aluminum, brass, copper, zinc and mild steel, fixtures, elevator doors, drinking fountains, paper receptacles, etc.

**Recommended:**

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle **Art. No. 891.502200**

## ECO ALUMINUM BRIGHTENER



**A powerful, biodegradable aluminum cleaner that removes stains, discoloration and oxidation from aluminum**

**Features:**

- Provides a safe and effective alternative to acid cleaners without producing corrosive fumes or vapors
- Non-caustic and non-corrosive
- Safe for use on all metals, including stainless steel
- Free of VOC's

**Applications:**

Ideal for cleaning trailers, RV's, motorcycles, auto parts, trim, carts, tables, stainless steel, pontoons, aluminum boats, masts, booms, outriggers and fishing towers.

**Directions:**

Spray directly on surface to be cleaned. Allow to remain for 1 to 3 minutes for maximum effect, then clean the area and follow with a thorough rinsing. Do not let product dry on finishes. Mist with water or reapply product to keep wet.



Contents	Dilution	Art. No.	P. Qty.
1 L	Ready-to-use	<b>893.162810</b>	1

## GRAFFITI REMOVER



**Art. No. 893.135902** 453 g

- A cleaning gel formulated to remove graffiti, stains and vandalism marks from almost any non-porous surface including masonry.
- Thick gel will not run or drip.
- Removes: lipstick, ballpoint pen ink, crayon, marker ink, black rubber marks, pencil, mimeo ink, scuff marks, masking tape, adhesives, road tar and any other marks.
- An essential product for schools, municipalities, hospitals, bars, restaurants and mass transportation.
- Does not contain any chlorinated solvents.

### Application:

Ideal for use on fibreglass, brick, concrete, glazed and unglazed tile, marble, Formica, enamelled surfaces, aluminum, steel, brass, glass, chrome, enamels, restroom stalls, metal partitions, road signs, fences, bridges, desk tops, furniture, walls, corridors, doors and other surfaces exposed to the public. Care should be exercised when used on synthetic surfaces which are susceptible to solvent damage (asphalt, tile, rubber, some paints and some plastics).

**Not recommended on flat or semi-gloss painted surfaces.**

## ECO GRAFFITI REMOVER



**Art. No. 893.13550** 500 mL

### A safer environmentally friendly vandalism mark remover

#### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- A better choice for your health and for the environment

#### A highly effective natural solvent

- Removes marks caused by crayons, marker pens, ballpoint pen, spray paint, carbon paper, adhesives, lipstick, masking tape and mimeo ink

#### Safe and easy-to-use

- No harsh fumes
- Pleasant odour
- Does not contain ingredients that are harmful to your health, like solvents
- Ready-to-use dilution

### Areas of Application:

- Ideal for brick, concrete, tiles, marble, enamelled surfaces, restroom stalls, road signs, fences, bridges, desktops, furniture, walls, doors and other surfaces exposed to the public.
- Ideal for workplace or bar washrooms, school desks and lockers, parking meters, puck marks on arena boards and municipalities for graffiti on overpasses and buildings, etc.

### Note:

Do not use on Plexiglass surfaces.

**This 500ml bottle is equivalent to two aerosol cans of regular Graffiti Remover!**

### Note:

Use with Nitrile Gloves,  
**Art. No. 899.44010**+size  
Softex Sheets  
**Art. No. 899.800901**

## DEODORIZER SPRAY



**Art. No. 893.13920** 500 mL

### Suitable for almost all textiles

- Universal usage
- Leaves no residue behind
- No specking
- Colourless

### Specially selected combination of raw materials

- Fast and long-lasting effect
- Odour molecules are not covered as with air freshener products, but are removed completely in a natural way

### Fine-mist hand-spray bottle

- Fine and even spray covering the entire surface without soaking it
- Very short drying time
- Quick application


### AOX-free

### Areas of Application:

Neutralizes all unpleasant odours, such as cigarette smoke, sweat, animal, mould and cooking odours, which may occur in a vehicle interior, driver's cabs, on upholstery, carpets, curtains and clothing.

**Note:** Water-sensitive textiles (e.g. silk) must be tested before use. Not suitable for leather or suede.

## ECO CHEMICAL DISPENSER/DILUTER



**Art. No 891.030100**

**The Würth chemical dispenser mixes water with concentrated cleaning chemicals and dispenses these solutions.**

- It is set up to dispense 2 chemicals, one at high flow thanks to a 4 gpm valve (for pails and buckets), and one at low flow thanks to a 1 gpm valve (specially designed to fill bottles and avoid too much foaming).
- The dispensing unit comes with 14 different colour-coded metering tips, each offering a different dilution ratio.
- The dispenser is equipped with ASSE 1055B approved back flow devices.

**Water supply requirements:** min. 20psi (1.38 bars) and max. 125psi (8.62 bars)

**Water temperature:** max. 65.5°C (150°F)

**What comes with the dispensing unit:**

- 2 X vacuuming hoses (1/4" ID X 8" length)
- 1 X dispensing hose (1/2" ID X 6" length)
- 1 X 14 metering tips (for dilution ratios)
- 2 X ceramic weights (to keep hoses at the bottom of the chemicals containers)
- 1 X set of chemical identification labels
- 1 X set of 4 screws and 4 plastic anchors (to fix dispenser on wall)

6' water supply hose available separately: **Art. No. 891.030101**

**Note:** Refer to the appliance manual for more information (see our e-shop for details).

## ECO ODOUR ELIMINATOR



**Recommended:**

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle **Art. No. 891.502200**

**Environmentally friendly permanent odour eliminator and deodorizer.**

**Highly effective odour eliminator and deodorizer**

- Permanently eliminates even the toughest and rankest smells.
- Won't absorb the good smells, so your room stays smelling fresh!
- Not affected by high temperatures.

**Rapidly binds to bad odour molecules.**

- Completely eliminates the odour at the source.
- Fast, effective and long-lasting odour control.
- Won't release the malodour back into the air even when it dries.

**Long lasting effect.**

- Continues to absorb odours as long as the active ingredient has not been used up by the odour, even when dry.
- Reactivate it simply by wetting.
- Works on both soft and hard

surfaces, and in the air.

**Environmentally friendly product.**

- Completely biodegradable.
- Made from 100% sustainable resources.
- VOC free.
- Completely soluble in water.
- Phosphate-free.
- A better choice for your health and for the environment.

**Areas of Application:**

Both soft and hard surfaces. Kitchen and bathrooms, waste collection and recycling, garbage collection areas and containers, carpets and upholstery, vehicle interiors, kennels, sewage treatment, etc. Anywhere odours are a problem!

Scent	Content	Art. No.	P. Qty.
Kiwi-Mango	500 mL	<b>893.139401</b>	1/12
	4 L	<b>893.139404</b>	1/4
Spring	500 mL	<b>893.139402</b>	1/12
	4 L	<b>893.139403</b>	1/4

## BIOLOGICAL ODOUR ELIMINATOR



**Biologically active odour eliminator and deep cleaner.**

**Highly effective odour eliminator and deep cleaner.**

Eliminates even the toughest and rankest smells.

**Rapidly breaks down bad odour molecules.**

Completely eliminates the odour at the source.

Fast, effective and long-lasting odour control.

**Works on both soft and hard surfaces.**

One product for multiple applications.

**EcoLogo certified**

- Completely biodegradable.
- Made from 100% sustainable resources.
- VOC free.
- Completely soluble in water.
- Phosphate-free.
- A better choice for your health and for the environment.

Safe to use in food processing plants.

**Areas of Application:**

Both soft and hard surfaces. Vehicle interiors, public transportation, garbage collection areas and containers, urinals, fitness facilities, pet stores, upholstery and carpets.

**Recommended:**

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle

**Art. No. 891.502200**

Scent	Content	Art. No.	P. Qty.
Neutral	500 mL	<b>893.139301</b>	1/12
	4 L	<b>893.139308</b>	1/4

## GLASS CLEANER



**Alcohol and ammonia free formula, 0% VOC**

**Features:**

The Würth Glass Cleaner does not contain any alcohol, ammonia, phosphate or volatile organic compounds; its water-based formula makes it completely safe for the user, the surface treated and the environment. Quickly and efficiently cleans dirt, grime, smoke and road film. Does not leave any streaks, haze or film on the surface. Completely safe for tinted windows, plastic windows, plexiglass and computer screens. Perfect for general cleaning and vehicle detailing.

**Areas of Application:**

Glass and windows, windshields, mirrors, plexiglass, chrome and stainless steel.

**Recommended:** Tap for the 20 L pail **Art. No. 891.302.03**

Description	Contents	Art. No.
Glass Cleaner Concentrate	4 L	<b>893.012104</b>
	20 L	<b>893.012120</b>



## ECO GLASS CLEANER



### Recommended:

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle **Art. No. 891.502200**

### Biodegradable streak, haze and film-free glass cleaner

#### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- Completely soluble in water
- A better choice for your health and for the environment

#### Powerful cleaning

- No abrasives that could scratch the finish
- Easily dissolves smudges, film, grime, bugs, etc.
- Active ingredients loosen and suspend dirt so that it can easily be wiped off

#### Safe and easy-to-use

- Odourless
- Alcohol and ammonia free
- Biodegradable
- pH: 8.0
- Spray on and wipe off



### Areas of Application:

- Würth Eco Window and Glass Cleaner is ideal for every glass surface
- Brightens and cleans windows, mirrors and all hard surfaces.
- Because it is free of solvents, it is also safe for use on LCD screens (computer monitors, etc.)

Contents	Colour	Art. No.
1 L	Blue	<b>893.012610</b>
4 L		<b>893.012611</b>
1 L	Empty Bottle	<b>891.501212</b>

Dilutions	
Formulation	Dilution
1 L Spray	Ready-to-use formula
4 L Concentrate	Dilute 1 part concentrate with 10 parts water

## CLEAN AND REPEL GLASS CLEANER



**Art. No. 890.22050** 500 g

- Cleans effectively and coats glass with an invisible layer of protection that repels water
- Streak-free cleaning
- Repels rain by causing water to bead up and roll away
- Helps prevent bugs, road spray, ice and snow from sticking to glass
- Increases wiper blade life
- Improves wet weather driving visibility
- Ammonia-free
- VOC compliant
- Biodegradable
- Not suitable for polycarbonate glass ("bulletproof" glass)

## PREMIUM GLASS CLEANER



**Art. No. 890.9026** 517 g

- Removes stubborn dirt, grease, grime, road salt, light paint over-spray, smoke, haze and bugs
- Streak free: Will never smear, haze or leave a film
- Ammonia fortified, silicone free and special non-detergent formula
- Will work on surfaces such as glass, tile, porcelain, stainless steel, chrome and vinyl
- Shake can well before use

**Note:** Use in well-ventilated areas.



## ACTIVE GLASS CLEANER



**Art. No. 890.25** 445 g

### Cleaning foam for glass and smooth surfaces

#### Stable cleaning foam

- No run off from vertical surfaces

#### Extremely active cleaning foam

- Upon bursting of the foam bubbles, highly concentrated, active cleaning agents are released to directly attack the dirt
- Outstanding dirt dissolving power

#### A little product goes a long way

- Cost savings
- Reduced work effort

#### Gentle on material

- Non-aggressive on paint, rubber and plastic

#### Silicone and AOX-free

#### Areas of Application:

- Dissolves insects, bird droppings and road dust, nicotine deposits, grease, silicone and rubber residue from glass surfaces, mirrors and paintwork.

#### Use:

For optimal foaming, shake can vigorously prior to use.

**Note:** Do not apply to hot surfaces or in direct sunlight. Not suitable for polycarbonate glass.

## GLASS CLEANER



**Art. No. 890.9025** 525g

#### Features:

- Removes insects, bird droppings, smoke deposits, grease, silicone, adhesive residue, etc
- Also cleans painted surfaces such as radiator grills, hoods, as well as porcelain, ceramic and tiles
- Must clean with a paper cloth to obtain a streak-free finish
- Does not attack rubber, paint or plastics
- Spray surfaces evenly and leave for 30 seconds to allow active ingredients to work
- Does not run on vertical surfaces
- 500 mL

**Note:** Use in well ventilated areas

## PX3 PLUS SPECIAL HAND CLEANER



**Hi-tech professional hand cleaner with micro-grain scrubbers specially formulated for the effective removal of paints, inks, adhesives, lacquers, putty and sealants.**

### Features & Benefits:

- Contains special ingredients to clean extreme soils such as paints, inks, adhesives, lacquers and sealants

- Contains Pro-vitamin B5, Vitamin C and Vitamin E
- Solvent free and silicone free
- Environmentally friendly formula
- Skin-friendly formula

### Fragrance:

- Lavender

### pH Value:

- Approx. 6.5

Colour	Content	Art. No.
Grey/Purple	444 mL	893.901001

## HAND CLEANERS FOR DISPENSERS



### Hand Cleaner Industrial Strength

#### Features:

- Powerful citrus hand cleansing gel.
- Increased cleaning power because of skin friendly micrograins.
- Extra powerful because of active citrus ingredients.
- Effective for removing heavy soils such as tar, paint, glue and lacquer.
- Available in 3 liter cartridge.

### Hand Cleaner with Walnut Scrub

#### Features:

- Contains natural walnut shell scrubbers to safely and effectively remove dirt, grease, lubricants, diesel, brake fluid, cement, rust and many other hard to remove soils.
- Fortified with skin care ingredients.
- Leaves no greasy residue behind
- Solvent free and silicone free
- Biodegradable environmentally friendly formula
- Free of VOCs and NPEs (Nonylphenol ethoxylates)

### Fragrance:

- Lavender

### pH Value:

- Approx. 6 - 6.5

### Hand Cleaner Solvent Free

#### Features:

- Solvent-free, heavy-duty hand cleansing paste.
- Extra active because of skin friendly micrograins.
- Use on wet hands.
- Effective for removing medium-to-heavy soils such as lubricants, diesel, brake fluid, cement and rust.
- Available in 3 liter cartridge.

**\*Note:** Soil types are general. Actual results may vary.

Description	Contents	Art. No.	P. Qty.
Hand Cleaner Solvent Free	3L	893.93402	1
Hand Cleaner Industrial Strength		893.93401	
Hand Cleaner with Walnut Scrub		893.934040	

**For use with:** Automatic Hand Cleaner Dispenser **Art. No. 891.935**  
and Manual Hand Cleaner Dispenser **Art. No. 891.9351**

## HAND CLEANER DISPENSERS



### For use with:

Hand Cleaner Solvent Free **Art. No. 893.93402**  
 Hand Cleaner Industrial Strength **Art. No. 893.93401**  
 Hand Cleaner with Walnut Scrub **Art. No. 893.934040**

### Automatic Hand Cleaner Dispenser

**Art. No. 891.935**

#### Unique, touch-free dispensing system for optimal hygiene.

#### Automatic, touch-free dispensing

Improves hygiene and dramatically reduces product consumption.

#### Quantity control guarantees economical use

The metered 5 mL output provides up to 600 applications per 3 litre container.

#### Accurate dosage

Infra-red sensor assures dose only when hand is in position

#### Permanently sealed

No access to the product in cartridge except through dispenser.

#### No waste

Disposable cartridge empties 100%.

#### Secure, convenient, no-mess

Easy reloading with cartridge locked in place.

#### Professional-quality product

Made of high quality, robust and strong components.

#### Includes wall mounting bracket

#### Requires 8 "AA" batteries (included)



### For use with:

Hand Cleaner Solvent Free **Art. No. 893.93402**  
 Hand Cleaner Industrial Strength **Art. No. 893.93401**  
 Hand Cleaner with Walnut Scrub **Art. No. 893.934040**

### Manual Hand Cleaner Dispenser

**Art. No. 891.9351**

#### Quantity control guarantees economical use

The metered 5 mL output provides up to 600 applications per 3 litre container.

#### Accurate dosage

#### Permanently sealed

No access to the product in cartridge except through dispenser.

#### No waste.

Disposable cartridge empties 100%.

#### Secure, convenient, no-mess.

Easy reloading with cartridge locked in place.

#### Professional-quality product.

Made of high quality, robust and strong components.

#### Includes wall mounting bracket.

## APPLE SEED SCRUB HAND CLEANER



**Art. No. 890.600640 - 4 L**

#### Solvent free, environmentally friendly hand cleaner that cleans, moisturizes and promotes healthy skin with abrasive apple seed technology.

#### Features & Benefits:

- Natural apple seed pumice
- 100% solvent & petroleum free
- Biodegradable
- Effectively cleans tough grease and grime
- Prevents and heals dry, cracking skin
- Gentle on sensitive skin types such as dermatitis prone skin
- Hand pump included

## HAND CLEANER WITH PERLITE SCRUB



**A hand cleaner containing natural perlite mineral as a scrubbing agent to remove medium to heavy soiling.**

### Features & Benefits:

- Contains natural perlite as the scrubbing agent to remove dirt without harming the skin.
- Contains moisturizing agents that help protect the skin.
- Removes soiling such as pollution, oil, grease, printing inks, fat, tar, bitumen, lubricants, dust, soot and graphite.
- Free of silicone, alkali and soap.

Size	Scent	Colour	Art. No.
3 L	Citrus	White	<b>893.900001</b>

## HAND CLEANER WITH OLIVE SCRUB




**A mild solvent free hand cleaner with a pleasant smell that can remove a wide range of industrial soils.**

- Contains skin compatible raw materials with soft, natural olive based abrasives.
- Suitable for daily use without any negative effect on the skin.
- Free of silicone and solvents.
- Works to remove stubborn and ingrained dirt like oil, grease, tar, printing or duplication inks.
- Can be used in applications such as industrial manufacturing, garages and body repair shops.
- Can be used on dry or wet hands.
- Appearance – viscous gel
- Odour – fresh citrus scent
- pH Value – approx. 6.5

Colour	Contents	Art. No.	P. Qty.
Red/Orange	3 L	<b>893.905001</b>	1

## HAND CLEANER PUMPS



**Use with Art. No. 893.900001 & Art. No. 893.905001**

Item	Contents	Art. No.	P. Qty.
A	1 suction pump, 1 wall mount with screws and plugs	<b>891.900</b>	1
B	1 Suction Pump	<b>891.9011</b>	

## HAND CLEANER SOIL CHART

TYPE OF SOIL	INDUSTRIAL STRENGTH 893.93401	SOLVENT-FREE 893.93402	WALNUT SCRUB 893.934040	APPLE SEED SCRUB 890.600640	PERLITE SCRUB 893.900001	OLIVE SCRUB 893.905001	PX3 PLUS 893.901001
ADHESIVES - WATER SOLUBLE		•	•	•	•	•	•
ANIMAL FATS		•	•	•	•	•	
ASPHALT	•	•		•			
BATTERY ACID		•	•	•		•	
CARBON BLACK	•	•	•	•	•		
COAL DUST	•	•	•	•	•	•	
COAL TAR	•			•	•		
CREOSOTE	•		•		•	•	
CUTTING OIL - OIL SOLUBLE	•		•	•	•		
CUTTING OIL - WATER SOLUBLE	•	•	•	•	•	•	
DIESEL OIL	•	•	•	•	•	•	
DIRT (LIGHT DUTY)		•	•	•	•	•	
FUEL OIL	•	•	•	•	•	•	
FUEL OIL #6 (HEAVY)	•				•		
GASKET CEMENT/ SEALANT	•						•
GASOLINE	•	•	•	•	•	•	
GRAPHITE	•	•	•	•	•		
GREASE	•	•	•	•	•	•	
HOT MELT GLUE	•			•			
INK - ALCOHOL BASED	•	•		•		•	•
INK - OIL BASED	•						•
INK - WATER BASED		•	•	•	•	•	•
PAINT - LATEX	•	•	•	•		•	
PAINT - OIL BASED	•			•			•
PIPE DOPE	•	•	•				
PITCH	•			•			
RUBBER CEMENT		•	•	•			
SAP		•	•	•	•		
SILICONE SEALANTS	•						•
TAR	•						
UNDERCOATING	•						

\*SOIL TYPES HAVE BEEN GENERALIZED FOR EASE OF CATEGORIZATION. ACTUAL RESULTS MAY VARY.

## UNIVERSAL WORKSHOP CLEANER



Art. No. 893.124 5 L

**Powerful cleaner in a pH-neutral range with extremely high capacity of dissolving dirt on floors, machinery and in plants**

- Reduces ecological damage
- Reduces risk potential in daily work
- Saves raw material resources
- Avoids waste material
- Best quality for highest demands

### Features:

- Biodegradable >95% (mod. OECD and closed bottle test)
- Oily-greasy dirt is not emulsified, but loosened by sub-surface penetration
- Quickly separates in waste water according to Austrian Standard test B 5105
- Gentle on skin
- Does not contain AOX or organic solvents
- Phosphate free
- Does not mobilize heavy metals in inshore waters
- Silicone free
- Can be used on all conventional surfaces

### Application Areas:

Can be used manually or in high-pressure equipment for cleaning engines, machinery, tools, vehicles, floors of all kinds (except carpeting), canteen kitchens, butcher's shops and bakeries.

### Concentration level when used:

Floor cleaning machines	3 - 10%
High-pressure equipment	3 - 5%
Manual cleaning	3 - 50%

## BIOLOGICAL FLOOR CLEANER CONCENTRATE



**Biologically active "dirt eating" floor cleaner**

### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- Completely soluble in water
- Phosphate-free
- A better choice for your health and for the environment

### Powerful cleaning

- Highly effective immediate cleaning
- Provides long-term deep cleaning by removing embedded residual organic material found in pores, cracks, crevices and corners
- Cleans floors and grout
- Cleans without harsh chemicals

**Improves the quality and cleanliness of the workplace**

- Reduces slippage through the removal of grease on floors
- Improves the waste stream by creating a biofilm in drains, reducing organic build-up
- Controls malodours
- Reduces conditions that encourage pests

### Safe and easy-to-use

- pH: 7.5-8.5

### Application:

Works best on vegetable/animal oil and grease. Specifically designed to penetrate porous floor surfaces to degrade and eliminate grease and other organic materials that can accumulate over time. Biological Floor Cleaner produces enzymes that will break down the fatty acid components of grease. The microbes continue cleaning long after you have finished.

### Dilution:

Mix 12 - 25 mL of product per litre of water



Contents	Dilution	Art. No.
4 L	Concentrate	893.117218

## CONCRETE FLOOR CLEANER



**Art. No. 893.117220** 20 L

### Non-chlorinated, non-petroleum solvent-based liquid cleaner/degreaser

- Floor Cleaner utilizes a natural citrus-based di-limonene formula with a high pH level chemistry
- Low VOC (Volatile Organic Compound) and has a pleasant citrus fragrance
- Can be diluted with water or used full-strength. Diluting will not affect pH level
- For use in garages, service bays and high-traffic areas

## POWDER FLOOR CLEANER



**A powerful and safe floor cleaner that removes the most stubborn grease and oil stains.**

### Features:

- Contains cleaning agents that penetrate, emulsify, and dissolve ground-in dirt and stains.
- Phosphate-free and biodegradable
- Safe on all metals and wood floors

### Applications:

- Ideal for cleaning cement floors in garages and service pits, as well as concrete driveways.

### Directions:

- **For general cleaning:** Wet floor with water and sprinkle powder on floor. Allow to stand for 5-10 minutes and then brush off. Rinse with clean water using a hose or mop.
- **For stubborn grease or oil stains:** Sprinkle powder directly on stain with a small amount of water. Allow to stand for several minutes and then rub with a stiff brush. Rinse floor with clean water using a hose or mop.
- **For the toughest cleaning jobs:** Dissolve powder in hot water at a ratio of 1/2 cup per gallon. Apply to dirty surface and scrub. Rinse thoroughly with water.

Contents	Art. No.	P. Qty.
20 kg	<b>893.117221</b>	1

## ECO SCALE REMOVER



**Biodegradable all-purpose acid replacement.**

### EcoLogo certified.

- Completely biodegradable.
- Made from 100% sustainable resources.
- VOC free.
- Completely soluble in water.
- Phosphate-free.
- A better choice for your health and for the environment.

### A safe acid alternative.

- No abrasives that could scratch the finish.
- Cleans stubborn water scale, lime deposits, rust stains, light corrosion, mildew and mold. Creates no harsh vapours.

### Safe and easy-to-use.

- Biodegradable.
- Low impact on aquatic life.
- Septic tank friendly.

### Areas of Application:

Ideal for ceramic, grout, terrazzo, quarry tiles, concrete, brick, stainless steel, aluminum, copper and brass. Can also be used to clean scale deposits, moulds and algae on boat hulls.

Contents	Formulation	Art. No.	P. Qty.
1 L	Ready-to-use	<b>893.122500</b>	1/12
4 L		<b>893.122504</b>	1/4
20 L		<b>893.122520</b>	1
500 mL	Empty Bottle	<b>891.12250</b>	-

### Recommended:

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle  
Art. No. 891.502200





## ECO HF ACID REPLACEMENT



**All-purpose industrial cleaner for the removal of calcium, silica, and oxidation in place of harmful hydrofluoric acid**

### Powerful scale remover

- Removes tough water scale, lime scale, silica scale, organic deposits, and rust stains.
- For use on stainless steel, and aluminum metals

Contents	Dilution	Art. No.
4 L	Concentrated	<b>893.162804</b>
20 L	Concentrated	<b>893.162800</b>

### Safe alternative to hydrofluoric acid

- Completely biodegradable and environmentally safe
- Does not exhibit the highly hazardous properties of hydrofluoric acid
- Eliminates the need to file an OHS risk management plan
- Absolutely no corrosive fumes
- Non-corrosive to skin
- No unwanted reactions with other cleaners

## TAR REMOVER



### Areas of Application:

Effortlessly removes tar, oil and splashes of underbody protection and hollow cavity sealant from paint and chrome.

### Use:

Spray on directly or apply to the surface to be treated with a saturated cloth, allow to soak in briefly and remove with a cloth or soft sponge.

Designation	Contents	Art. No.
Aerosol	224 g	<b>890.26</b>

## W-SOL RESIDUE REMOVER



**Solvent-based cleaner that removes dirt, grease, tar, residue, wax and silicone.**

### Features:

Universal solvent used for general cleaning. Safe to use on new cars, on acrylic and lucite finishes. Can be used as a thinner for adhesive sealers.

Contents	Art. No.
448 g	<b>890.1130</b>

## INSECT REMOVER



**Special cleaner for the quick and reliable removal of insect residue from glass, chrome, paint and plastic surfaces.**

### Features:

- Deep cleaning, active, foam formula removes even stubborn and dry insect residue quickly and gently without attacking the surface
- Ideal to be used as a pretreatment prior to washing vehicles or machinery
- Quick and easy application
- Gentle on materials such as chrome, plastic, rubber, etc.
- Will not attack paint coatings.
- Silicone free
- AOX-free

Content	Art. No.	Format
500 ml/ 573 g	<b>893.470001</b>	Spray bottle
5L/ 5370 g	<b>893.470002*</b>	Container
20L	<b>893.117127</b>	Concentrate

\*will be available soon.

### Areas of Application:

- Windshields/windows
- Radiator grills
- Bumpers
- Headlights
- License plates
- Mirrors

### Method of Application:

- Lather contaminated surfaces with insect cleaner evenly
- Product is ready to use in all formats. No dilution required
- Let product sit on the surface for approximately 5 minutes for maximum performance
- Rinse the surface thoroughly with water
- To avoid surface scratches, rinse off particularly heavy or abrasive dirt before using the product

Description	
Colour	Clear
Chemical basis	Anionic surfactants
pH value	10

Note : Do not apply product on hot surfaces or carry out applications in direct sunlight. Do not let the product dry out.

## ECO SUPER SPRAY ALL



### Multi-purpose cleaner and degreaser

- This powerful degreaser cuts heavy grease, oil, dirt and soil quickly and effectively.
- Can be used on most interior and exterior hard surfaces including vinyl, rubber, painted surfaces, metal, porcelain, fibreglass and plastic.
- Eco-Logo certified.
- Completely biodegradable.
- Made from 100% sustainable resources.
- VOC free.

Description	Contents	Art. No.
Eco Super Spray All	1 L	<b>890.90901</b>
	4 L	<b>890.90904</b>
	20 L	<b>890.909020</b>



### Recommended:

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle  
Art. No. 891.502200  
Tap for 20 L **Art. No. 891.302.03**

## ECO INSTITUTIONAL HARD SURFACE CLEANER



### Eco-friendly multi-purpose hard surface cleaning and degreasing agent

#### Features & Benefits:

- Environmentally friendly, water-based alternative to toxic, caustic and solvent based cleaning compounds
- Free of petroleum hydrocarbons and non-flammable
- Biodegradable
- Requires no special protective clothing to handle these products
- Safe and easy to use on any washable surface
- Accepted for use by the Canadian Food Inspection Agency (CFIA)

- Can be used on all hard surfaces such as floors, walls, windows, porcelain, etc.
- Removes all types of grease, oil, carbon and dirt from surfaces with easy rinsing

#### Applications:

- Can be used institutions such as shops, schools, recreational centers, sport centers and auditoriums, etc.
- Product can be diluted with water depending on the desired dilution and the type of soil that needs to be removed.
- Can be diluted using a dilution machine (891.030100) and used with a power washer, or by hand.

Size	Dilution	Dilution (Concentrate:Water)	Art. No.
1 L	Ready-to-use		<b>893.117111</b>
4 L	Concentrate	1:50 General Cleaning 1:10 Heavy Cleaning	<b>893.117109</b>
20 L	Concentrate	1:5 Very Heavy Cleaning	<b>893.117112</b>

## INDUSTRIAL STRENGTH DEGREASER



### Powerful VOC compliant ready-to-use degreaser

- Cuts through stubborn grease, grime and other hard-to-remove soils quickly
- Biodegradable (according to OECD 3028 Modified MITI Test)
- Contains no petroleum, solvents, or acids
- Non-flammable

#### Application:

Ideal for every cleaning job, including floors, walls, engines, heavy equipments and machinery, tools, bicycles, garden and farm equipment, condenser coils, shop machinery, garage floors, asphalt drives, etc.

Format	Art. No.	Contents
Ready-to-use, spray	<b>893.474120</b>	1 L
Ready-to-use, bulk	<b>893.474121</b>	4 L
Ready-to-use, bulk	<b>893.474122</b>	20 L

Tap for 201 Ready-to-Use Bulk:  
Art. No. 891.302.03

## ECO FOOD & BEVERAGE EQUIPMENT CLEANERS



**Biodegradable, NSF certified, foaming cleaner with excellent cleaning properties. Available in both ready-to-use and concentrated formats.**

### Features and Benefits:

- Powerful, safe and non-corrosive formula
- Completely biodegradable and environmentally friendly formula
- Formula is completely soluble in water
- Carries food safe certification NSF-A3
- Does not release corrosive or harsh fumes
- No VOCs\*
- Easy to handle and use
- Can be used with foaming equipment for enhanced foaming mechanism
- Removes stubborn water scale, soap scum, rust stains, grease, mildew and mold

### Applications:

- Breweries
- Kitchens
- Washrooms
- Bathroom sinks, tubs and tiles
- Food plants
- Transportation
- Descaling applications

### Compatible Surfaces:

- Stainless steel surfaces
- Quarry tiles
- Aluminum surfaces
- Copper surfaces
- Concrete and brick
- Porcelain
- Terrazzo
- Brass surfaces

### Physical Properties:

- Appearance - green/liquid
- Odour - fresh
- Dirt penetration - soil suspension properties

Content	Art. No.	Dilution
500 ml	<b>893.117128</b>	Ready-to-use
4L	<b>893.117126</b>	Concentrate
20L	<b>893.117127</b>	Concentrate

Concentrated product can be diluted up to 1:25 depending on the level of soil that needs to be cleaned.

\* VOC's (Volatile Organic Compounds): In addition to contributing to ozone and smog formation, VOC's can have direct adverse effects on human health. Many VOC's have been classified as toxic and carcinogenic and it is therefore unsafe to be exposed to these compounds in large quantities or over extended periods of time.

## ECO HEAVY DUTY DEGREASER



**Powerful enough to clean the heaviest grease deposits without the need for harsh chemicals**

### Penetrates and breaks down heavy oil and petroleum deposits

- Highly effective on all heavy petroleum based products such as all oils, greases, waxes, and tars
- Provides a better clean than many conventional toxic products, while being safer for you and the environment


### Environmentally Safe

- Safe for all metal and non-metal surfaces
- Free from heavy metals, organic solvent, halogenated compounds and phosphates
- Free rinsing, non-flammable, and no VOCs

### Easy-to-use concentrated product

- 1:50 dilution – General cleaning
- 1:10 dilution – Heavy cleaning
- 1:5 dilution – Very heavy cleaning

Contents	Dilution	Art. No.
1 L	Ready-to-use	<b>893.162500</b>
4 L	Concentrate	<b>893.162501</b>
20 L	Concentrate	<b>893.162502</b>
210 L	Concentrate	<b>893.162503</b>
Replacement Sprayer		<b>891.502200</b>



### Recommended:

Replacement Sprayer for 500 mL  
& 1 L Eco Products Bottle  
Art. No. 891.502200

## ECO INDUSTRIAL DEGREASER & MULTI PURPOSE CLEANER



### Environmentally friendly all-purpose cleaner & degreaser

### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- Completely soluble in water
- Phosphate-free
- A better choice for your health and for the environment

### Powerful cleaning

- The most powerful water-based degreaser on the market today
- Saves time through its ready-to-use spray bottle
- Saves money through the use of the concentrate

### Safe and easy-to-use

- Free rinsing
- Non-corrosive
- Non-flammable
- pH: 11.5
- Pleasant scent

### Areas of Application:

Ideal for every cleaning job including floors, walls, woodwork, maintenance shops, engine shampoo, porcelain, plastic surfaces, light fixtures, venetian blinds, desks, cabinets, stainless steel, maintenance shops, cars and trucks.

Contents	Dilution	Art. No.
1 L	Ready-to-use	<b>893.47410</b>
4 L	Concentrate	<b>893.117103</b>
20 L	Concentrate	<b>893.117106</b>
1 L	Empty bottle	<b>891.501211</b>

Dilutions for Eco Industrial Degreaser (4 L, Art. No. 893.117103)	
Application	Dilution (Concentrate: Water)
Damp mopping & light cleaning	1:40
General cleaning	1:20
Heavy duty cleaning	1:1 to 10
Same as Ready-to-use format	1:9

## SUPER SPRAY DEGREASER



**Art. No. 893.164500** 20 L

**This unique, powerful and biodegradable degreaser cuts heavy grease and soil quickly and effectively.**

- VOC (Volatile Organic Compound) compliant
- Non-flammable, non-combustible, highly economical
- Biodegradable, contains NO petroleum or chlorinated solvents, phosphates or acids and is pleasantly scented, unlike most petroleum based degreasers
- Colour: Clear orange

### Applications:

Engines - warm or cold, shop and garage floors, farm equipment and shop machinery, condenser and evaporator coils, permanent air filters, gas grills, tools, etc.

## ECO MULTI-PURPOSE DISINFECTANT



**Environmentally safe cleaner, deodorizer and disinfectant that stops the spread of contamination, contagious germs and micro-organisms.**

### Disinfects and protects

- Effectively disinfects against most bacteria and viruses including: Salmonella, E. coli, Influenza and H1N1, among other viruses at 10 minutes contact time (as tested and certified by Health Canada)
- Ready-to-use formula has been approved to be effective against human coronavirus as displayed on the label.
- Ready-to-use disinfectant and concentrated disinfectant are different formulas as represented by the different DIN numbers.
- Ready-to-use disinfectant appears in Health Canada's list of approved products as being effective against COVID-19.

### Features:

- Kills 99.9% of germs
- Sanitizes all inanimate surfaces
- Won't streak or leave behind sticky residues

### Applications:

- Industrial, Institutional and Food Plants
- Health Care Facilities and Dental offices

**CONCENTRATED PRODUCT - DILUTION RATIO 1:64 OR  
16ML OF CONCENTRATED PRODUCT PER LITER OF WATER**

Contents	Art. No.	Product Version
1L	<b>893.139611</b>	Ready to use
4L	<b>893.139612</b>	
20L	<b>893.139613</b>	
4L	<b>893.139614</b>	Concentrate

Art. N.	Product Name	DIN Number	Concentrate	RTU	Certified against COVID-19
<b>893.139611</b>	ECO MULTI-PURPOSE DISINFECTANT SPRAY 1L RTU	02475251	-	Yes	Yes
<b>893.139612</b>	ECO MULTI-PURPOSE DISINFECTANT SPRAY 4L RTU	02475251	-	Yes	Yes
<b>893.139613</b>	ECO MULTI-PURPOSE DISINFECTANT SPRAY 20L RTU	02475251	-	Yes	Yes
<b>893.139614</b>	ECO MULTI-PURPOSE DISINFECTANT 4L CONCENTRATE	02475243	Yes	-	No



## ECO HEAVY MACHINERY WASH



**Specially formulated to handle the toughest cleaning challenges in the oil industry**

### Designed for oil industry applications

- Ideal for long-haul rigs, oil rigs, on and off-shore drilling rigs and heavy equipment
- Can be used for continued maintenance of platforms, decks, derricks, racks, liners, drills, bits, and rods
- On-site usage eliminates the cost of dismantling equipment, or sending it off-site for cleaning

### Highly effective and biodegradable

- Can be used for chemical cleaning of all hydrocarbon and crude oil products
- Safe on all ferrous and non-ferrous metals

### Easy-to-use concentrated product

- Concentrated product can be diluted with fresh water or sea water
  - 1:20 dilution – Light cleaning
  - 1:10 dilution – Heavy cleaning

**Note:** Dilution rates may vary depending on the job

Contents	Dilution	Art. No.
4 L	Concentrate	<b>890.109004</b>
20 L	Concentrate	<b>890.109020</b>

## ECO PARTS WASH



**A safe and efficient alternative to using toxic solvents for parts washing. No system changeover needed, can be added to any wash basin.**

### Effective alternative to solvent-based solutions

- Can be used for difficult cleaning applications in any existing parts washer system
- Contains corrosion inhibitors
- Does not require a heated parts washer system
- Excellent for removing all types of shop oils, greases, and oil-based fluids

### Added safety of a water-based cleaner

- No environmental risks: Completely biodegradable, VOC & halogen free
- Safer working environments: Non-toxic, non-corrosive, non-flammable, and non-combustible
- Safe handling and storage: No ventilation hood required, and no solvent cabinet needed

### Easy-to-use concentrated product

- 1:10 dilution – Light cleaning
- 1:4 dilution – Heavy cleaning

**Note:** Dilution rates may vary depending on the job

Contents	Dilution	Art. No.
4 L	Concentrate	<b>893.162700</b>
20 L	Concentrate	<b>893.162701</b>
210 L	Concentrate	<b>893.162702</b>

## ACTIVE CLEAN



**Art. No. 893.472** 500 g

**Fruit scented intensive foam cleaner for vehicle interiors.**

**Perfect for plastic surfaces, vinyl, cloth, leather, and carpets.**

**Micro-fine active foam (vacuum effect)**

- Foam remains on the surface and actively extracts the dirt by the action of foam bubbles bursting
- Outstanding dirt dissolving power
- No soaking of upholstery, thus no long drying times
- Perfect for cleaning salt stains on carpets

**Gentle on material**

- Suitable for all materials in the vehicle interior. The dashboard break-off points of the (passenger) air bags are not affected

**20-fold yield**

- 500 mL Aktiv-Clean is equal to the yield of more than 10 litres of liquid cleaner
- Economical

**Does not contain phosphate or organic solvents. AOX-free.**

Potential danger of daily use is reduced

- Environmentally friendly
- Meets local waste water regulations
- No hazardous substance identification required

**Quickly separates in waste water according to ecological standard test B 5105**

**Biodegradability >95%**

**pH-value: 8.2**

**Silicone free**

**Note:** Spray Aktiv-Clean onto a clean, dry cloth and wipe the surfaces to be treated. Then treat plastic parts with Cockpit Care (**Art. No. 893.4731**). On textile surfaces and upholstery, allow foam to soak in briefly and remove any dirt with a brush or sponge. Treat stains from the edge towards the centre. Afterwards vacuum upholstery. Protect against frost.

## PLASTIC CARE



**Art. No. 893.4731** 500 mL

**Fruit scented interior care for synthetic surfaces**

**High-quality Carnauba waxes, in combination with Jojoba oil, provide optimum care**

- Freshens up colours and leaves a silky-smooth gloss
- Synthetic materials remain elastic - prevents creaking and squeaking noises
- Provides a well-cared for appearance

**Gentle formulation**

- The dashboard break-off points of the (passenger) air bags are not affected

**Lasting protection against the effects of pollution**

- Protects against aging and brittleness
- Prevents bleaching of cockpit surfaces

**Anti-static**

- Eliminates the need to constantly dust

**Does not contain phosphate or organic solvents. AOX-free.**

- Potential danger of daily use is reduced
- Environmentally friendly
- Meets local waste water regulations
- No hazardous substance identification required

**Quickly separates in waste water according to ecological standard test B 5105**

**Biodegradability >95%**

**pH value: 8.2**

**Silicone free**

**Note:** Preliminary cleaning with Active-Clean (**Art. No. 893.472**) is recommended. Spray Cockpit Care onto a clean, dry cloth and apply to the surfaces to be treated. Protect against frost.



## DASHBOARD CLEANER



**Art. No. 890.2221** 288 g

**For cleaning and caring for the interior of passenger cars, commercial vehicles and buses. For dashboards, door linings, plastics and rubber mats.**

### Excellent cleaning power and gentle care in a single operation

- Less time required for treating the interior of the vehicle
- Universally applicable for all plastic parts in vehicle interiors

### Ideal caring properties

- Revives colours
- Leaves behind a silky, matte shine

### Has anti-static properties

Prevents the accumulation of dust

### Minimal spray mist

- Simple and targeted use
- User-friendly application

### Citrus-fresh fragrance

### Silicone-free

### AOX-free

### Application:

Spray directly onto the surface to be cleaned from a distance of approx. 20 cm then wipe off using a clean, dry cloth.

**Note:** Do not spray onto the windscreen or side windows. Ventilate the vehicle interior for a short time following application.

## ECO TEXTILE CLEANER



### An activated oxygen cleaner

#### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- Completely soluble in water
- A better choice for your health and for the environment

#### Non-hazardous

- Made from the world's safest all-natural sanitizer and germicide - hydrogen peroxide
- When it contacts organic material, it breaks down into oxygen and water
- Colour-safe bleaching
- Contains hydrogen peroxide, surfactants and natural degreasing agents

#### Effective

- Fresh citrus scent
- Eliminates odours
- Highly effective at cleaning grease, mildew, mold and in the cleaning of light corrosion and organic stains such as coffee, wine, juice, blood and pet stains

#### Areas of Application:

- Effectively removes stains on car and truck cloth seats, carpets, clothes, etc.
- Eliminates stubborn and strong odours on fabric and upholstery
- Excellent cleaning product for schools, hospitals, casinos, restaurants, hotels, etc.

Contents	Art. No.
1 L	<b>893.117120</b>
4 L	<b>893.117121</b>
1 L	<b>891.501210</b> Empty

Dilutions	
Formulation	Dilution
1 L Spray	Ready-to-use formula
4 L Concentrate	Dilute 1 part concentrate with 10 parts water
Heavy Stains	Spray at a dilution of 1:5



#### Recommended:

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle Art. No. 891.502200

## VINYL AND UPHOLSTERY CLEANER



**Art. No. 893.033** 450 g

**Considerably improves the unsightly appearance of seats, vinyl dashboards, trim, roofs and carpet caused by excessive use, the elements, spills, road dirt and grime, and pollution**

- Removes dirt from vinyl surfaces, including seats and vinyl trim, to restore vinyl sheen
- Leaves a protective coating that will help repel dirt and grime
- Also useful as a spot remover on vinyl, cloth, leather surfaces and carpet
- Silicone-free

## LEATHER CARE



**Art. No. 893.012901** 500 mL

**Cares for all varieties of leather and leaves behind an attractive, visual shine.**

### Features & Benefits:

- Cleans and provides lasting care and preservation of the surface texture of all leathers
- Use regularly to keep leather soft and supple, preventing brittleness and tearing
- Contains specially selected waxes and silicones for all kinds of smooth leather

### Application

- Apply thinly, leave to dry for 20 minutes and polish with a soft brush or cloth.

## QUICK-FRESH



**Excellent for removing odours and returning a fresh air smell to vehicle air conditioning systems**

- Specially formulated to handle the problems associated with moisture accumulation
- The powerful fragrance and odour counteractant system does not just cover up offensive odours, but effectively eliminates them at the source
- Excellent for cars, trucks, RVs, boats, etc.
- Suitable to refreshen smoked-in vehicles, older cars, trucks
- Ideal for mildew and mould smell removal
- Pocket size

**Note:** Occupants should remain outside the vehicle during application!



Quick Fresh P.O.P Display  
**Art. No. 008.QF**

Description	Contents	Art. No.
New Car Scent	113 g	<b>893.764531</b>
Linen Scent		<b>893.764527</b>

## RUBBER CARE STICK



**Art. No. 893.0128** 75 mL

**Silicone-free care for rubber seals. Prevents door rubbers from freezing in winter.**

**Features:**

- Silicone-free
- Resistant to splash and salt water
- Biologically degradable
- Resistant to diluted acids and alkaline
- Water repellent

**Effect:**

Keeps rubber seals on doors, trunks and hoods in good condition and prevents freezing in winter

**Result:**

The resilience of all rubber parts is maintained, increasing service life and preventing cracking. Freezing and drying in winter are effectively prevented. Eliminates squealing and creaking noises caused by dry rubber.

## RUBBER CARE



**Art. No. 890.110** 189 g

- Keeps rubber parts supple
- Protects against adhesion of rubber due to age and heat of rubber seals on doors, trunks and hoods
- Freshens up colour
- Will not damage paint or chrome parts
- Suitable for car tires, rubber mats, pedals, rubber parts of bumpers
- Silicone-free

## PLAST-PT®



**For visual improvement of vehicle plastic parts**

- Solvent free
- Dispersion-based high-quality plastic dye
- Restores faded plastic to original condition
- Easy application
- Can be applied in direct sunlight

**Areas of Application:**

Bumpers, synthetic leather roofs, folding roofs (including cloth), interior plastic panels, rubber parts, water pipes, running boards, etc.

**Note:** Plastic Dye is humidity sensitive during application; therefore, ensure part to be treated is dry before application and remains dry until dye is cured. Do not store or apply at temperatures below +7°C (+44 °F).

Colour	Contents	Art. No.
Black	75 mL	<b>893.2801</b>

## UNIVERSAL TRIM PROTECTION



### Renews and protects all exterior vehicle trim

#### Features:

The special formula protects and instantly renews the aspect of your vehicle's trim, moulding and bumper. Surfaces look new again and will be protected against fading, oxidation and deterioration due to weather, salt, and road film. Perfect for use on vinyl, rubber and plastic surfaces. Works incredibly well on smooth and textured surfaces. Surfaces do not need to be black to obtain superior results.

#### Areas of Application:

- All vehicle trim, plastic side steps, plastic bumpers; can also be used as an engine dressing for plastic engine parts.

**Note:** This product contains silicone and is not bodyshop-safe.

#### Recommended:

Tap for the 20 L pail **Art. No. 891.302.03**

Contents	Art. No.
500 mL	<b>893.477500</b>
20 L	<b>893.477020</b>

## RAPID WINDSHIELD CLEANER



**Art. No. 892.333** 32 mL

### Highly concentrated windshield cleaner 1:100

#### Contains special cleaning substances

- Prevents streaking
- Removes reflective and lubricating films
- Ensures a crystal-clear view
- Removes stuck-on insects and other soiling

#### Very good material compatibility

- Polycarbonate glass is not attacked
- Gentle on paint and rubber

#### User-friendly 1:100 concentrate

- 32 mL makes 2.5 - 3 l washer fluid
- For cars with up to 3 l wash volume

#### Pleasant peach scent

## WINDSHIELD WASHER FLUID CONCENTRATE



**Art. No. 892.332189** 18.9 L

### Window cleaner with antifreeze for the windshield washer system.

#### Improved frost protection

Reliably and effectively prevents freezing of window and headlight washer system

#### Outstanding, improved cleaning performance

Crystal-clear vision with winter dirt such as road salt film and oily road dirt

#### Easy-to-clean effect

- The even, thin wetting of the window enables easy cleaning
- Lasting cleaning, as dirt then cannot adhere as quickly

When these recommended dilution ratios are followed the resultant fluid products will meet or exceed the federal specifications outlined by the National Standard of Canada, specifically Canadian General Standards Board (CGSB) publications CAN2-3.532-M85, titled Antifreeze, Windshield Washer, Methanol

**Note: Do not use full strength! Always dilute with water!**

Dilution Ratios		
Parts Water	Parts Windshield Washer Fluid Concentrate	Typical Freeze Protection (°C / °F)
1	1	-40 °C / -40 °F
3	2	-35 °C / -31 °F
2	1	-27 °C / -17 °F
3	1	-18 °C / 0 °F
4	1	-12 °C / 10 °F
5	1	-8 °C / 18 °F

## WINDSHIELD WASHER TABLETS



### Mix Ratios:

Normal Use - dissolve 1 tablet per 1 gallon of water. (3.78L)  
Bulk Glass Cleaner - dissolve 1 tablet per 3 litres of water.

### Applications:

Automotive, Commercial and Fleet uses.



=



**Art. No. 892.3344** 25 x 1 g

**Each super concentrated tablet will give you up to a gallon of unbelievable cleaning power!**

- Triples cleaning power. Completely removes bugs, road film, dirt and grime.
- One super-concentrated tablet makes 1 gallon (3.78L) of windshield cleaner.
- Easy to use. Just add one tablet to 1 gallon (3.78L) of water.
- Winter conditions: Anti-freeze type windshield solvents are poor cleaners. For triple cleaning power with any anti-freeze windshield solvent, add one tablet. (This product WILL freeze when NOT used with an anti-freeze type windshield washer fluid in areas with freezing temperatures.)
- Safe for rubber and paint.
- Würth Instant Windshield Washer Tablets are non-toxic and biodegradable.
- Keep millions of plastic containers out of landfills and from having to be recycled.
- Contains 25 super concentrated tablets

## EMPTY DISPENSING BOTTLE FOR POLISHES



**Art. No. 891.406800** 500 mL

## POLISHING PAD CLEANING BRUSH



**Art. No. 585.241** 250 mm

**Cleaning brush for the cleaning of polishing sponges, polishing pads and lambskins**

Ideal for cleaning Top Wool Pad

**Art. No. 585.300100**

## POLISHING PUCK



**Ergonomically designed for a professional manual application of waxes or dressings.**

### Advantages:

- The soft premium foam allows a thin and even distribution of the sealant on the surface
- Polish like a Pro - but without the costly polishing machine

Colour	Firmness	Application	Diameter	Art. No.	P. Qty
Orange	Hard	Waxing	5.1" (130mm)	<b>585.300125</b>	1
Black	Soft	Dressing and Cleaning	4.9" (125mm)	<b>585.301253</b>	

## CLAY POLISHING SERIES



### Clay polishing series for removing surface soils and build-up on vehicle body-works

- Easily removes surface residue and dirt on painted substrates that cannot be removed by conventional cleaning and creates a mirror-like finish
- Particularly gentle in cleaning power due to the absence of aggressive cleaning agents and low heat generation
- Saves time, energy and the cost of application
- Works on residues such as paint spray, resin, tar, insect residue, and on new and used vehicle body paint

#### Features:

- Washable and reusable
- Easy to use and simple application

#### Application:

- Rinse the surface with water or pH neutral shampoo before starting the cleaning process with the clay polishing article
- The rinsed surface can then be treated with the clay polishing article making sure that the it and the surface are sprayed with water to maintain moisture on both substrates
- After cleaning, the remaining residue can easily be removed with a micro-fiber cloth before polishing or sealing the surface
- Can be used on lacquered surfaces, glass and chrome among other substrates
- Recommended initial testing in an inconspicuous area to test for substrate compatibility and to acquire optimal results

Description	Colour	Length	Width	Art. No.	P. Qty.
Clay Polishing Sponge	Red/Black	110 mm	70 mm	<b>585.300110</b>	1
Clay Polishing Mitt		210 mm	140 mm	<b>585.300210</b>	
Clay Polishing Pad		150 mm Diameter		<b>585.300150</b>	



## WÜRTH ZEBRA FINISH

**Art. No. 893.99100** 473 mL

### Contains an optical brightener, to give your car a "Show Room" shine!

- Its unique properties were designed to provide a safe and effective luster to prevent any swirls and scratches and leaving a high gloss look
- Perfect for removing all residue after buffing
- It allows washing without water, retrieving the natural finish on "Show Room" cars and other refinished vehicles
- Zebra Finish may be used safely on all paint finishes, chrome, wood veneer, trim and plastic parts



## CLAY BAR

**Art. No. 893.1571** 210 g

### Synthetic clay bar used for the removal of paint spray mist and soil buildup.

#### Features:

- Contains synthetic polymers without abrasives
- Solvent and chemical free

#### Benefits:

- Gentle particle removal without grinding or repolishing
- Deep cleaning of all smooth surfaces
- Stays soft, does not become brittle
- Safe for use on paints and delicate surfaces



#### Areas of application:

- Removal of paint spray mist and resin, tar and insect remains, especially in the detailing of new and used vehicles



## POLISH START-UP KIT - BODYSHOPS



**Art. No. 008.POLISH10**

Description	Contents	Art. No.
Würth Canvas Bag with logo	1 pcs.	<b>715.93610</b>
P10 Fast Grinding Polish Plus	1 kg	<b>893.150910</b>
P30 Anti-Hologram Polish Plus	1 kg	<b>893.150930</b>
Spider Polishing Pad (7.5"/190 mm)	1 pcs.	<b>585.307100</b>
Soft Foam Pad (7.5"/190 mm)	1 pcs.	<b>585.305100</b>
Large Ultrasoft Microfiber Cloth, Grey (40 cm x 40 cm)	1 pcs.	<b>899.900108</b>

## POLISH START-UP KIT FOR DETAILING SHOPS



**Art. No. 008.POLISH55**

Description	Contents	Art. No.
Würth Canvas Bag with logo	1 pcs.	<b>715.93610</b>
P55 Combination Polish Plus	1 kg	<b>893.150955</b>
P30 Anti-Hologram Polish Plus	1 kg	<b>893.150930</b>
Spider Polishing Pad (7.5"/190 mm)	1 pcs.	<b>585.307100</b>
Soft Foam Pad (7.5"/190 mm)	1 pcs.	<b>585.305100</b>
Large Ultrasoft Microfiber Cloth, Grey (40 cm x 40 cm)	1 pcs.	<b>899.900108</b>

## PINK WAX



**Art. No. 893.01901** 1 kg

### Suitable for:

- Pink Wax is a high-gloss premium paint sealant for the fast and efficient conservation of car paints.

### Properties:

- The Intelligent Powder Technology (IPT) combined with the natural carnauba wax, synthetic waxes and highly cross-linked polymers provide durable protection against the elements and ensure a rich durable gloss.
- Fine wax particles embed within the micro-crevices of the painted surface, creating a glass like finish and a brilliant depth of color.

- Easy application and removal even on hot paint surfaces without streaking.
- Leaves no microscratches behind in comparison to many waxes and sealants.

### Recommended:

Polishing Puck Art. No. 585.300125  
Ultra Soft Microfiber Cloth Art. No. 899.900108

### Note:

The best way to apply the pink wax is manually with the polishing puck.



## P10 PLUS CUTTING COMPOUND (1.2L)

Art. No. 893.150910



**A high abrasive high-gloss polish for quick removal of defects in fresh repair and hardened top coats. The formula carries the unique powder properties made of aluminum oxide.**

### Features:

- Carries the Intelligent Powder Technology (IPT) that can correct imperfections in both scratch-resistant and traditional paints
- Treating a surface with P10 Plus will bring out an unmatched gloss level due to its P1500 abrasive grain (alumina)
- Can be used on old and new painted surfaces
- Free of silicone
- Can be applied and processed both manually and by machine
- Easy application with minimal clean up involved
- Economical in consumption

### Applications:

- Shake the container well before use
- Wet the surfaces of the selected polishing wheel evenly with the paste and apply a small amount to the surface to be processed
- Place the polishing pad (Art numbers; 585.025090/585.025170/585.025195) on the spot and start the polisher
- Work on the surface with a pressure at 1000 to 1500rpm
- Using steady pressure, work the pad over the polishing surface until all swirl marks and paint imperfections are removed
- Carry out the same application method for surface sections
- Finally remove all residue with a microfiber cloth



In combination with the spider pad, the P10 can be used for headlight restoration.



In combination with the polishing puck, the P10 can help remove nail scratches in the door handle area.



For a extra heavy cut, we recommend to use the P10 with the wool pad.



For a heavy cut and a high gloss in one step, we recommend to use the P10 with the spider pad.

### Polishing Pad

#### Recommendations:

- 585.025090 - PERFECTION POLISHING PAD GREEN 90X20mm
- 585.025170 - PERFECTION POLISHING PAD GREEN 170X25mm
- 585.025195 - PERFECTION POLISHING PAD GREEN 195X25mm
- 585.307100 - Spider Pad
- 585.300100 - Top Wool pad

\* Applications can be carried out with Perfection Line Green Polishing Pad too.

## PERFECTION POLISHING PAD GREEN



**Polishing pads designed for the Perfection line polishes with three different levels of abrasiveness.**

**Extra hard polishing pads for maximum removal of surface coating imperfections with minimal heat generation.**

### Features:

- Maximized effective force with minimal wear of the surfaces. The special calibration of the polishing pad surfaces increased the work life of the product significantly. This enables higher absorption of the polish, which results in higher stock removal rate and a longer productivity of the polishing abrasive
- Open pored, tear-resistant foam for a consistent removal rate and maximum service life. Due to the open pores and the crisscross patterned opening on the surface, heat generated during polishing is perfectly dissipated
- Improved flexibility to polish differently shaped surfaces and curvature while preventing new paint irritations
- User-friendly design of the polishing pads for efficient work

Description	Art. No.	Size
Perfect Polishing Pad Green	<b>585.025090</b>	90 x 20 mm
	<b>585.025170</b>	170 x 25mm
	<b>585.025195</b>	195 x 25mm

Use with Perfection Line P10 Plus - 893.150910

## P30 PLUS ANTI-HOLOGRAM POLISH (990ML)



**Art. No. 893.150930**

**A medium cut, high-gloss finish polish for the permanent removal of haze and holograms from dark vehicle paintwork. The formula carries the unique powder properties made of aluminum oxide.**

### Features:

- Carries the Intelligent Powder Technology (IPT) that can permanently remove hazes, swirls and holograms on dark vehicle paintwork
- Unique powder properties of the aluminum oxide results in a mirror like finish of the coating
- Can be used on old and new painted surfaces
- Free of silicone
- Can be applied and processed both manually and by machine
- Easy application with minimal clean up involved
- Economical in consumption

### Applications:

- Shake the container well before use
- Clean the paint surface prior to treatment
- Wet the surfaces of the selected polishing wheel evenly with the paste and apply a small amount to the surface to be processed
- Apply polish evenly to the target surface with a soft polishing cloth or polishing sponge using circular movements
- For light scratches, use with the orange Perfection polishing pads (Art numbers; 585.026090, 585.026170, 585.026195)
- To remove holograms and swirl marks, use with the soft foam pad (Art number; 585.305100)
- Position the polishing pad flat on the surface and start the polisher at a speed of 1000 to 15000 rpm
- Using steady pressure, work the pad over the polishing surface until all swirl marks and imperfections are removed
- Carry out the same application method for surface sections
- Finally remove all residue with a microfiber cloth

### Polishing Pad Recommendations:

- 585.026090 - PERFECTION POLISHING PAD ORANGE 90X20mm
- 585.026170 - PERFECTION POLISHING PAD ORANGE 170X25mm
- 585.026195 - PERFECTION POLISHING PAD ORANGE 195X25mm
- 585.305100 - Black soft pad

## PERFECTION POLISHING PAD ORANGE



**Polishing pads designed for the Perfection line polishes with three different levels of abrasiveness.**

**Soft polishing pads for perfect finish or sealing of the polish work. It supports in the easy removal of veils and holograms from the paint works.**

### Features:

- Maximized effective force with minimal wear of the surfaces. The special calibration of the polishing pad surfaces increased the work life of the product significantly. This enables higher absorption of the polish, which results in higher stock removal rate and a longer productivity of the polishing abrasive
- Open pored, tear-resistant foam for a consistent removal rate and maximum service life. Due to the open pores and the crisscross patterned opening on the surface, heat generated during polishing is perfectly dissipated
- Improved flexibility to polish differently shaped surfaces and curvature while preventing new paint irritations
- User-friendly design of the polishing pads for efficient work

Description	Art. No.	Size
Perfect Polishing Pad Orange	<b>585.026090</b>	90 x 20 mm
	<b>585.026170</b>	170 x 25mm
	<b>585.026195</b>	195 x 25mm

Use with Perfection line P30 Plus – 893.150930

## P55 PLUS UNIVERSAL POLISH (1050ML)



Art. No. 893.150955

**A moderate cut polish with a high level of gloss when polishes out. Treats and seals paintwork in only one working step. Leaves an intense shine and forms a long lasting protective layer against environmental influences. The formula carries the unique powder properties made of aluminum oxide.**

### Features:

- Carries the Intelligent Powder Technology (IPT) that can remove mechanical car wash scratches and other imperfections from paint
- Unique powder properties of the aluminum oxide results in a mirror like finish of the coating
- Can be used on old and new painted surfaces
- Recommended for any paint type with the exception of matte finishes
- Free of silicone
- Can be applied and processed both manually and by machine
- Easy application with minimal clean up involved
- Economical in consumption

### Applications:

- Shake the container well before use
- Clean the paint surface prior to treatment
- Wet the surfaces of the selected polishing wheel evenly with the paste and apply a small amount to the surface to be processed
- Apply polish evenly to the target surface with a soft polishing cloth or polishing sponge using circular movements
- For light to medium scratches, use the blue perfection polishing pads (Art numbers; 585.027090, 585.027170, 585.027195)
- For deep scratches, use the top wool pad (Art number; 585.300100)
- Position the polishing pad flat on the surface and start the polisher at a speed of 1000 to 15000 rpm
- Using steady pressure, work the pad over the polishing surface until all swirl marks and imperfections are removed
- Carry out the same application method for surface sections
- Finally remove all residue with a microfiber cloth

### Polishing Pad Recommendations:

- 585.027090 - PERFECTION POLISHING PAD BLUE 90X20mm
- 585.027170 - PERFECTION POLISHING PAD BLUE 170X25mm
- 585.027195 - PERFECTION POLISHING PAD BLUE 195X25mm
- 585.300100 - Top wool pad
- 585.3070100 - Spider pad

## PERFECTION POLISHING PAD BLUE



**Polishing pads designed for the Perfection line polishes with three different levels of abrasiveness.**

**Medium-strength polishing pad for efficient paint preparation and removal of fine sanding marks on dark paintwork.**

### Features:

- Maximized effective force with minimal wear of the surfaces. The special calibration of the polishing pad surfaces increased the work life of the product significantly. This enables higher absorption of the polish, which results in higher stock removal rate and a longer productivity of the polishing abrasive
- Open pored, tear-resistant foam for a consistent removal rate and maximum service life. Due to the open pores and the crisscross patterned opening on the surface, heat generated during polishing is perfectly dissipated
- Improved flexibility to polish differently shaped surfaces and curvature while preventing new paint irritations
- User-friendly design of the polishing pads for efficient work

Description	Art. No.	Size
Perfect Polishing Pad Blue	<b>585.027090</b>	90 x 20 mm
	<b>585.027170</b>	170 x 25mm
	<b>585.027195</b>	195 x 25mm

Use with Perfection line P55 Plus Universal polish – 893.150955




## POSITIVE-DRIVE ORBITAL POLISHER MACHINE

Art. No. 702.990120 - P. Qty. 1

**Compact and high-performance motor.  
Ideally suited for hologram-free polishing.**

### Features:

- Compact & ergonomic
- Low weight for easy handling
- Low noise emissions
- Extremely smooth running with equalising weight
- VR microprocessor control: with tachogenerator constant speed control, soft start, continuous speed control trigger, restart protection after power failure, over-load protection, temperature monitoring and speed selection
- A tachometer generator ensures that the speed remains constant, even under loads
- Continuously adjustable speed
- Speed pre-selection for easily adjusted polishing speed
- 5/16" orbit for high efficiency
- Straightforward attachment of polishing pad
- Fatigue-free and comfortable work
- Spindle lock
- High level of user safety and motor protection
- Soft start for slow, careful start of the machine without jerking or spraying polish
- Prevents unintentional start-ups after power cuts.
- Overload protection - Increases the machine's service life
- Temperature monitoring
- Ideal for heat-sensitive finishes
- Low surface heat generation
- 10' power cord
- 1 Year Warranty on manufacturing and material defects (Flex Warranty)
- Excluded are damages caused by improper use, overloading or failure to observe the operating instructions
- Backing pad not included



SPECIFICATIONS	
Max. back-up pad diameter	7"
Velcro pad	5.5"
Speed without load	160-480 rpm
Orbit	5/16"
Orbit rate, without load	3200-9600 rpm
Power input	10.9 amp
Power output	590 watt
Weight	5.7 lbs

Speed without load	RPM
1	160/min
2	210/min
3	270/min
4	330/min
5	400/min
6	480/min



**Recommended:  
7" Backing Pad**

Prefix: 585.30...



### Applications:

- Vehicle detailing
- Hologram-free polishing of paintwork damage and sealing of paintwork thanks to eccentric movements and large stroke
- Removal of existing holograms and polishing smears, including on dark paintwork
- Ideally suited to removing damage from weathered paintwork with minor scratches, traces of use, smears, hairline cracks and for high-gloss polishing



## 3" AIR COMPOSITE POLISHING KIT WITH PADS



**Art. No. 703.999012K**

**A high quality, ergonomically designed, lightweight and compact mini polisher made out of a durable composite material. Perfect for polishing hard to reach areas and headlights.**

### Features:

- Compact lightweight tool permits polishing in hard to reach areas
- Ergonomically designed pistol grip handle provides extra control of movement and user comfort
- Composite body is durable and helps resist chemicals
- Blow molded case for easy storage and transport

### Kit includes:

- 3" Air Composite Polisher
- 3" Hook & Loop Backing Pad
- 3" Top Wool Pad - White (Art. No. 585.2485)
- 3" Spider Pad - White (Art. No. 585.2985)
- 3" Soft Foam Pad - Black (Art. No. 585.3085)
- Spanner Wrench



**Recommended:**

**3" Backing Pad** Art. No. 703.999112

Technical Information	
Spindle size	5/16 po-24T
Free Speed	2100 RPM
Air Hose I.D. Size	3/8" (10mm)
Air Pressure	90-120 psi
Avg. Air Consumption	3.5 cfm
Length	135 mm (5.3")
Net Weight	0.77 kg (1.7 lbs)

## TOP WOOL PAD



**Top Wool Pads are made of twisted wool (100% wool); each strand of high grade wool fibre is tightly twisted. This allows our pad to stay at a consistent level of aggression for longer periods of operation. Thanks to the quicker and long-lasting cutting performance working with our Top Wool Pads guarantees a very efficient and time saving way of polishing.**

After each use clean with Polishing Pad Cleaning Brush Art. No. 585.241

Description	Diameter (in)	Diameter (mm)	Art. No.	P. Qty.
Top Wool Pad	3"	85mm	<b>585.2485</b>	5
	7"	195mm	<b>585.300100</b>	1

## SPIDER PAD



**Its calibrated three-dimensional surface results in increased surface contact, a higher cut and better efficiency of abrasive particles. Polishing can be done more directly and with higher pressure and the cutting performance is absolutely consistent during the whole application**

### Calibrated Surface:

- Increased surface Contact
- Higher cutting rate and more spreading distance of the abrasive particles

**In addition, the open foam surface results in a higher air circulation while polishing:**

- Less heat is generated on the paint surface
- Higher rotational speeds are possible and a significant reduction in the polishing time

Description	Diameter (in)	Diameter (mm)	Art. No.	P. Qty.
Spider Pad	3"	85mm	<b>585.2985</b>	5
	7"	190mm	<b>585.307100</b>	1

## BLACK SOFT FOAM PAD



The Black Soft Foam Pad was especially designed for the finishing process of polishing. Thanks to the product features, holograms and micro scratches can be removed safely and efficiently.

Description	Diameter (in)	Diameter (mm)	Art. No.	P. Qty.
Black Soft Foam Pad	3"	85mm	<b>585.3085</b>	5
	7"	190mm	<b>585.305100</b>	1

## PREMIUM LIQUID WAX



**Art. No. 893.01903** 500 mL

Polymer-based speed wax that creates a perfect finish in seconds. Used in almost all smooth surfaces including paint, plastics, glass, rims and more


### Features:

- State-of-the-art polymer technology
- Cleaners and glass enhancers that work in harmony
- No Silicone and non-abrasive
- Hydrocarbon free


### Benefits:

- Brilliant mirror-like gloss in seconds on all smooth surfaces
- No Polishing needed: just spray-on; evenly distribute; and done!
- Lasting elimination of micro-scratches
- Durable sealing persists for weeks

### GREAT FOR



PAINT



GLASS



CHROME



PLASTIC

### Recommended:

Microfiber Cloth – **Art. No. 899.900107**

## WASH & WAX CONCENTRATE



A super concentrated liquid Wash & Wax formulated to quickly and efficiently clean all finishes without scratching.

### Features:

The Würth Wash & Wax has a unique foaming action that helps detach the dirt and road film from the surface of the vehicle. The foaming action combined with the wax lubricate the surface to help prevent unwanted scratches.

The water-based formula and balanced pH make the product safe for all types of surfaces including paint, chrome, glass, rubber, plastic and vinyl. Contains wax that intensifies shine and increases beading action. Bodyshop safe, VOC compliant and phosphate free.

**Recommended:** Tap for the 20L pail **Art. No. 891.302.03**

**Note:** Do not wash vehicle in direct sunlight. Mix as directed. Over concentration can lead to unwanted streaking.

Contents	Art. No.
4 L	<b>893.010004</b>
20 L	<b>893.010020</b>

## ECO CAR WASH ULTRA CONCENTRATED



**Environmentally-friendly light vehicle wash and road film remover.**

### Features:

- EcoLogo certified & completely biodegradable.
- VOC and phosphate free
- Highly concentrated and effective
- Removes stubborn film, exhaust deposits, and bug residues on cars
- Breaks magnetized bond attaching dirt to surfaces
- Non-streaking

### Benefits:

- High concentration saves you time and energy
- Water sheets off to minimize spotting and dry time, leaving a streak-free shine

### Areas of Application:

Ideal for cleaning cars, SUVs, motorcycles, and any other types of light vehicles.

Contents	Art. No.
4 L	<b>893.030104</b>
20 L	<b>893.030120</b>
210 L	<b>893.030122</b>

## ECO CARGO WASH ULTRA CONCENTRATED



**Environmentally-friendly heavy duty vehicle wash and road film remover. Eco Cargo Wash breaks the magnetized bond holding dirt to the surface.**

### Features:

- EcoLogo certified & completely biodegradable.
- VOC and phosphate free

- Powerful washing and quick cleaning
- Removes stubborn film, exhaust deposits, and bug residues on truck cabs and trailers
- Breaks magnetized bond attaching dirt to surfaces

### Benefits:

Powerful washing and quick cleaning saves you time and energy

Contents	Art. No.
4 L	<b>893.030114</b>
20 L	<b>893.030130</b>
210 L	<b>893.030132</b>

## CARGO BASIC CLEANER



**Art. No. 893.036030 30L**

**Alkaline foam cleaner for basic cleaning of commercial vehicles and chassis showing high degree of soiling.**

**30L pail can be disposed off through the Recycling system**  
No problems regarding disposal!

**No troublesome pre-mixing by using the foaming unit, mixing the cleaner with a guaranteed optimum mixing ratio of 1:30 (not the conventional 1:10 ratio)**  
Saving time and material by accurate mixture!

**High washing power at short reaction time of max. 5 minutes**

Saving time needed for cleaning, i.e. the vehicle can be put on the road again quicker!

**pH- value: 13.2**



Tap for Cargo Basic Cleaner  
- Art. No. **997.225191**



## ECO BOAT AND SHIP WASH



**Boat and ship cleaning solution with new surfactant technology that provides incredible wash and rinse-free results.**

### Features and Benefits:

- Easily removes dirt, grease, oil, lime scale, algae residue, mineral deposits, and road film that is magnetically bonded and is completely compatible with clear coat treated surfaces.
- This product carries a unique sudsing profile that prevents residual buildup of detergent.
- It also rinses off with no beading of water left behind that will cause spotting.
- Dries fast and leaves no hazy after-film.
- Can be diluted up to 150:1 depending on the level of soiling that needs removing.

### Applications:

Safe to be used on all surfaces such as fiberglass, vinyl, metal, glass, plastic, rubber and painted surfaces.

Washing can be done by hand, by power wash, or deck brush.

Size	Version	Art. No.
20 L	Concentrate	<b>893.030135</b>

Technical Data	
Colour	Light Orange
pH	10.5 to 11.5
Dilution	Can dilute up to 150:1 based on requirements

## TOP GUN PREMIUM CLEANING GUN



Innovative technology for less wear, economical consumption of cleaning agents and improved performance.



Use the extra cup **708.891440** to store liquid cleaners when not in use.



### Spare Parts:

Front Plastic Nozzle **891.703141 \*NEW!\***

Red Tube Nozzle **891.703142 \*NEW!\***

**Art. No. 891.703140**

**Powerful cleaning gun for interior and exterior detailing of vehicles.**

### Features:

- Improved technology for better performance
- Ball-bearing drive creates a vortex effect
- Air and cleaning agent supply can be manually adjusted
- Dirt is lifted by the resulting suction
- Suitable for removing dirt such as nicotine staining, footprints, road salt tide marks, dog hairs, etc., from vehicle interiors and exteriors
- Articulated connection for more flexible handling (ideal for hard-to-reach places)

### Benefits:

- Cleans more thoroughly and effectively
- Micro-atomization results in effective use of cleaning agent
- Dirt is removed extremely quickly
- For use with many Würth cleaning agents

### Areas of application:

Rims, door entrances and door trim panels, ventilation ducts, instrument panels, upholstery and headliners, gear shift boots, fuel tank filler necks, license plates and all hard-to-reach places, including outside the vehicle

### Recommended cleaners

ECO Super Spray All

**Art. No. 890.90904** (4L)

ECO Industrial Degreaser Concentrate

**Art. No. 893.117103** (4L),

**Art. No. 893.117106** (20L)

ECO Textile Cleaner Concentrate

**Art. No. 893.117121** (4L)

**Note:** TOP Gun premium cleaning gun does not come with the flexible connecting adapter.



## SP1 FOAM GUN



Eco Cargo Wash, 20 L  
**Art. No. 893.030130** P. Qty. 1

Eco Car Wash, 20 L  
**Art. No. 893.030120** P. Qty. 1

Engine Wash  
**Art. No. 893.013...** P. Qty. 1

### Areas of application:

Cars, trucks, buses, construction machines, land and forestry, vehicle preparation, building facade cleaning, equipment maintenance and much more.

### Application:

Remove loose dirt from the surface to be treated. Fill the supply tank of the SP1 Foam Gun with cleaning agent according to the mixing specifications from the manufacturer. Screw on the appropriate diffuser, depending on the application. Connect the compressed air. Rotate the green lever to the vertical position to open access to the cleaning agent. Cover the object in foam, allow the cleaner to work in (but not dry) and then rinse thoroughly with water.

### Note:

Do not use cleaning agents that contain acids, bases and/or are easily flammable. We recommend using Eco Cargo Wash, Eco Car Wash or Engine Wash. A constant air pressure of 6–8 bar (87–116 psi) is required for optimum output utilization.

### Important:

After using the SP1 Foam Gun, fill the tank with water and rinse out the gun to remove cleaning agent residue from the unit. Then turn the green lever to the horizontal position and pull the trigger to remove the remaining water from the unit head.

**Art. No. 891.703128 – P. Qty. 1**

### For intensive foam cleaning of surfaces and parts.

### Non-runny, firm foam.

Great cleaning power. Loosens stubborn dirt reliably and quickly.

### Highly effective.

Efficient use thanks to visible application of the cleaning agent. Optimum foam yield.

### Environmentally-friendly.

Minimal waste water contamination thanks to conservative use of the cleaning agent.

### Easy to use.

Ready for use in a short amount of time.

### Two diffusers.

Can be used over small or large areas.

Technical Data	
Air consumption	80–100 L/min. at 6.0–9.2 bar
Pneumatic connection	R ¼"
Working pressure	6.0–9.2 bar
Weight	950 g
Filling volume	1 L



## ECO ALUMINUM WHEEL CLEANER



### Powerful, non-corrosive aluminum wheel cleaner

#### Eco-Logo certified

- Completely biodegradable
- Made from 100% sustainable resources
- VOC free
- Completely soluble in water
- A better choice for your health and for the environment

#### Acid-free

- Non-caustic, non-corrosive
- Creates absolutely no harsh vapours
- Gentle on materials and surface finishes
- Particularly well suited for polished and high quality alloy wheels

#### Powerful cleaning

- Foaming action allows longer dwell time
- Dissolves brake dust, road salt, dirt and tar
- No abrasives that could scratch the finish

#### Easy to use

- Spray on and rinse off
- Ready-to-use formulations

### Areas of Application:

- Automotive and Trucking
- Efficient cleaning of steel and aluminum rims, aluminum trim on trailers, trucks, etc.
- Metal and Maintenance industries
- Cleans stainless steel, terrazzo, quarry tiles, aluminum, copper, concrete and brick
- This product is also a non-corrosive all-purpose cleaner for the removal of stubborn water scale, soap scum, rust stains, grease, mildew and mold

### Recommended:

Replacement Sprayer for 500 mL & 1 L Eco Products Bottle **Art. No. 891.502200**

Contents	Colour	Art. No.
500 mL	Green	<b>890.10250</b>
4 L		<b>890.10204</b>
20 L		<b>890.102020</b>
500 mL	Empty Bottle	<b>891.10250</b>

## ALUMINUM WHEEL CLEANER



**Art. No. 890.102** 500 mL

### Special acidic cleaner for light metal rims

#### Contains phosphoric acid

#### Benefits:

- Removes even the most stubborn deposits of brake dust and tar stains, and other hard-to-remove contaminants
- Saves time and money
- Regular application serves to retain the original appearance. Helps to prevent the adherence of new contaminants.

### Area of application:

For the rapid cleaning of light metal rims.

#### pH-value: 1.0

#### AOX-free<sup>1</sup>, silicone-free<sup>1</sup>

AOX = adsorptive organic halogen compounds, such as fluor, chlorine, chlorinated hydrocarbon, tri, per, etc.

#### Note:

Use only on light metal rims. Do not use on hot rims or in direct sunlight. Do not spray onto vehicle paint, chrome, highly polished aluminum, plastics or other surfaces.

## TIRE DRESSING



**Gives tires a dark, long-lasting, clean shine**

**Features:**

Würth Tire Dressing is a water-based, solvent-free, and VOC free formula that provides great shine for tires. Würth Tire Dressing can be easily sprayed, and has great cling to keep it on the tires. It provides great gloss that lasts several weeks. Will not attract or hold dirt.

Contents	Art. No.
500 mL	<b>890.121500</b>
4 L	<b>890.121004</b>
20 L	<b>890.121020</b>

**Recommended:** Tap for the 20L pail **Art. No. 891.302.03**

**Note:** This product contains silicone and is **not** bodyshop-safe. Please use our **Silicone Free Tire Shine Art. No. 890.1215** for any environment where silicone can cause problems.

## TIRE SHINE



**Art. No. 890.12104 4 L**

**Excellent cleaner and tire shine**

- Water-based formula will not cause micro-cracking of the tire surfaces
- Leaves tires shiny and black, looking like new
- May also be used on other exterior rubber to improve appearance
- Contains no VOCs
- pH: 9.6
- This solvent-free formulation is a better choice for your health, and for the environment

## FOAMING TIRE CLEANER



**Art. No. 890.121** 412 g

### Maintenance product for tires

- Cleans, maintains and protects
- Prevents cracking and protects from embrittlement
- UV-protection prevents premature fading
- Improves appearance
- Anti-static
- Contains no solvents
- Does not attack aluminum rims or painted surfaces
- Contains silicone
- Can be used on wet or dry tires

### Application:

- Wash off any mud or dirt from tire walls
- Spray foam evenly on tire walls and allow to dry
- No polishing needed
- Do not spray on tires for motorbikes, brake discs, drums or tire treads

## SILICONE-FREE TIRE SHINE



**Art. No. 890.1215** 306 g

**This tire shine contains no silicone, is made out of natural ingredients, is VOC compliant, biodegradable, and has a non-ozone depleting propellant.**

### Features:

- The Silicone Free Tire Shine from Würth doesn't contain any silicone and is not water based. It contains natural ingredients that enhance its performance.
- When applied, the ingredients seep into the pores of the tire surface, enriching, softening and deepening the black color.
- It builds and holds the shine longer, and at the same time repels inclement weather.

## NON-FLAMMABLE BRAKE & PARTS CLEANER



**A high quality, non-flammable and non-conductive, chlorinated hydrocarbon solvent that offers maximum degreasing performance. Removes accumulations of grease, oil and dirt with no residue.**

### Features:

- To clean and degrease drum and disc brake parts, as well as heavy equipment's parts.
- Also suitable for cleaning electrical equipment including: alternators, distributors, dynamos, switches, relays and regulators and small electric motors.

### Benefits:

- Fast acting
- Removes grease, dirt and contaminants
- Completely evaporates and leaves no residue
- Non-conductive
- Reduces brake squeal
- No flash or fire point

Specification	
Appearance	Clear, colourless
Specific Gravity (@ 21°C, aerosol)	1.65 ± 0.02
Non-Volatile (Aerosol, % by wt)	0% (w/w)
V.O.C. (Volatile Organic Compounds) level	0% (w/w)

Description	Contents	Art. No.
Non-Flammable Brake & Parts Cleaner	18.9 L	<b>890.108724</b>
	525 g	<b>893.91090</b>

## BRAKE AND PARTS CLEANER



**This highly concentrated solvent blend provides maximum performance brake & parts cleaner without the use of ozone diminishing or chlorinated solvents**

- Silicone free
- Lead free
- Powerful blasting spray easily removes dirt & brake dust deposits, brake fluid

Contents	Art. No.
4 L	<b>890.108734</b>
18.9 L	<b>890.108729</b>
18.9 L Refillomat	<b>890.108718</b>
408 g Aerosol	<b>890.9107</b>
20 L Refillo	<b>890.108720</b>

## PUMP SPRAY BOTTLE FOR BRAKE & PARTS CLEANER



**Art. No. 891.503002** 1 L

**For easy filling of products from canisters or drums.**

### Features:

- Easier to open, thanks to non-slip grip
- Ergonomic, robust pump spray atomizer with long handle

### Benefits:

- Fatigue-free working thanks to low operating force
- Strong spray stream
- Good stability thanks to conical shape

Specifications	
Material	Polyethylene
Diameter	100mm
Height	275mm

## TAP FOR BRAKE CLEANER



**Art. No. 891.302.03**

**Tap for 18.9 litre Brake Cleaner**



## BRAKE SADDLE BRUSH - 9"

Art. No. 715.5526



**Material: Chrome-Vanadium.**

**Chrome finish.**

Length: 229 mm / 9"

Weight: 140 g

### Benefits

- Has a narrow frame allowing it to be used in tight areas
- Heavier than normal steel bristles (chrome-vanadium) for quick removal of debris and longer life
- Hard handle makes it easy to hold even while covered in chemicals and fluids

### Applications

- Excellent for cleaning debris/rust from calipers and caliper brackets/brake pad holders quickly
- Great for cleaning the tight areas around wheel hubs/wheel studs
- Good general purpose wire brush
- Great in any tight area that a regular brush won't fit

## BRAKE CLEANER PLUS

Art. No. 890.10810 / 358g / P. Qty 24



**Made in the Netherlands with a unique formulation designed for the safe and fast cleaning of disc and drum brakes. Can also be used for general cleaning of most surfaces where oil or grease is present.**

### Application:

Brake pads, clutch, shoes and linings. Oil, dirt and friction material dust. Breaks down tough products like; cavity protection, underbody seals and high performance greases.

### Isopropyl alcohol based.

- Does not contain chlorhydric acids, C.F.C. or aromatics
- Provides optimum cleaning with fast evaporation
- Eliminates brake squeal and clutch slip caused by contamination

### 360° Spray nozzle.

- Gets into tough to reach areas
- No loss of pressure or stream when spraying at different angles

### Material compatibility.

- O-rings
- Polypropylene (PP)
- Ethylene-propylene diene monomer (EPDM)
- Acrylonitrile butadiene styrene (ABS)
- Polystyrene
- NBR O-rings
- Paint / 2K Acrylic

Specifications	
Base	Mixture of Petroleum Distillates (n-heptane ~85%)
Additional	Isopropanol
Pressure	8.4 bar
Output ratio	51.4g / 10 seconds
Spray Pattern	Angled spray stream
Colour	Colourless
Odour	Mild
Density at 20 °C (g/ml)	0.71
Anti-static	Yes
AOX-free	Yes
Silicone-free	Yes

**Note:** Check rubber and plastic parts prior to application for compatibility.

## MULTICLEAN



Colour	Contents	Art. No.
Colourless	308 g	890.1096

### Fluid for cleaning and temporary lubrication in physiologically and ecologically sensitive areas

- Can be used in areas in which food is processed or stored. NSF H1<sup>1</sup>
- In this context, the product may come into contact with foodstuffs for occasional, technically unavoidable reasons.

### Good cleaning and degreasing performance

- Removes oils, resin encrustations and silicone residues

### No danger symbols such as F+, F, N or Xi

- Suitable for use in physiologically and ecologically sensitive areas
- Safe working

### Good material compatibility

### Acetone free

### AOX- and silicone-free

<sup>1</sup>NSF = Internationally recognized organization for the supervision and registration of products used in the food sector.

### Areas of Application:

For residue-free cleaning and degreasing during assembly and maintenance work on machines, aggregates and tools in critical areas of the printing and paper industries as well as for applications in which the use of easily and highly inflammable cleaners is not desired.

Technical Data	
Chemical basis	Aliphatic hydrocarbons
Density at 20 °C (active substance)	0.77 g/cm <sup>3</sup>
Flash Point	40 °C

## ASSEMBLY POWER CLEANER



Contents	Description	Art. No.
355 g	Aerosol	890.107

### Highly effective special cleaner including solvents.

### Very high cleaning performance

Extremely effective in removing oily, greasy, sooty and slightly resinous contaminants

### Short flash time

- Rapid cleaning that leaves no residue
- Short downtimes for the machine parts to be treated
- No need for subsequent treatment

### Good material compatibility

- No swelling of FKM and polyamide seals
- Causes no corrosion to metal surfaces or to iron, steel, stainless steel, aluminum, brass

### Spray head with direct spray jet

Precise and effective cleaning of the contaminated parts

### Acetone-free

### AOX- and silicone-free

### Areas of Application:

For the cleaning of engine and gearbox casings, brake systems and vehicle, machine and coupling parts for maintenance, repair and assembly work.

Technical Data	
Chemical base	Aliphatic hydrocarbons
Colour	Transparent
Density	0.710 g/cm <sup>3</sup> at 20 °C
Flash point	< 21 °C
VBF class	A I

### Recommended:

O-Ring Repair Kit for Pump Bottles

**Art. No. 891.599**

## INDUSTRY CLEANER



Contents	Description	Art. No.
370 g	Aerosol	893.140

### High-quality special cleaner for industry and craft trades.

### Powerful cleaning and dissolving properties.

Adhesive residues from labels and adhesive tape are removed. Stubborn soiling like wax, rubber abrasion, silicone residues, oil and grease are dissolved.

### Compatible with most materials.

Unpainted surfaces like aluminum, brass, stainless steel and metallic surfaces are not attacked.

### User friendly.

No unpleasant odours for user and environment. Fast, effective cleaning.

### Acetone-free.

### AOX- and silicone-free.

### Application:

Removes adhesive tape residues, adhesive residues from paper and foil labels. Cleans machine parts, plastic parts and metallic surfaces. Dissolves various marking inks, e.g. permanent markers, on smooth, non-absorbent surfaces. Removes fingerprints following assembly work. For pre-cleaning of adhesive bonds. Also suitable for removing protective preservatives, e.g. on brake discs.

Technical Data	
Chemical basis	Special petrol with d-limonene
Flash point	< 10 °C (50 °F)
VBF Class	A1
Colour	Transparent

**Note:** Check rubber and plastic parts for compatibility in an inconspicuous location prior to treatment. Paints may be attacked

## BIOLOGICAL DRAIN TREATMENT



**Art. No. 893.12004 – 4 L**

**This ready to use biological drain opener treatment cleans and eliminates odours fast by a natural enzymatic process promoting rapid liquefaction of grease and waste buildup**

### Features:

- The formulation of the Würth Biological Drain Treatment provides quick liquefaction of waste deposits, followed by microorganisms that attach to drain surfaces and organic deposits like tiny magnets. Once attached, they go to work, digesting organic deposits, grow and multiply to produce billions of additional workers.
- This biological process continues to work until the job is finished. Some microorganisms migrate further down the line treating additional pipe surfaces and grease traps and assisting to treat receiving waste streams and septic systems.

### Benefits:

- Specifically designed for waste and drain applications.
- Promotes fast liquefaction by a natural enzymatic process
- Eliminates odours
- Reduces drain line maintenance and grease trap cleaning.

## IPA SURFACE PREP AND CLEANER



**Universal isopropanol surface prep and cleaner**

### Features:

- A high-grade isopropyl alcohol solution used for surface preparation and as a general cleaner.
- Highly effective solvent evaporates quickly and leaves no streaks on bare metal or glass surfaces.
- Safe for most sensitive surfaces, including most plastics.

### Applications:

Ideal for final preparation, cleaning and degreasing of all substrates prior to adhesive bonding, including for adhesive wheel weights. Excellent as a light general-use cleaner. Removes a wide range of contaminants, such as dust, adhesive residue, labels, fingerprints, grease, bitumen, resin, ink, solder and flux residue, as well as uncured PU foam.

Designation	Contents	Art. No.	P. Qty.
Aerosol	409 g	<b>893.223500</b>	1

## WÜRTH SHAMMY ABSORPTION TOWEL



**Art. No. 899.800205**



**Excellent absorption and liquid retention**

Size: 16.5 x 25 in  
42 x 63 cm

### Characteristics:

- Absorbs 50% more fluids three times faster than typical cloths
- Made of PVA with an anti-mold solution

### Application:

Indicated for any type of surface, such as cars, trucks, boats, household, for drying pets and even yourself after exercising

## MICROFIBER CLOTH



**Art. No. 899.900108**

**Grey ultra soft Microfiber cloth 40 x 40 cm**

**Benefits:**

- Extremely fleecy micro-fibre universal cloth with excellent dirt capturing characteristics
- Ideally suited as a polishing cloth on delicate paint surfaces
- Most suited for the removal of dust from interior surfaces due to its compact fibre structure
- High absorbency thus suitable as a drying cloth on all surfaces
- Velour edges – prevents micro scratches

## BLUE MICROFIBRE CLOTH



**Quality laboratory-tested by various vehicle manufacturers.**

**Features:**

**Extremely high cleaning power**

- Faster application
- Cleans streak and lint-free
- Attracts dust with static effect

**Cleans without using cleaning agents**

- Reduced costs
- Optimally suited for polishing work
- Gentle to the environment
- Protects against allergies

**Extremely fine, strong fibres**

- Excellent sliding properties
- Hologram-free high-gloss polishing
- Long life

**Specially developed surface structure**

Does not leave behind scratch marks, fluff or silicone

**Easy to care for**

- Simply air-dry after use
- Washable at up to 60°C (do not wash with fabric softener)

**Application:**

The microactive cloth is optimally suited for maintenance cleaning and vehicle detailing. When dry, the cloth attracts dust and fine deposits like a magnet thanks to its static charge. Coarse and greasy dirt is removed by moistening the cloth before use.

Technical Data	
Absorption in 10 sec.	702.50%
Max. absorption	704.30%
Total absorption time	30 sec.
Weight per square meter	35.8 g ± 0.5 g
Fibre composition	PET/PA microfibre

Designation	Dimensions	Art. No.	Qty.
Microfibre Cloth Blue	36 cm x 32 cm	899.900107	1

## SOFTEX CLOTHS



- The super-soft textile cloth.
- Can be used as a polishing cloth.
- Extremely tear resistant, even when wet.
- Solvent-resistant.
- Silicone-free.
- Very absorbent.
- Washable, wringable and reusable.
- Safe for use with food items.

Design	Size in cm	Weight in g/m²	No. of sheets	Art. No.
White, 1-ply, individual cloths	29 x 38	65	50	899.800901
			500	899.800901.BK

## UNIVERSAL JUMBO SWABS ASSORTMENT



**Art. No. 899.574**

**Can be used to lubricate, clean and apply paint on mechanical parts, fittings, tubing, threads, gaskets and much more!**

- Does not lint
- Industrial grade
- High absorption
- Handles made out of strong bamboo.

### Applications

Paint, oil, grease, graphite, cleaners and various chemical application and removal. Ideal for scrubbing and cleaning parts, tubes, ports, chambers and more. In addition to paints and chemicals, the swabs can also be used to clean paint guns, pneumatic tools and other equipments.

Other industry uses also include electronics repair, arcade type machines, weaponry, animals, home / kitchen, etc. The Swab set provides an inexpensive alternative to rags and small applicators.

Can be used in all industries: Automotive, Bodyshops, Detailing, Industrial, Commercial, MRO, Firearms

Length	Diameter	Contents
75 mm	5 mm	100 Swabs
150 mm	6.5 mm	100 Swabs
150 mm	10.5 mm	50 Swabs
150 mm	12 mm	25 Swabs
235 mm	15 mm	25 Swabs
235 mm	20 mm	25 Swabs

## UNIVERSAL CLEANING WIPES



**Art. No. 890.900900** (90 wipes)

**A powerful, solvent-free, durable hand cleaner & towel combination.**

**Dimensions: 9" x 8"**

### Benefits:

- Convenient dispensing method makes clean-up quicker and more efficient
- Eliminates the need for paper towels, shop rags, or water
- Container stacks better and is easy-to-grip with one hand
- VOC-free solution, versatility and dispensing size make this environmentally friendly

### Areas of application:

- Removes residue from hands
- Tools, equipment, and work area
- Virtually all hard surfaces

### Features:

- Smooth, perforated, pop-up towels saturated with a unique, heavy-duty cleaning solution
- Small, sleek container
- Solvent-free
- Light Citrus fragrance
- Dissolves grease, grime, oil, lubricants, paints, tar, inks and more
- VOC-free
- Made from polypropylene material

## UNIVERSAL CLEANING WIPES WITH SCRUBBER



**Art. No. 890.900901** (90 wipes)

**These wipes contain the same powerful hand cleaner as the Universal Cleaning Wipes, but feature a dual-textured towel with purple scrubber for deeper, faster cleaning.**

**Dimensions: 9" x 12"**

### Additional tools:

Wall Mounting Bracket **Art. No. 899.900900**

## CLEANING TOWELS



- Very absorbent.
- Suitable for all common dispensers.
- In various plies and widths.
- Made from 100% recycled paper.

Design	Sheet Size	Tear off sheets	Art. No.
Industrial towel, blue, 2 ply	36 x 38 cm	1000	<b>899.800773</b>
Industrial towel, blue, 3 ply	36 x 38 cm	1000	<b>899.800823</b>
General purpose towel, white, 1 ply	Roll: 30 cm x 19 cm	865	<b>899.800653</b>

## DISPENSING DEVICE



**Art. No. 899.800606**

- With wheels and garbage bag holder.
- Product not included

Width	Height	Depth	Max. roll width	Colour
50 cm	86 cm	68 cm	38 cm	Red



## UNIVERSAL ABSORBENT ROLL



**Universal rolls that absorb oils, coolants, solvents, water and much more!**

### Features & Benefits:

- Dimple bond pattern increases the physical strength of the polypropylene in every direction
- Vertically perforated providing flexibility and reduced cost-in-use
- Package in a convenient and sturdy dispenser box
- Designed for standard-use applications
- Offers great wicking and overall performance
- Disguises grime and unsightly spills – help keep your facility looking clean
- Can be used as a liner to keep shelves and tools clean and free from grime

### Applications:

Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

Description	Dimensions	Art. No.	Per Package	P. Qty
Universal Absorbent Roll – Medium Weight	15" x 75'	<b>885.8919</b>	1 Roll	1

**\*Replaces 885.8916\***

Technical Information:	
Product Width (in.)	15"
Product Width (cm)	38 cm
Product Length (ft.)	75
Product Length (m)	25
Sheets per roll	75
Product Colour	Grey
Bonding/Embossing	Dimple
Ply Count/Layers	2
Product "Weight" / Density Weight	Medium weight
Total Absorbency (Gal)	10 Gal
Total Absorbency (L)	38 L

## HIGH-VISIBILITY SAFETY UNIVERSAL ABSORBENT



**Universal multi-use pad that combines an absorbent with caution/warning sign**

### Features:

- 2-ply construction
- 150 perforated large sheets per roll (300 half sheets)
- 1 roll = 32" x 150'; 1 large sheet = 32" x 12"; Half sheet = 16" x 12"
- Dimple bond
- High-visibility colour warning

### Benefits:

- Absorbs most acids, caustics, solvents and common fluids including oils and water
- Instantly warns customers and visitors of any spill
- Ideal for high-traffic areas where risk for slips, trips and falls are present
- Can be used with or without a "Caution: Wet Floor" sign
- Easily cut to fit desired length

### Suggested Uses:

- Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

Description	Dimensions	Art. No.	Absorbency per pkg. roll
High-Visibility Roll	32" x 150'	<b>899.900960</b>	46 Gallons

## OIL ONLY ABSORBENT PADS



Description	Dimensions	Art. No.	P. Qty
White Oil Only Pads	16" x 18"	<b>885.8918</b>	100 sheets = 1 box

### Economical choice for OIL ONLY spills

#### Features & Benefits:


- Absorbs petroleum based liquids and repels water
- Oil-only sorbents are white in color, which creates a high-contrast when used with hydrocarbons and other oil-based liquids & fluids
- Packaged in a convenient and sturdy dispenser box
- Spun bond on both sides gives superior strength
- Fluids absorbed: hydrocarbons, oil, gasoline, fuel oil, diesel and lubricating oil
- Virtually lint-free
- Highly adsorbent melt blown polypropylene center for cost-effectiveness

#### Applications:

Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

Technical Information:	
Product Width (in.)	16"
Product Width (cm)	41 cm
Product Length (in.)	18
Product Length (cm)	46
Product Colour	White
Bonding/Embossing	Dimple
Ply Count/Layers	1
Product "Weight" / Density Weight	Medium
Total Absorbency (Gal)	24 Gal
Total Absorbency (L)	91 L

## UNIVERSAL ABSORBENT PAD



Description	Dimensions	Art. No.	P. Qty
Universal Absorbent Pad - Heavy Weight	16" x 18"	<b>899.900968</b>	100 sheets = 1 box

### Universal pads that absorb oils, coolants, solvents, water and much more

#### Features & Benefits:

- Dimple bond pattern increases the physical strength of the polypropylene in every direction
- Vertically perforated providing flexibility and reduced cost-in-use
- Package in a convenient and sturdy dispenser box
- Designed for standard-use applications
- Offers great wicking and overall performance
- Disguises grime and unsightly spills - help keep your facility looking clean
- Can be used as a liner to keep shelves and tools clean and free from grime

#### Applications:

Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

Technical Information:	
Product Width (in.)	16"
Product Width (cm)	41 cm
Product Length (in.)	18
Product Length (cm)	46
Product Colour	Grey
Bonding/Embossing	Dimple
Ply Count/Layers	1
Product "Weight" / Density Weight	Heavy Weight
Total Absorbency (Gal)	27 Gal
Total Absorbency (L)	103 L

## ECO ABSORB



Weight	Absorption	Art. No.	Equivalent
1.8 kg	10 L	890.620020	80 lbs. of Clay



**Reduce waste and increase productivity.**  
Eco Absorb absorbs 20 times more than traditional absorbent clays and powders.

### Non Toxic

100% Organic. Carcinogen-free. Silica-free.

### Save Time and Money

Absorbs on contact. Eco Absorb works quickly to ensure a dry, non-slip area in seconds.

### Easy Disposal

Exceeds Federal EPA Leachate Standards. Just cleanup and throw away.

### Non-Abrasive

Eco Absorb will not cause scratches, so equipment or floors will never be damaged.

### Dust Free

Carcinogenic clay dust is a thing of the past; Eco Absorb is dust free and will not track all over your workspace.

### Improves Workplace Safety

Eco Absorb absorbs 20 times more than traditional absorbent clays and powders completely encapsulating the spill. It reduces the impact of spills and prevents further hazards from slippery residue, by leaving behind no drips or streaks.

### Reusable

Eco Absorb will not leach, making it landfill safe. You can use it again and again.

### Less Waste

Compared to traditional clay absorbents, Eco Absorb produces one third less waste when used due to its super absorbent qualities.

### Applications:

- Brake fluid
- Motor oil
- Fuel & Diesel
- Coolant
- Antifreeze
- Solvents
- Carbon black
- Transmission fluid
- Detergents
- Degreasers
- Paint & Paint Thinners
- Household fats, oils and greases

### Industries:

- Automotive
- Marine
- Oil & Gas
- Waste Management
- Food Industry
- Fleet Management
- Mining
- MRO
- Rail Industry
- Paint Industry
- Fabrication
- Hospitality
- Public Works
- Home & Health Care

## OIL DRUM TOPPER PAD



Art. No. 890.900950

**Heavy weight drum top pad made of recycled material**

### Features & Benefits:

- Absorbs oil / fuel, repels water.
- Fits 55-gallon drum tops
- Pre-cut with holes for 3/4" and 2" bungs to provide a perfect fit
- Made From Recycled Material - Earth Friendly!
- Dimensions - 22"
- 25/Box

### Applications:

Absorbs oil, diesel gas, coolants, cutting fluids, hydraulic fluids, vegetable oil, acetone and turpentine.

## OIL DRUM TOPPER PAD



**Art. No. 899.900963**

**Smaller sized absorbent rolls that absorb oils, coolants, solvents, water & much more.**

**Features & Benefits:**

- Easier to use than floor sweep so it reduces cleanup time; just put it down, let it work and pick it back up.
- Free of damaging grit and dust, so it is perfect for use around delicate sensors, parts and tools
- Nothing to track around; keeps dirt and grit out of customer vehicles and maintains a clean, professional environment in the shop
- Safely absorbs and retains oil, coolants, water, grease, gasoline, solvents, auto fluids, paint overspray, battery acid and most other liquids
- Compact, grab-and-go Roll size is great for mobile techs
- Absorbency: Up to 16.8 L per Roll.
- Quantity: 12 Rolls per Package.
- Roll Size: 15" x 50' / 38.1 cm x 15 m

**Applications:**

Automotive shops, garages, restaurants, office buildings, under machinery or vehicles to catch leaks and drips, workstations and anywhere leaks are common.

## MAGNETIC ROLL HOLDER



**Art. No. 899.900951**

**Features & Benefits:**

- Durable, powder-coated steel resists chips, rust and corrosion
- Powerful magnets keep Roll Holder firmly in place during dispensing
- Can be removed and relocated in seconds
- Ideal for attaching to tool boxes, car lifts, support beams or other metal surfaces

## UNIVERSAL PAIL SPILL KIT



**Art. No. 890.900960**

**Spills happen no matter how hard you try to avoid them. It is important to have the right sorbents on-hand when these spills occur to eliminate the slip-and-fall hazard.**

**Kit Includes:**

- 10 - 15" x 19" Gray Universal Heavy Weight Sonic Bonded Pads
- 2 - 3" x 4' Gray Universal Sorbent Socks
- 2 - 18" X 30" Yellow Disposal Bag & Tie
- 1 - Pair Nitrile Gloves
- 1 - Safety Goggles
- 1 - 3" x 5" Vinyl Spill Kit Label
- 1 - 12" x 16.75" White 5-Gallon

**Absorbency: ABSORBS 5.2 GAL**

## UNIVERSAL TOTE SPILL KIT



**Art. No. 890.900961**

**Be prepared for fast response with a high-visibility Universal Spill Kit.**

**Kit Includes:**

- 20 - 15" x 19" Gray Universal Heavy Weight Sonic Bonded Pads
- 2 - 3" x 4' Gray Universal Sorbent Socks
- 2 - 18" x 30" Yellow Disposal Bag & Tie
- 1 - Pair Nitrile Gloves
- 1 - Safety Goggles
- 1 - 20" x 15" x 4" Green Tote Bag

**Absorbency: ABSORBS 8.09 GAL**

## UNIVERSAL TRUCK SPILL KIT



**Art. No. 890.900962**

**A quick response is the first order of business — and your best weapon.**

**Kit Includes:**

- 20 - 15" x 19" Gray Universal Heavyweight Sonic Bonded Pads
- 3 - 3" x 4' Gray Universal Sorbent Socks
- 2 - 18" X 30" Yellow Disposal Bag & Tie
- 1 - Pair Nitrile Gloves
- 1 - Safety Goggles
- 1 - 3" x 5" Vinyl Spill Kit Label
- 1 - 7" x 15" x 18" Clear Vinyl Zippered Bag

**Absorbency: ABSORBS 9.2 GAL**



## UNIVERSAL NON SLIP TRACTION MAT



**Art. No. 713.11120**

**An easy, durable solution to combat slips trips & falls in a variety of environments.**

### Features & Benefits:

- The bottom layer sticks to the ground/surface using Cling technology (adhesive)
- Can be easily peeled back up and repositioned as needed
- Stands up to heavy foot or vehicle traffic, to include fork trucks
- Easy to use: roll out continuous walk-off coverage for entrances and walkways with no gaps, ripples or overlaps that can be slip, trip or fall hazards
- Absorbs a wide variety of oil and water-based spills
- Durable top layer can be vacuumed, swept with a broom or mopped
- Top layer is a super-strong durable nonwoven material that aids in foot traction
- Cut to size and use to line drawers in tool chests or other work areas
- Absorbency: Up to 40 L per Roll.
- Roll Size: 34" x 50' / 86 cm x 15 m
- Medium Weight

## WHITE T-SHIRT RAGS



**Art. No. 899.800333**

**Lightweight cotton wipers ideal for general purpose cleaning!**

### Features & Benefits:

- All white t-shirt wipers are low linting and have a high cotton content that gives it excellent absorbency.
- Ideal for all wiping, cleaning, staining, waxing and polishing applications
- For use with solvents or chemicals which may cause colors to run
- Quantity: 25lbs per bag.
- Dimensions: 19" X 9" X 17"

## COLOURED FLEECE RAGS



**Art. No. 899.800444**

**These fleece towels are tough and resist snagging while wiping down greasy equipment & machinery!**

### Features & Benefits:

- Economical, durable all-purpose wiper ideal for oil, grease and water clean-ups
- Mixed Colours
- Soft and lightweight, high absorbency
- Made from pure sweatshirt material
- Can be used to dust, clean and wash
- Multi-purpose rag
- Ideal for janitorial, garage and shop facility
- Quantity: 25lbs per bag.
- Dimensions: 19" X 9" X 17"