

09 **EQUIPMENT & STORAGE**

- 2** System World
- 7** Tool & Storage Cabinets
- 13** ORSY
- 16** Flammable Liquids Storage Cabinets
- 16** DOS Rack
- 17** Packfix
- 19** Parts Washers & Accessories
- 20** Refillomat System & Accessories
- 22** Ultra Mobile Mini Lift
- 24** Workshop & Office Equipment



SYSTEM CASE 4.4.1

System Case Configuration	4.4.1
Width x depth x height (inches)	14.56 x 10.62 x 3.34 inches

Number of System Boxes	Material	Lid Type	Art. No.
Empty*	ABS	Black	5581.020000
Empty*	ABS/PC	Clear	5581.020500
2 boxes	ABS/PC	Clear	5581.120000
3 boxes	ABS/PC	Clear	5581.120001
11 boxes	ABS/PC	Clear	5581.120002

*Inserts sold separately



Art. No. 5581.020000

*Inserts sold separately



Art. No. 5581.020500

*Inserts sold separately



Ideal for flexible storage of small parts, machines and tools used with consumables.

Totally customizable thanks to grid design

- Allows individual composition of contents in different application areas
- Possible to use case and contents with System Cabinets

Easily click cases together

- Integrated rail contour and coupling elements allow you to combine multiple cases and transport equipment safely

Functional design elements

- Black lid features an elastomer seal to protect contents from the rain
- Simple opening and closing
- Label section for adhesive or inserted labels
- Made from tough ABS and PC plastic

Built for comfort

- Large handle design
- Integrated soft elements and wide swivel radius to take pressure off hands and wrist
- Handle with up to 60 kg capacity



Don't forget the System Dividers for System Boxes!



Art. No. 5581.120000

Includes:

2 x 2.1.1 System Boxes



Art. No. 5581.120001

Includes:

1 x 2.4.1 System Boxes

2 x 2.2.1 System Boxes



Art. No. 5581.120002



Includes:

1 x 2.2.1 System Box

2 x 2.1.1 System Boxes

8 x 1.1.1 System Boxes

4.4.1 = 16 System Grid squares



SYSTEM CASE 8.4.1

System Case Configuration		8.4.1	
Width x depth x height (inches)		19.69 x 14.96 x 3.34 inches	
Number of System Boxes	Material	Lid Type	Art. No.
Empty*	ABS	Black	5581.010000
Empty*	ABS/PC	Clear	5581.010500
4 boxes	ABS/PC	Clear	5581.110000
10 boxes	ABS/PC	Clear	5581.110001
10 boxes	ABS/PC	Clear	5581.110004
16 boxes	ABS/PC	Clear	5581.110002
22 boxes	ABS/PC	Clear	5581.110006

*Inserts sold separately



Art. No. 5581.010000
*Inserts sold separately



Art. No. 5581.010500
*Inserts sold separately



Ideal for flexible storage of small parts, machines and tools used with consumables.

Totally customizable thanks to grid design

- Allows individual composition of contents in different application areas
- Possible to use case and contents with System Cabinets

Easily click cases together

- Integrated rail contour and coupling elements allow you to combine multiple cases and transport equipment safely

Functional design elements

- Black lid features an elastomer seal to protect contents from the rain
- Simple opening and closing
- Label section for adhesive or inserted labels
- Made from tough ABS and PC plastic


Built for comfort

- Large handle design
- Integrated soft elements and wide swivel radius to take pressure off hands and wrist
- Handle with up to 60 kg capacity



Don't forget the System Dividers for System Boxes!

8.4.1 = 32 System Grid squares



Art. No. 5581.110000
Includes:
4 x 2.4.1 System Boxes



Art. No. 5581.110001
Includes:
2 x 2.4.1 System Boxes
2 x 2.2.1 System Boxes
2 x 2.1.1 System Boxes
4 x 1.1.1 System Boxes




Art. No. 5581.110004
Includes:
2 x 8.1.1 System Boxes
2 x 2.2.1 System Boxes
2 x 2.1.1 System Boxes
4 x 1.1.1 System Boxes



Art. No. 5581.110002
Includes:
4 x 2.2.1 System Boxes
4 x 2.1.1 System Boxes
8 x 1.1.1 System Boxes



Art. No. 5581.110006
Includes:
2 x 2.2.1 System Boxes
4 x 2.1.1 System Boxes
16 x 1.1.1 System Boxes



SYSTEM BOXES



Art. No. 5581.035001



Art. No. 5581.035002



Art. No. 5581.035003



Art. No. 5581.035012



Art. No. 5581.035011

A variable compartment for orderly storage and retrieval of various small parts. The system boxes can be combined individually with all the system cases.

Compatibility thanks to grid dimensions

- Product dimension based on grid dimensions, which allows the boxes to be arranged individually in the system case

Secure connection in the system case

- Grid feet fix the boxes to the case floor, holding them in position
- The transparent lid prevents the contents from becoming cluttered

Individually adjustable

- Boxes can be further divided individually using System Dividers

Can also be used on workshop walls or mounting stations

- A groove allows the box to be hung on the assembly rails (**Art. No. 5581.039001**)

Simple identification of box contents

- Integrated, slightly offset labelling field

Box Configuration	Dimensions (in) (l x d x h)	Art. No.	Qty.	Material
1.1.1	2.24 x 3.22 x 2.16	5581.035001	1	ABS
2.1.1	4.48 x 3.22 x 2.16	5581.035002		
2.2.1	4.48 x 6.57 x 2.16	5581.035003		
2.4.1	4.48 x 13.15 x 2.16	5581.035012		
8.1.1	18.18 x 3.22 x 2.16	5581.035011		

SYSTEM DIVIDERS

Description	Dimension (in)	Art. No.	Qty.
Red divider for X.1.1	2.75 x 0.31 x 1.77	5581.035020	4
Red divider for 2.X.1	4.33 x 0.59 x 1.77	5581.035021	



Art. No. 5581.035020



Art. No. 5581.035021

PICK AND PLUCK FOAM

The pick and pluck foam allows you to create your own custom padded shape for your tools and accessories. Perforated segments throughout the foam make it easy to cut out the shape you want.

Note: Two foam pieces (5581.004900) will fit into the 8.4.1 System Case.

Foam Dimensions	4.4.1
Width x depth x height	13.18 x 9.10 x 2.08 inches

Art. No.	Qty.
5581.004900	1



SYSTEM INSERTS, BLACK

Insert Configuration	4.4.1
Width x depth x height	13.18 x 9.10 x 2.12 in

Number of Compartments	Art. No.	Qty.
3 compartments	5581.003010	1
8 compartments	5581.003001	
12 compartments	5581.003003	
16 compartments	5581.003002	
20 compartments	5581.003021	
Dividers for 5581.003010	5581.003014	4

For convenient storage of small parts & accessories.

*Two inserts will fit into the 8.4.1 System Case for multiple storage possibilities.



Art. No. 5581.003010



Art. No. 5581.003001



Art. No. 5581.003003

Not compatible with clear system lids!



Art. No. 5581.003002



Art. No. 5581.003021



Art. No. 5581.003014

Insert 5581.003010 can be segmented using 5581.003014 (sold separately)

SYSTEM WORLD ACCESSORIES

SYSTEM ADAPTER PLATE



*Cases not included

Various System Cases can be stacked on top of one another and connected

- Owing to simple rail system
- Fixing using coupling elements
- Locking bolt mechanism secures the adapter plate on the 8.4 system cases

Storage in trunk

- Non-slip thanks to attachable spikes
- Plates can be joined together like jigsaw pieces
- Cases of both dimensions (8.4 and 4.4) can be stored

Dimensions	Art. No.	Qty.
20.47 x 15.94 x 1.37 in	5581.038000	1

SYSTEM TROLLEY



*Cases not included

Transportation device for System Cases 8.4, 4.4 and other objects

- Sturdy frame made from sheet steel
- Two fixed castors and two steering rollers with locking brake
- System Cases secure to trolley using coupling elements

Dimensions	Art. No.	Qty.
24.21 x 19.29 x 7.28 in	5581.038500	1

SYSTEM RAIL



For mounting system boxes. Capable of bearing loads up to 25 kg (depending on the fastenings). Multiple system boxes can be positioned.

Adjustment to the current assembly situation

- The system boxes can be positioned at two angles: Straight, and at a 45° angle for easy access.
- System boxes can slide horizontally on rails

Suspension rail can be attached wherever you need it

- Workshop trolleys
- Workbenches
- To masonry or other walls

Dimensions	Art. No.	Qty.
19.48 x 0.78 x 1.37 in	5581.038500	1

SYSTEM CABINET – SYSTEM CASE HOLDER



Organisation system consisting of stackable modules for 5 System Cases that can also be screwed together.

Features & Benefits:

- Ball-bearing-mounted telescopic extensions
- Load per tray: 20 kg
- Side panels and rear panel with square perforation
- Stacking nubs
- Central locking with two keys
- Colour: graphite black (RAL 9011)
- Material: Sheet steel
- Powder-coated

Note: Supplied without cases

*Can be secured using **Art. No. 5581.040100**



Compatible with	Width x depth x height	Art. No.	Qty.
4.4.1	17.91 x 11.41 x 19.29 in	5581.040000	1



Compatible with	Width x depth x height	Art. No.	Qty.
8.4.1	22.83 x 17.91 x 19.29 in	5581.040002	1

SYSTEM CABINET SECURING SET



For attaching system stacking cabinets

Description	Art. No.	Qty.
Securing Set for Cabinets	5581.040100	1

REPLACEMENT PARTS

Description	Art. No.	Qty.
Lock and key for System Cabinet	5581.040101	1 lock, 2 keys
Latches for System Case	5581.001000	1
Locking mechanism to secure System Cases	5581.001002	
Handle for System Case	5581.001001	



Art. No. 5581.040101



Art. No. 5581.001000



Art. No. 5581.001002



Art. No. 5581.001001

REPLACEMENT LIDS

Description	Dimensions	Art. No.	Qty.
Black Lid 4.4.1	13.26 x 10.27 in	5581.001010	1
Clear Lid 4.4.1	13.26 x 10.27 in	5581.001011	
Black Lid 8.4.1	18.89 x 14.96 in	5581.001020	
Clear Lid 8.4.1	18.89 x 14.96 in	5581.001021	

*Clear lid only compatible with red system boxes



Art. No. 5581.001010



Art. No. 5581.001011



Art. No. 5581.001020



Art. No. 5581.001021

WURTH BULB RACK



Art. No. 955.7201

Features:

- Constructed using prime cold rolled steel
- (4) Durable plastic tilt-out trays
- (28) Adjustable dividers are included allowing the creation of 4 to 32 compartments
- Back-up storage shelves are located behind hinged cover
- Ideal for the storage and organization of automotive bulbs, fuses, terminals, fasteners and more
- Unit can be wall hung using keyholes punched in the back

Material	All Welded Prime Cold Rolled Steel
Colour	Red powder coated finish and Rust and Acid Resistant
Depth	4inch / 102mm
Height	26-3/4inch / 680mm
Width	19Inch / 483mm
Weight	21lbs / 9.52Kg

PREMIUM CABINETS



Art. No. 962.KD40

7 Drawer Cabinet

Dimensions:
48" x 40.25" x
24.5" (W x H x D)
Cabinet Weight:
480 lbs.

- 2 drawers 3" : 24 comp.
- 2 drawers 4" : 24 comp.
- 2 drawers 6" : 24 comp.
- 1 drawer 8" : 12 comp.

962.KD40 – Delivery Scope		
Art. No.	Length (in)	No. of dividers delivered in cabinet
962.D0307	7	24
962.D0308	8	12
962.D0407	7	24
962.D0408	8	12
962.D0607	7	24
962.D0608	8	12
962.D0807	7	4
962.D0808	8	2

PREMIUM CABINETS



Art. No. 962.KLD60

10 Drawer Cabinet

Dimensions:
48" x 60" x 24.5"
(W x H x D)
Cabinet Weight:
685 lbs.

- 3 drawers 4" : 24 comp.
- 2 drawers 5" : 24 comp.
- 4 drawers 6" : 24 comp.
- 1 drawer 8" : 12 comp.

962.KLD60 – Delivery Scope		
Art. No.	Length (in)	No. of dividers delivered in cabinet
962.D0407	7	36
962.D0408	8	18
962.D0507	7	24
962.D0508	8	12
962.D0607	7	48
962.D0608	8	24
962.D0807	7	4
962.D0808	8	2



Art. No. 962.MD32

10 Drawer Cabinet

Dimensions:
60" x 32.5" x 24.5"
(W x H x D)
Cabinet Weight:
540 lbs.

Top Drawers: 1 drawer 5" : 32 comp.

Left Drawers:

- 2 drawers 3" : 32 comp.
- 2 drawers 4" : 32 comp.
- 1 drawer 6" : 32 comp.

Right Drawers:

- 1 drawer 3" : 32 comp.
- 1 drawer 4" : 32 comp.
- 1 drawer 5" : 32 comp.
- 1 drawer 8" : 12 comp.

962.MD32 – Delivery Scope		
Art. No.	Length (in)	No. of dividers delivered in cabinet
962.D0308	8	6
962.D0310	10	3
962.D0408	8	6
962.D0410	10	3
962.D0508	8	2
962.D0509	9	4
962.D0510	10	3
962.D0608	8	2
962.D0610	10	1
962.D0808	8	2
962.D0810	10	1



Art. No. 962.DD32



5 Drawer Cabinet

Dimensions:
30" x 32.5" x 24.5"
(W x H x D)
Cabinet Weight:
295 lbs.

- 1 drawer 6" : 25 comp.
- 1 drawer 3" : 25 comp.
- 1 drawer 4" : 25 comp.
- 1 drawer 5" : 25 comp.
- 1 drawer 8" : 10 comp.

962.DD32 – Delivery Scope		
Art. No.	Length (in)	No. of dividers delivered in cabinet
962.D0305	5	16
962.D0306	6	4
962.D0405	5	16
962.D0406	6	4
962.D0508	8	16
962.D0510	10	4
962.D0605	5	16
962.D0606	6	4
962.D0805	5	4
962.D0806	6	1

PREMIUM LINE CABINET DIVIDER GUIDE





Art. No.	Divider Size (Width)	Cabinet Compatibility					
		962.DD32	962.MD32	962.KD40	962.KLD60	962.M3205	962.ME3405
		30"W x 24½"D x 32"H	60"W x 24½"D x 32"H	48"W x 24"D x 40"H	48"W x 24½"D x 60"H	36"W x 24½"D x 40"H	36"W x 24½"D x 60"H
962.D0304	4"		✓				
962.D0305	5"	✓				✓	✓
962.D0306	6"	✓	✓			✓	✓
962.D0307	7"			✓	✓		
962.D0308	8"		✓	✓	✓		
962.D0309	9"		✓				
962.D0310	10"		✓				
962.D0404	4"		✓				
962.D0405	5"	✓				✓	✓
962.D0406	6"	✓	✓			✓	✓
962.D0407	7"			✓	✓		
962.D0408	8"		✓	✓	✓		
962.D0409	9"		✓				
962.D0410	10"		✓				
962.D0504	4"		✓				
962.D0505	5"	✓				✓	✓
962.D0506	6"	✓	✓			✓	✓
962.D0508	8"	✓	✓	✓	✓		
962.D0509	9"		✓				
962.D0510	10"	✓	✓				
962.D0604	4"		✓				
962.D0605	5"	✓				✓	✓
962.D0606	6"	✓	✓			✓	✓
962.D0607	7"			✓	✓		
962.D0608	8"		✓	✓	✓		
962.D0609	9"		✓				
962.D0610	10"		✓				
962.D0805	5"	✓					
962.D0806	6"	✓		✓	✓		
962.D0807	7"			✓	✓		
962.D0808	8"		✓	✓	✓		
962.D0809	9"		✓				
962.D0810	10"		✓			✓	✓
962.D0811	11"					✓	✓
962.D1006	6"			✓	✓		
962.D1007	7"			✓	✓		
962.D1008	8"	✓		✓	✓		
962.D1009	9"		✓				
962.D1010	10"	✓	✓			✓	✓
962.D1011	11"					✓	✓

*Request Special Orders for additional sizes of dividers or drawer partitions




PREMIUM LINE CABINETS-DRAWER LAYOUTS

Art. No. 962.KD40 & 962.KLD60



Drawer Height Dimensions	Drawer Layouts Showing Dividers in Inches	No. of Compartments	Available Divider Sizes	Available Dividers Prefix 962.
3"		24	7" & 8"	D0307/D0308
4"				D0407/D0408
5"				D0507/D0508
6"				D0607/D0608
8"		12	6", 7" & 8"	D0806/D0807/D0808
10"-14"				D1006/D1007/D1008

*Dividers delivered with cabinet may vary from the layouts shown

Art. No. 962.DD32

Drawer Height Dimensions	Drawer Layouts Showing Dividers in Inches	No. of Compartments	Available Divider Sizes	Available Dividers Prefix 962.
3"		25	5" & 6"	D0305/D0306
4"				D0405/D0406
5"				D0505/D0506
6"				D0605/D0606
8"		10	5" & 6"	D0805/D0806
10"-14"		6	8" & 10"	D1008/D1010

Art. No. 962.MD32


Drawer Height Dimensions	Drawer Layouts Showing Dividers in Inches	No. of Compartments	Available Divider Sizes	Available Dividers Prefix 962.
3"		32	4", 6" & 9"	D0304/D0306/D0309
4"				D0404/D0406/0409
5"				D0504/D0506/0509
6"				D0604/D0606/0609
8"		12	9" & 10"	D0809/D0810
10"-14"				D1009/D1010

*When reordering **962.MD32** dividers, always measure the divider width and drawer height or reorder using the engraved number on the divider

*Moving cabinet partitions reconfigures drawer layouts

*Consult Special Orders as needed

ORSY



Small Enviro Dispenser Rack

Art. No. 956.109


Contains:

- 1 Rack: 21" x 7 1/2" x 14" (W x H x D)
- 1 Tear blade (Cutters not included)
- 8 stars (Art. No. 956.10901); 5 brackets (Art. No. 956.10903)
- 4 spool holders

Recommended Use:

Holds 4-100 m wire rolls (see prefix 770)

*** Available OnDemand**



Large Enviro Dispenser Rack

Art. No. 956.1090


Contains:

- 1 Rack: 21" x 10" x 14" (W x H x D)
- Tear Blade (Cutters not included)
- 8 stars (Art. No. 956.10902); 5 brackets (Art. No. 956.10903)
- 4 spool holders

Recommended Use:

Can hold up to 5 emery Cloth rolls (prefix 674)

Can hold up to 4 rolls of fuel/vacuum hose line (prefix 895)



A



B

Replacement Parts

Item	Description	Art. No.
A	Enviro dispenser, star-small	956.10901
A	Enviro dispenser, star-large	956.10902
B	Enviro dispenser bracket	956.10903



Domestic Hose Dispenser Rack (empty)

Art. No. 966.810110

- For fuel line 1/4", 5/16" and 3/8"
- For vacuum line 5/32", 7/32" and 3/16"

Dimensions: 58 x 34 x 32 cm


ORSY



Metal Compartment Drawers

Compartments	Art. No.
6	955.9502
12	955.912
16	955.916
24	955.924
32	955.932

Dimensions: 18" x 3" x 12" (W x H x D)



Wire Tie Holder

Art. No. 502.05020

From left to right:

Compartment 1: 7 cm x 8 cm (2 3/4" x 3 1/8")

Compartment 2: 10 cm x 16 cm (4" x 6 1/4")

Compartment 3: 13 cm x 27 cm (5 1/8" x 10 5/8")

Compartment 4: 15 cm x 32.5 cm (5 7/8" x 12 3/4")

Dimensions: 45 cm x 32.5 cm x 5 cm deep (16 1/2" x 12 3/4" x 2" deep)

- Suitable for wall mounting or ORSY cabinet
- Stock levels at-a-glance
- Easy retrieval
- Mounting hardware included
- Use with wire ties, Prefix 553

NOTE: It is recommended to store the wire ties in their original bags to prevent them from becoming brittle



4 Drawer Metal Cabinet (empty)

Art. No. 955.904

Dimensions:

20" x 15" x 15-3/4" (W x H x D)



ORSY Drawer with Adjustable Dividers

Art. No. 955.23013

Complete with 9 dividers and 36 slots

- Fits in the ORSY Cabinet Art. No. 955.904
- Suitable to store fasteners and spare parts of different lengths and sizes
- Made from metal
- Adjustable dividers (spare dividers Art. No. 955.23011 - 10 piece)

ORSY



Threaded Rod Rack

Art. No. 955.OS2050

Dimensions: 6 7/8" x 24" x 24 3/8" (W x H x D)



Aerosol Cabinet

Art. No. 955.900

Dimensions: 33 3/4" x 22 1/4" x 8 1/2" (W x H x D)



Wire Spool Rack

Art. No. 955.901

Dimensions: 26 1/8" x 37 1/8" x 6" (W x H x D)



Regal Storage Bin

Art. No. 966.2 - 18 Comp.
Art. No. 966.1 - 36 Comp.

Dimensions: 23.6" x 12.4" x 4.6" (W x H x D, 18) 23.6" x 24" x 4.6" (W x H x D, 36)



40 Compartment Bin

Art. No. 966.3

Dimensions: 33 3/4" x 22 1/4" x 9" (W x H x D)



40 Compartment Bin

Art. No. 966.13

Dimensions: 33 3/4" x 22 1/4" x 12" (W x H x D)



Base for: Multi-compartment bins

Art. No. 955.9721 - 9" deep
Art. No. 966.131 - 12" deep

Dimensions: 5 3/4" x 34" (W x L)



Rack for 4 Drawer Cabinet

Art. No. 955.9041

Dimensions: 16" x 15" x 20" (W x H x D)

FLAMMABLE LIQUIDS STORAGE CABINETS



- Double-wall 18 gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive-resistant finish
- Meets NFPA Code 30 and OSHA standard 1910.10 for storage of Class I, II and III liquids
- FM Approved

Order Processing Time: One week

FREIGHT:
To be determined based
on location.

Door Type	Capacity Gallons	Adjustable Shelves	Width	Depth	Height	Listing Approvals	Weight. lbs	Art. No.
2-door, manual	45	2	43"	18"	65"	FM	252	962.SAQ326
2-door, manual	60	2	34"	34"	65"	FM	430	962.SAS521
Extra Shelf								
Extra shelf for use with 30 and 45 gallon cabinets			39 3/8"	14"	-	-	9	999.SAQ328*
Extra shelf for use with 60 gallon cabinet			30 3/8"	30"	-	-	12	999.SAS574*

***AVAILABLE ONLY THROUGH SPECIAL ORDERS!**

DOS RACK 14 COMPARTMENTS



Art. No. 891.273141

14 compartment rack for DOS products

Dimensions:

41cm x 10cm x 10cm (L x W x H)

DRAWER LINER



Keeps drawers and shelves clean. Scratch-free. Lines a 5-drawer cabinet or 10 drawer tool chest. Easy to install: Cut to desired length.

Ideal For:

- Tool Chests
- Tool Trolleys
- Shelves & Racks
- Cabinets

Dimensions	Drawer Liner	Art. No.	P. Qty
16" x 112"	Perforated Design	962.6200	1

PACKFIX PACKAGING FILM



Art. No. 992.9001

For fast packing without cutting or adhesive residues

Features & Benefits:

- No adhesive residues
- No adhesive residues are left behind when the film is removed from the product.
- Good moulding capability
- Corners, edges and curves etc. can also be packaged and/or protected quickly and reliably with the film. This also means considerable time is saved.
- Quick to tear off

- The film can easily be torn off by dragging on the protruding section of the winding core. As a result, no extra cutting tools are required to cut the film.
- Recyclable PE film

Applications:

For packaging, bundling, protecting and securing a wide range of items, e.g. for packages, pallets, accessory articles, wooden strips, window profiles, carpet rolls, picture frames, wrapping steering wheels etc. instead of adhesive tape.



Technical Information	
Material	PE - Polyethylene
Colour	Transparent
Width	100 mm
Length	150 m
Foil thickness	23 µm
Stretch capacity	550 %
Min. pressing pressure	1.2 N/mm ²
Conditions for pressing pressure	with 8 wrappings
Ultraviolet resistance	6 months
Max. temperature resistance	70 °C
Chemical resistance	Application-dependent, query required
Shelf life from production	24 months
Conditions to maintain shelf life from production	Dry storage area, 20°C

PACKFIX PACKAGING FILM



Art. No. 992.9002

For fast packing without cutting or adhesive residues

Features & Benefits:

- No adhesive residues
- No adhesive residues are left behind when the film is removed from the product.
- Good moulding capability
- Corners, edges and curves etc. can also be packaged and/or protected quickly and reliably with the film. This also means considerable time is saved.
- Quick to tear off

- The film can easily be torn off by dragging on the protruding section of the winding core. As a result, no extra cutting tools are required to cut the film.
- Recyclable PE film

Applications:

For packaging, bundling, protecting and securing a wide range of items, e.g. for packages, pallets, accessory articles, wooden strips, window profiles, carpet rolls, picture frames, wrapping steering wheels etc. instead of adhesive tape.



Technical Information	
Material	PE - Polyethylene
Colour	Transparent
Width	500 mm
Length	270 m
Foil thickness	20 µm
Stretch capacity	470 %
Min. pressing pressure	0.7 N/mm ²
Conditions for pressing pressure	with 8 wrappings
Ultraviolet resistance	6 months
Max. temperature resistance	70 °C
Chemical resistance	Application-dependent, query required
Shelf life from production	24 months
Conditions to maintain shelf life from production	Dry storage area, 20°C

BLACK PACKFIX PACKAGING FILM

Art. No. 992.900220

For fast packing without cutting or adhesive residues



Features & Benefits:

- No adhesive residues
- No adhesive residues are left behind when the film is removed from the product.
- Good moulding capability
- Corners, edges and curves etc. can also be packaged and/or protected quickly and reliably with the film. This also means considerable time is saved.
- Quick to tear off

- The film can easily be torn off by dragging on the protruding section of the winding core. As a result, no extra cutting tools are required to cut the film.
- Recyclable PE film

Applications:

For packaging, bundling, protecting and securing a wide range of items, e.g. for packages, pallets, accessory articles, wooden strips, window profiles, carpet rolls, picture frames, wrapping steering wheels etc. instead of adhesive tape.

Technical Information	
Material	PE - Polyethylene
Colour	Black
Width	500 mm
Length	270 m
Foil thickness	20 µm
Stretch capacity	200 %
Min. pressing pressure	0.7 N/mm ²
Conditions for pressing pressure	with 8 wrappings
Ultraviolet resistance	6 months
Max. temperature resistance	70 °C
Chemical resistance	Application-dependent, query required
Shelf life from production	24 months
Conditions to maintain shelf life from production	Dry storage area, 20 °C

HANDLE PACKFIX PACKAGING FILM



Art. No. 992.901

For use with Wurth Packfix Packaging Film:

- 992.9001
- 992.9002
- 992.900220

ERGO SLIDING SLEEVE FOR PACKFIX



Art. No. 992.902001

Can be used with Wurth Packfix Packaging Film:

- 992.9002
- 992.900220

BIOMATIC FLUID



Features:

- Aqueous based surfactant cleaner (no odour)
- Designed for difficult cleaning applications in the Biomatic parts washing system.
- Excellent for removing motor oil, bearing grease, automotive grease, impacted grease, creosote, resin products, hydraulic/transmission fluid, fifth wheel grease, crude oil, solder/flux, and animal fat.
- Free of volatile organic compounds (VOC)
- No flashpoint
- pH neutral
- Biodegradable
- Non-toxic, non-caustic, non-flammable, non-hazardous
- No phosphates, formaldehyde, biocides or solvents present

Technical Specifications:

- Appearance: Clear to yellow liquid
- Odour: Low/pleasant aroma
- Density: 0.9996 g/mL
- pH: 8.74
- Flash point: None

Contents	Art. No.	P. Qty.
18.9 L	995.903	1

BIOMATIC PARTS WASHER



Art. No. 995.900

Portable solvent-free degreasing system for mechanical and brake parts that is safe for the user and the environment.

Features:


- The perfect combination of simplicity, robustness and mobility.
- Blow moulded high density nonconductive polyethylene for durability and impact resistance.
- Manual off/on flow control with toggle switch.
- Flow timer with 10 and 30 minute increments
- User regulated flow control to flexible tap or ergonomic brush.
- Flexible 1.5 m (4.9') hose for easy cleaning of brakes under a lift.
- Base with large wheels for greater mobility in the workshop.
- Thermostat maintains fluid at 42° C (107° F) for better washing effectiveness.
- Filter is changeable and disposable without hand tools or special equipment.
- System ready power on indicator (green) and low fluid level indicator (red).

P. Qty: 1

Technical Specifications:

- Pump: 1/125 HP (0.5 Amp) pump supplies a flow rate of 300 GPH with sump intake
- Tank capacity: 60 L
- Low fluid level: 40 L
- Empty unit weight: 32kg (70.5 lbs)
- Maximum load capacity: 227 kg (500 lbs)
- Heater: 1000 watt industrial heater

Unit Dimensions:



Package contents:

Description	Art. No.	Qty.
Biomatic Parts Washer	995.900	1
Biomatic Fluid - 18.9 L	995.903	3
Standard Biomatic Filter	995.900001	1
Brush for Biomatic Parts Washer	995.900005	1

RECIRCULATING PARTS WASHER



- * Assembly required
- * Brush not included



Spare Part:

Brush 96 cm **995.00095059**

Art. No. 995.000950

Portable, sturdy parts washer system for mechanical and brake parts that is safe for the user and the environment.

Features:

- Tank capacity - 20 gal
- Free standing washer
- Thermally protected 110V motor and On/Off switch
- Safety lever has a fusible link which shuts cover in case of fire
- Durable pump included
- 3 ways filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily

Technical Specifications	
Capacity	20 Gallon
Solvent Capacity	12 Gallon
Motor	.25 Amp
Voltage	110V, 1 phase, 60 hz
Basin Dimension	30-1/2" x 21-1/4" x 10"
Height of Stand	24-1/2"
Assembled Dimensions (LxWxH) / Weight	30-1/2" x 21-1/4" x 34-1/2" / 55lbs

Note: spare parts and accessories can be purchased through special orders.



Recommended Parts Washer Liquid:

893.162701

REFILLOMAT SYSTEM



Art. No. 997.141887

The safe, economical system for the automatic refilling of spray cans with chemical and compressed air. The reusable 'aerosol' system

Safe, Economical, Environmentally friendly!

- The REFILLOmat can looks like an ordinary aerosol can, yet it is a tool. It is convenient to handle and sprays in every position.
- The REFILLOmat station regulates charging the reusable can with approx 300-400 ml of products and the correct pressure of compressed air (6 bar/87 psi), which acts as the propellant. Charging takes just 7 seconds!
- REFILLOmat combines the ease and convenience of an aerosol with the cost savings of bulk into one innovative system.
- The REFILLOmat system minimizes can garbage and waste, thus reducing negative environmental effects.

Benefits:

- Refillable
- Tremendous space savings
- Highly cost-effective
- The REFILLOmat cans have a protected spray nozzle
- Durable and long-lasting

Station delivery includes:

- Filling station
- Station grounding cable
- Depressurizing tool for cans
- Closing cap and hose
- Hose for compressed air supply, NPT 1/4"
- Additional hose
- Release plate for Brake Cleaner, Code 1:

Art. No.891.870951

1 year limited warranty. Use of any non-approved chemical voids warranty. Improper use may result in station malfunction and/or serious personal injury.

REFILLOMAT SYSTEM - ACCESSORIES



Release Plate for Station

Coated plastic releasing plate for station.

Chemical	Art. No.
Brake Cleaner, Code 1	891.870951
Eco Window & Glass Cleaner, Code 11	891.8709511



Nozzle Set (Service Pack 8)

Art. No. 891.870001

Three "gold" nozzles for fine spray, three "black" nozzles for coarse spray. Simply attach to the VARIOCAP spray head.

P. Qty: 6



VARIOCAP Spray Head (Service Pack 7)

Art. No. 891.870000

Replacement VARIOCAP spray head.

P. Qty: 3



Universal holder for REFILLOmat can

Art. No. 891.8901

The universal can holder for quick access in the workshop.

P. Qty: 1



Simple spray head change - VARIOCAP: The spray head with the 'click'
VARIOCAP: Variable, A Joy to Use, Rugged, Innovative, Optimized

REFILLOMAT SYSTEM – CHEMICALS



Brake & Parts Cleaner

18.9 L Bulk - Art. No. 890.108718

500 mL Empty Can - Art. No. 891.9811

Highly concentrated solvent blend

- No chlorinated solvents
- Silicone and lead-free

Release plate included with station, Code 1: 891.870951

REFILLOMAT SYSTEM - REPLACEMENT ITEMS



Filling Valve (Service Pack 1)

Art. No. 891.870950

P. Qty: 1



Grounding Cable

(Service Pack 6)

Art. No. 891.870955

P. Qty: 1



Replacement O-Rings

Art. No. 997.135176

For filling nozzles on
REFILLOmat station

P. Qty: 10



Replacement Hose Kit

(Service Pack 3)

Art. No. 891.870952

Also included with the
REFILLOmat System

P. Qty: 1

ULTRA MOBILE MINI LIFT

Art. No. 995.100ML

An innovative, low profile, pneumatically operated scissor lift that will lift nearly any car, van, truck or SUV on the market.

Features:

Large directional wheels

Rolls easily, even over floor grates (ex: in paint booths)

Pneumatic air bag from Continental™

Top quality for the safest operation.

Low maintenance

No electric or hydraulic parts.

Large lifting pad

- At 48 cm long, provides high stability.
- Additional lift pad allows for lateral lifting.

Quick lift time

13 seconds to raise, 17 seconds to descend.

- Operates pneumatically.
- Compact size fits easily under most vehicles (accessory ramps are available).
- Allows lifting of the vehicle from the front, side, or rear. With the use of two MiniLifts, the entire vehicle can be lifted and moved.
- Reduces operator fatigue by lifting the vehicle to a comfortable working height.



A

Image	Description	Art. No.	P. Qty.
A	Ultra Mobile Mini Lift (includes one pair of safety jack stands, Art. No. 995.102JS and lifting pad for side lifting)	995.100ML	1
B	Replacement safety jack stands (pair)	995.102JS	1 (pair)
C	SUV frame adapter (pair)	995.103FA	1 (pair)
D	Audi/BMW/MB lift point pad (pair)	995.105LP	1 (pair)
E	Low profile clearance ramps (pair) (increase in ride height of 7cm)	995.106CR	1 (pair)



B



C



D



E

ULTRA MOBILE MINI LIFT



Lateral lifting with lift pad in use (included with **Art. No. 995.110ML**)



Showing Safety Jack stands, **Art. No. 995.102JS** in use.




Both images above showing SUV Frame adaptors, **Art. No. 995.103FA**, in use.

Technical Information:	
Max. Lift Height (of vehicle)	Rear axle: 155 cm Front axle: 145 cm Side elevation: 60 cm
Size	138 x 60 cm
Min. Height (clearance required)	13 cm
Lift Capacity	2 500 kg (5 511 lbs)
Max. Vehicle weight	3 200 kg (7 054 lbs)
Lift pad length	48 cm
Lift weight	110 kg (242 lbs)
Power/Min. air supply	Compressed air, 1/4" FPT 6-8 bar (87-116 psi)



INFORMATION FRAMES A4



Information frame for attaching documents to surfaces in production facilities or offices.

Features:

- Documents can be inserted and changed quickly with the magnetic or adhesive frame
- Simple to install on surfaces such as whiteboards, presentation boards, lockers and production safety boards
- Can be used in portrait or landscape orientation

Applications:

- For A4 documents such as machine files, operational figures, employee information, orientation information, hazardous substance instructions, operating instructions, fire safety identifiers, etc.

Colour	Height	Width	Frame	Art. No.	Material
Black	236 mm	323 mm	Self-Adhesive	957.570001	Plastic
Red				957.570002	
Silver				957.570005	
Black	323 mm	236 mm	Magnetic	957.570015	
Red				957.570016	
Silver				957.570019	

SNEEZE GUARD ROLLER BLIND



Transparent barrier against droplet infections.

Features:

- Thin, crystal-clear material
- Dirt- and scratch-resistant
- Pre-mounted on mounting rail
- Side pulley (can be mounted either on the right or on the left)
- UV-resistant and 100% recyclable
- Infinitely adjustable
- For a neat and professional image in offices and workstations